



ADVANTAGE

Advantage™ Aircraft Fueling hose is for over- and under-the-wing fueling of commercial and private aircraft. It handles jet fuel and av-gas up to 50% aromatic content. Hose meets EI1529-7th edition, 2014 and N.F.P.A. Bulletin #407 (2017 revision).

Performance + Specs

<p>Construction Tube</p> <ul style="list-style-type: none"> Nitrile Synthetic Rubber 	<p>Cover</p> <ul style="list-style-type: none"> Wingprene® (ORS) Static Dissipating/Static Conductive Synthetic Rubber (wrapped impression)
<p>Reinforcement</p> <ul style="list-style-type: none"> Spiral-plyed (2) Synthetic Fabric and On 	<p>Temperature Range</p> <ul style="list-style-type: none"> -35°F / -37°C ~ 200°F / 93°C
<p>Design Factor</p> <ul style="list-style-type: none"> 4:1 	<p>Packaging</p> <ul style="list-style-type: none"> Cut lengths, coiled and polywrapped.
<p>Coupling</p> <ul style="list-style-type: none"> Contact fitting manufacturer for proper fitting recommendation and coupling procedures. 	<p>Non Stock / Sizes</p> <ul style="list-style-type: none"> Custom lengths and female fitting configurations available.

Branding

Example: ContiTech Advantage™ Aircraft Fueling Hose NFPA407, API/IP 1529/2005 Type C, Grade 1, 1 1/4", 1000 KPa (150 PSI) MAX WP

ADVANTAGE #MAINIMAGE#

Order Codes: 543-429, TEST1, TEST1

Product Numbers

ID (in)	ID (mm)	OD (in)	OD (mm)	Length (ft)	Color	WP (PSI)	WP (MPa)	Weight (lbs/ft)	Weight (kg/m)	Part Number
1	25.40	1.55	39.40	200	Black	150	1.03	0.60	0.89	20017874
1-1/4	31.80	1.81	46.00	200	Black	150	1.03	0.72	1.07	20017880
1-1/2	38.10	2.11	53.60	200	Black	150	1.03	0.96	1.43	20017889

