



JET RANGER™

Used in the fueling and defueling* of commercial and private aircraft. Resistant to jet fuel and higher aromatic aviation gasolines. Also for use on hydrant service. Hose meets EI 1529-7th edition, 2014, ISO 1825:2010/C/OMEGA, and N.F.P.A. Bulletin #407 (2017 revision).

Performance + Specs

<p>Construction Tube</p> <ul style="list-style-type: none"> Nitrile (NBR) 	<p>Cover</p> <ul style="list-style-type: none"> Wingprene® (ORS) Static Dissipating / Static Conductive Wrapped Finish
<p>Reinforcement</p> <ul style="list-style-type: none"> 4 Layers, Spiral-plyed, Synthetic Fabric One Nylon Breaker 	<p>Temperature Range</p> <ul style="list-style-type: none"> -35°F / -37°C ~ 200°F / 93°C
<p>Design Factor</p> <ul style="list-style-type: none"> 4:1 	<p>Packaging</p> <ul style="list-style-type: none"> Coiled & Poly-Wrapped
<p>Coupling</p> <ul style="list-style-type: none"> Contact fitting manufacturer for proper fitting recommendation and coupling procedure. 	<p>Non Stock / Sizes</p> <ul style="list-style-type: none"> For special production run minimum requirements, Contact Customer Service

Branding

JET RANGER™ #MAINIMAGE#

Order Codes: 543-742 (1" to 3"), 541-742 (4")

Product Numbers								
ID (in)	ID (mm)	OD (in)	OD (mm)	WP (PSI)	WP (MPa)	Weight (lbs/ft)	Weight (kg/m)	Part Number
1-1/2	38.10	2.06	52.30	300	2.07	0.86	1.28	20018250
131/32	50.00	2.57	65.30	300	2.07	1.14	1.70	20046710
2-1/2	63.50	3.16	80.30	300	2.07	1.53	2.28	20099968
3	76.20	3.64	92.50	300	2.07	1.79	2.66	20018276
4	101.60	5.00	127.00	300	2.07	3.70	5.51	20016044

