



WINGCRAFT™

Continental Wingcraft™ is for fueling or defueling* commercial and private aircraft. It handles jet fuel and the higher aromatic aviation gasolines. Its high working pressure permits use in fuel cart hydrant service. Hose meets EI 1529-7th edition, 2014 and N.F.P.A. Bulletin #407 (2017 revision).

Performance + Specs

<p>Construction Tube</p> <ul style="list-style-type: none"> Nitrile (NBR) 	<p>Cover</p> <ul style="list-style-type: none"> Wingprene® (ORS) Static Dissipating / Static Conductive
<p>Reinforcement</p> <ul style="list-style-type: none"> Spiral-plied Synthetic Fabric 	<p>Temperature Range</p> <ul style="list-style-type: none"> -35°F / -37°C ~ 200°F / 93°C
<p>Design Factor</p> <ul style="list-style-type: none"> 4:1 	<p>Packaging</p> <ul style="list-style-type: none"> Coiled & Poly-Wrapped
<p>Coupling</p> <ul style="list-style-type: none"> Contact fitting manufacturer for proper fitting recommendation and coupling procedures. 	<p>Non Stock / Sizes</p> <ul style="list-style-type: none"> Custom Lengths & Fitting Configurations Available.

Branding

Continental WINGCRAFT AIRCRAFT FUELING HOSE NFPA-407 EI 1529/2014 TYPE C GRADE 2 2000 KPA 300 PSI MAX WP

WINGCRAFT™ #MAINIMAGE#

Order Codes: 543-738 (1" to 3"), 541-738 (4")

Product Numbers										
ID (in)	ID (mm)	OD (in)	OD (mm)	Length (ft)	Color	WP (PSI)	WP (MPa)	Weight (lbs/ft)	Weight (kg/m)	Part Number
1	25.40	1.58	40.00	200	Black	300	2.07	0.65	0.970	20018118
1-1/4	31.80	1.89	47.90	200	Black	300	2.07	0.85	1.260	20018142
1-1/2	38.10	2.13	54.20	200	Black	300	2.07	0.99	1.470	20018159
2	50.80	2.67	67.90	100	Black	300	2.07	1.35	2.010	20018180
				200	Black	300	2.07	1.35	2.010	20018181
2-1/2	63.50	3.22	81.80	100	Black	300	2.07	1.72	2.650	20018204
				200	Black	300	2.07	1.78	2.650	20018205
3	76.20	3.72	94.50	200	Black	300	2.07	2.09	3.110	20018222
4	101.60	4.80	121.90	100	Black	300	2.07	2.89	4.300	20016034

