www.dicsaes.com

DICSA AMERICA



Stainless Steel Fittings

Racores Inoxidable
Raccords en Acier Inox

AISI 316L

PLEASE.
ASK FOR OUR
GENERAL PRICE LISTS

Hydraulic and Pneumatic Connectors
Conducciones Hidráulicas y Neumáticas

Stainless Steel Fittings
Racores Inoxidable

Hydraulic and pneumatic components
Componentes Hidráulicos y Neumáticos

SOLICITE NUESTRAS
TARIFAS GENERALES
DE PRECIOS

43 Series - No Skive: R1AT/R2AT/R16/1SN/ 2SN/2SC 1
Conexiones Compactas Serie 43 R1AT/R2AT/1SN/2SN/R16/2SC
Embouts pré-sertis R1AT/R2AT/1SN/2SN/R16/2SC Série 43

BW Series- No Skive: R12/ 4SP/ 4SH 2
Conexiones Compactas Serie BW R12/4SP/4SH
Embouts pré-sertis R12/4SP/4SH Série BW

Flanges 3
Bridas
Brides

Push on Hose Fittings 4
Serie Push on
Série Push-On

Reusable Fitting BM series 5
Serie Reusables BM
Série Reusables BM

Adapters 6
Adaptadores
Adapteurs

Bonded Seals 7
Junta Metalbuna
Bague BS

Dimensions subject to change without prior notice
Dimensiones sujetas a cambios sin aviso

Crimping chart with PARKER die sets + DICSA 43 Series

Tabla de prensado con mordazas PARKER + DICSA Serie 43

Hose I.D.				Hose	Fitting	Insert depth		Crimp Ø (Dicsa)		Die	Die Ring	Base plate	Adapter bowl
DN	inch	Size	mm	Type	code	inch	mm	Stainless / Mild steel inch	mm	Set	83C-R02	83C-R02H	83C-0CB
6	1/4	-4	6.3	R1AT	43-1/4	0.886	22.5	0.642	16.3	**80C-C04**			X
6	1/4	-4	6.3	R2AT	43-1/4	0.886	22.5	0.685	17.4	**80C-C04**	X		X
6	1/4	-4	6.3	2SC	43-1/4	0.886	22.5	0.669	17	**80C-C04**			
8	5/16	-5	8.2	R1AT	43-5/16	0.906	23	0.705	17.9	**80C-C05**			X
8	5/16	-5	8.2	R2AT	43-5/16	0.906	23	0.764	19.4	**80C-C05**	X		X
8	5/16	-5	8.2	2SC	43-5/16	0.906	23	0.740	18.8	**80C-C05**	X		X
10	3/8	-6	9.8	R1AT	43-5/16	0.925	23.5	0.827	21	**80C-C06**			X
10	3/8	-6	9.8	R2AT	43-5/16	0.925	23.5	0.886	22.5	**80C-C06**	X		X
10	3/8	-6	9.8	2SC	43-5/16	0.925	23.5	0.854	21.7	**80C-C06**	X		X
12	1/2	-8	12.9	R1AT	43-1/2	1.039	26.4	0.953	24.2	**80C-C08**			X
12	1/2	-8	12.9	R2AT	43-1/2	1.039	26.4	0.996	25.3	**80C-C08**	X		X
12	1/2	-8	12.9	2SC	43-1/2	1.039	26.4	0.961	24.4	**80C-C08**	X		X
16	5/8	-10	16.2	R1AT	43-5/8	1.173	29.8	1.083	27.5	**80C-C10**			X
16	5/8	-10	16.2	R2AT	43-5/8	1.173	29.8	1.122	28.5	**80C-C10**	X		X
16	5/8	-10	16.2	2SC	43-5/8	1.173	29.8	1.126	28.6	**80C-C10**	X		X
20	5/8	-12	19.2	R1AT	43-3/4	1.374	34.9	1.244	31.6	**80C-C12**			X
20	5/8	-12	19.2	R2AT	43-3/4	1.374	34.9	1.295	32.9	**80C-C12**	X		X
20	5/8	-12	19.2	2SC	43-3/4	1.374	34.9	1.268	32.2	**80C-C12**	X		X
25	1	-16	25.3	R1AT	43-1	1.654	42	1.551	39.4	**80C-C16**			X
25	1	-16	25.3	R2AT	43-1	1.654	42	1.614	41	**80C-C16**	X		X
25	1	-16	25.3	2SC	43-1	1.654	42	1.583	40.2	**80C-C16**	X		X
31	1 1/4	-20	32.2	R1AT	43-1 1/4	2.106	53.5	1.886	47.9	**80C-C20**			X
31	1 1/4	-20	32.2	R2AT	43-1 1/4	2.106	53.5	2.008	51	**80C-C20**	X		X
31	1 1/4	-20	32.2	R2AT	43-1 1/4	2.106	53.5	2.008	51	**83C-C20H**		X	
40	1 1/2	-24	38.2	R1AT	43-1 1/2	2.106	53.5	2.217	56.3	**83C-C24**			
40	1 1/2	-24	38.2	R2AT	43-1 1/2	2.106	53.5	2.350	59.7	**83C-C24**		X	
50	2	-32	51.2	R1AT	43-2	2.587	65.7	2.787	70.8	**83C-C32**			
50	2	-32	51.2	R2AT	43-2	2.587	65.7	2.886	73.3	**83C-C32**		X	

Note: Crimp diameters for stainless steel fittings can be up to 0.25 mm larger than for standard steel fittings.
These swage dimensions shown are intented as a guide only and it is responsability of the customer ensure the correct insert collapse is obtained.

Crimp Chart information always updated on our website / Datos de tablas de prensado siempre actualizados en nuestra web

Crimping chart DICSA 43 & BW Series

Tabla de prensado para conexiones Serie 43 y BW de inoxidable

	Hose type	Ferrule Series	DN mm	6	8	10	12	16	19	25	31	38	51
			Inches	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"	1"1/4	1"1/2	2"
43 SERIES	SAE R1AT EN 853 1SN	*ZPFC2212...1	**Crimping Ø**	0.642	0.705	0.827	0.953	1.083	1.244	1.551	1.886	2.217	2.787
			Insert leght	0.886	0.906	0.925	1.039	1.173	1.374	1.654	2.106	2.106	2.587
	SAE 100 R2AT EN 853 2SN		**Crimping Ø**	0.685	0.764	0.886	0.996	1.122	1.295	1.614	2.008	2.350	2.886
			Insert leght	0.886	0.906	0.925	1.039	1.173	1.374	1.654	2.106	2.106	2.587
	EN 857 2SC	*ZPFC2212...1	**Crimping Ø**	0.669	0.740	0.854	0.961	1.102	1.268	1.583			
			Insert leght	0.886	0.906	0.925	1.039	1.173	1.374	1.654			
BW SERIES	SAE 100 R9R EN 856 4SP	ZAC68010...	**Crimping Ø**				1.031	1.205	1.358	1.654	2.126	2.382	2.949
			Insert leght				1.319	1.555	1.693	1.909	2.382	2.362	2.992
	SAE 100 R12 EN 856 R12		**Crimping Ø**					1.205	1.394	1.673	2.035	2.343	2.933
			Insert leght					1.555	1.693	1.909	2.382	2.362	2.992
	EN 856 4SH		**Crimping Ø**						1.382	1.646	2.008	2.303	2.913
			Insert leght						1.693	1.909	2.382	2.362	2.992

***The present data are recommendations for our TRΔLE® / TRIAGLE * hoses. Dimensiones indicated are in INCHES.**
The crimping Ø should be verified with the gauge Go/Not Go. For hose Ø queries, see dimensional hose table.

	Hose type	Ferrule Series	DN mm	6	8	10	12	16	19	25	31	38	51
			Inches	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"	1"1/4	1"1/2	2"
43 SERIES	SAE R1AT EN 853 1SN	*ZPFC2212...1	**Crimping Ø**	16.3	17.9	21	24.2	27.5	31.6	39.4	47.9	56.3	70.8
			Insert leght	22.5	23	23.5	26.4	29.8	34.9	42	53.5	53.5	65.7
	SAE 100 R2AT EN 853 2SN		**Crimping Ø**	17.4	19.4	22.5	25.3	28.5	32.9	41	51	59.7	73.3
			Insert leght	22.5	23	23.5	26.4	29.8	34.9	42	53.5	53.5	65.7
	EN 857 2SC	*ZPFC2212...1	**Crimping Ø**	17	18.8	21.7	24.4	28	32.2	40.2			
			Insert leght	22.5	23	23.5	26.4	29.8	34.9	42			
BW SERIES	SAE 100 R9R EN 856 4SP	ZAC68010...	**Crimping Ø**				26.2	30.6	34.5	42	54	60.5	74.9
			Insert leght				33.5	39.5	43	48.5	60.5	60	76
	SAE 100 R12 EN 856 R12		**Crimping Ø**					30.6	35.4	42.5	51.7	59.5	74.5
			Insert leght					39.5	43	48.5	60.5	60	76
	EN 856 4SH		**Crimping Ø**						35.1	41.8	51	58.5	74
			Insert leght						43	48.5	60.5	60	76

***The present data are recommendations for our TRΔLE® / TRIAGLE * hoses. Dimensiones indicated are in mm.**
The crimping Ø should be verified with the gauge Go/Not Go. For hose Ø queries, see dimensional hose table.

Crimp Chart information always updated on our website / Datos de tablas de prensado siempre actualizados en nuestra web

43 Series - No Skive: R1AT/R2AT/R16/1SN/2SN/2SC

Serie 43- No pelar R1AT/R2AT/1SN/2SN/R16/2SC

Embouts pré-sertis R1AT/R2AT/1SN/2SN/R16/2SC Série 43

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

- JIC 37° fittings / Conexiones compactas JIC 37° / Embouts pré-sertis JIC 37° | 08


DI-SS-43-FJX


DI-SS-43-FJX45


DI-SS-43-FJX90


DI-SS-43-MJ

- NPT-NPSM fittings / Conexiones compactas NPT-NPSM / Embouts pré-sertis NPT-NPSM | 12


DI-SS-43-MP


DI-SS-43-FPX


DI-SS-43-FPX45


DI-SS-43-FPX90


DI-SS-43-MPX

- ORFS fittings / Conexiones compactas ORFS / Embouts pré-sertis ORFS | 18


DI-SS-43-FFX


DI-SS-43-FFX45


DI-SS-43-FFX90


DI-SS-43-MFF

- SAE Flanges fittings / Conexiones compactas Bridas SAE / Embouts pré-sertis Brides SAE | 22


DI-SS-43-FL61


DI-SS-43-FL6145


DI-SS-43-FL6190


DI-SS-43-FH62


DI-SS-43-FH6245


DI-SS-43-FH6290

- BSP fittings / Conexiones compactas BSP / Embouts pré-sertis BSP | 28


DI-SS-43-FBSP


DI-SS-43-FBSP45


DI-SS-43-FBSP90


DI-SS-43-MBSP

- Metric fittings / Conexiones compactas Métricas / Embouts pré-sertis Métriques | 32


DI-SS-43-FDL


DI-SS-43-FDL45


DI-SS-43-FDL90


DI-SS-43-MDL


DI-SS-43-FDS


DI-SS-43-FDS45


DI-SS-43-FDS90


DI-SS-43-MDS

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88242

FEMALE JIC

Hembras JIC

Femelle JIC





Part NO.	I.D. (Hose)	PIPE	THREAD UNF	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
								SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FJX-04-04	1/4"	1/4"	7/16" 20h	2.067	1.181	0.906	0.665	SHF43-04-04FJ	SS-43-FJX-04-04	10643-4-4C
DI-SS-43-FJX-04-05	1/4"	5/16"	1/2" 20h	2.126	1.240	0.906	0.665	SHF43-04-05FJ	SS-43-FJX-04-05	10643-5-4C
DI-SS-43-FJX-04-06	1/4"	3/8"	9/16" 18h	2.165	1.280	0.906	0.665	SHF43-04-06FJ	SS-43-FJX-04-06	10643-6-4C
DI-SS-43-FJX-06-04	3/8"	1/4"	7/16" 20h	2.146	1.220	1.102	0.815	SHF43-06-04FJ	SS-43-FJX-06-04	10643-4-6C
DI-SS-43-FJX-06-06	3/8"	3/8"	9/16" 18h	2.244	1.319	1.102	0.815	SHF43-06-06FJ	SS-43-FJX-06-06	10643-6-6C
DI-SS-43-FJX-06-08	3/8"	1/2"	3/4" 16h	2.362	1.398	1.102	0.815	SHF43-06-08FJ	SS-43-FJX-06-08	10643-8-6C
DI-SS-43-FJX-08-06	1/2"	3/8"	9/16" 18h	2.441	1.402	1.260	0.976	SHF43-08-06FJ	SS-43-FJX-08-06	10643-6-8C
DI-SS-43-FJX-08-08	1/2"	1/2"	3/4" 16h	2.480	1.441	1.260	0.976	SHF43-08-08FJ	SS-43-FJX-08-08	10643-8-8C
DI-SS-43-FJX-08-10	1/2"	5/8"	7/8" 14h	2.579	1.539	1.260	0.976	SHF43-08-10FJ	SS-43-FJX-08-10	10643-10-8C
DI-SS-43-FJX-08-12	1/2"	3/4"	1 1/16" 12h	2.697	1.657	1.260	0.976	SHF43-08-12FJ	SS-43-FJX-08-12	10643-12-08C
DI-SS-43-FJX-10-10	5/8"	5/8"	7/8" 14h	2.717	1.535	1.378	1.106	SHF43-10-10FJ	SS-43-FJX-10-10	10643-10-10C
DI-SS-43-FJX-10-12	5/8"	3/4"	1 1/16" 12h	2.933	1.752	1.378	1.106	SHF43-10-12FJ	SS-43-FJX-10-12	10643-12-10C
DI-SS-43-FJX-12-08	3/4"	1/2"	1 3/4" 16h	2.992	1.618	1.575	1.260	SHF43-12-08FJ	SS-43-FJX-12-08	10643-8-12C
DI-SS-43-FJX-12-12	3/4"	3/4"	1 1/16" 12h	3.189	1.815	1.575	1.260	SHF43-12-12FJ	SS-43-FJX-12-12	10643-12-12C
DI-SS-43-FJX-12-16	3/4"	1"	1 5/16" 12h	3.406	2.031	1.575	1.260	SHF43-12-16FJ	SS-43-FJX-12-16	10643-16-12C
DI-SS-43-FJX-16-12	1"	3/4"	1 1/16" 12h	3.504	1.850	1.850	1.535	SHF43-16-12FJ	SS-43-FJX-16-12	10643-12-16C
DI-SS-43-FJX-16-16	1"	1"	1 5/16" 12h	3.661	2.008	1.850	1.535	SHF43-16-16FJ	SS-43-FJX-16-16	10643-16-16C
DI-SS-43-FJX-16-20	1"	1 1/4"	1 5/8" 12h	3.780	2.426	1.850	1.535	SHF43-16-20FJ	SS-43-FJX-16-20	10643-20-16C
DI-SS-43-FJX-20-20	1 1/4"	1 1/4"	1 5/8" 12h	4.193	2.087	2.354	1.945	SHF43-20-20FJ	SS-43-FJX-20-20	10643-20-20C
DI-SS-43-FJX-24-24	1 1/2"	1 1/2"	1 7/8" 12h	4.488	2.382	2.425	2.205	SHF43-24-24FJ	SS-43-FJX-24-24	10643-24-24C
DI-SS-43-FJX-32-32	2"	2"	2"1/2 12h	5.472	2.886	3.268	2.705	SHF43-32-32FJ	SS-43-FJX-32-32	10643-32-32C

***On request/** *Consultar/* Sur demande

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88139

FEMALE JIC 45°

Hembras JIC codo 45°

Coude 45° Femelle JIC





Part NO.	I.D. (Hose)	PIPE	THREAD UNF	L1	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
									SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FJX45-04-04	1/4"	1/4"	7/16"-20h	1.024	2.843	1.957	0.906	0.665	SHF43-04-04FJ45	SS-43-FJX45-04-04	13743-4-4C
DI-SS-43-FJX45-04-06	1/4"	3/8"	9/16"-18h	1.106	2.929	2.043	0.906	0.665	SHF43-04-06FJ45	SS-43-FJX45-04-06	13743-6-4C
DI-SS-43-FJX45-06-06	3/8"	3/8"	9/16"-18h	1.315	3.531	2.567	1.102	0.846	SHF43-06-06FJ45	SS-43-FJX45-06-06	13743-6-6C
DI-SS-43-FJX45-06-08	3/8"	1/2"	3/4"-16h	1.343	3.559	2.594	1.102	0.846	SHF43-06-08FJ45	SS-43-FJX45-06-08	13743-8-6C
DI-SS-43-FJX45-08-08	1/2"	1/2"	3/4"-16h	1.421	3.854	2.803	1.260	0.976	SHF43-08-08FJ45	SS-43-FJX45-08-08	13743-8-8C
DI-SS-43-FJX45-08-10	1/2"	5/8"	7/8"-14h	1.496	3.929	2.878	1.260	0.976	SHF43-08-10FJ45	SS-43-FJX45-08-10	13743-10-8C
DI-SS-43-FJX45-10-10	5/8"	5/8"	7/8"-14h	1.638	4.457	3.268	1.378	1.094	SHF43-10-10FJ45	SS-43-FJX45-10-10	13743-10-10C
DI-SS-43-FJX45-12-12	3/4"	3/4"	1 1/16"-12h	2.008	5.472	4.075	1.575	1.260	SHF43-12-12FJ45	SS-43-FJX45-12-12	13743-12-12C
DI-SS-43-FJX45-16-16	1"	1"	1 5/16"-12h	2.417	6.547	4.894	1.850	1.535	SHF43-16-16FJ45	SS-43-FJX45-16-16	13743-16-16C
DI-SS-43-FJX45-20-20	1 1/4"	1 1/4"	1 5/8"-12h	2.886	7.909	5.961	2.354	1.949	SHF43-20-20FJ45	SS-43-FJX45-20-20	13743-20-20C
DI-SS-43-FJX45-24-24	1 1/2"	1 1/2"	1 7/8"-12h	3.575	9.413	7.327	2.661	2.205	SHF43-24-24FJ45	SS-43-FJX45-24-24	13743-24-24C
DI-SS-43-FJX45-32-32	2"	2"	2"1/2-12h	4.433	11.717	9.079	3.268	2.705	SHF43-32-32FJ45	SS-43-FJX45-32-32	13743-32-32C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88138

FEMALE JIC 90º

Hembras JIC codo 90º

Coude 90° Femelle JIC





Part NO.	I.D. (Hose)	PIPE	THREAD UNF	L1	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
									SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FJX90-04-04	1/4"	1/4"	7/16"-20h	1.528	1.906	1.020	0.906	0.665	SHF43-04-04FJ90	SS-43-FJX90-04-04	13943-4-4C
DI-SS-43-FJX90-04-06	1/4"	3/8"	9/16"-18h	1.646	1.906	1.020	0.906	0.665	SHF43-04-06FJ90	SS-43-FJX90-04-06	13943-6-4C
DI-SS-43-FJX90-06-06	3/8"	3/8"	9/16"-18h	1.961	2.315	1.350	1.102	0.846	SHF43-06-06FJ90	SS-43-FJX90-06-06	13943-6-6C
DI-SS-43-FJX90-06-08	3/8"	1/2"	3/4"-16h	2.000	2.315	1.350	1.102	0.846	SHF43-06-08FJ90	SS-43-FJX90-06-08	13943-8-6C
DI-SS-43-FJX90-08-08	1/2"	1/2"	3/4"-16h	2.197	2.622	1.571	1.260	0.976	SHF43-08-08FJ90	SS-43-FJX90-08-08	13943-8-8C
DI-SS-43-FJX90-08-10	1/2"	5/8"	7/8"-14h	2.295	2.622	1.571	1.260	0.976	SHF43-08-10FJ90	SS-43-FJX90-08-10	13943-10-8C
DI-SS-43-FJX90-08-12	1/2"	3/4"	1 1/16"-12h	2.413	2.622	1.571	1.260	0.976	SHF43-08-10FJ90	SS-43-FJX90-08-12	13943-12-8C
DI-SS-43-FJX90-10-10	5/8"	5/8"	7/8"-14h	2.528	3.039	1.850	1.378	1.094	SHF43-10-10FJ90	SS-43-FJX90-10-10	13943-10-10C
DI-SS-43-FJX90-12-12	3/4"	3/4"	1 1/16"-12h	3.035	3.665	2.268	1.575	1.260	SHF43-12-12FJ90	SS-43-FJX90-12-12	13943-12-12C
DI-SS-43-FJX90-12-16	3/4"	1"	1 5/16"-12h	3.213	3.665	2.268	1.575	1.260	SHF43-12-16FJ90	SS-43-FJX90-12-16	13943-16-12C
DI-SS-43-FJX90-16-16	1"	1"	1 5/16"-12h	3.713	4.425	2.772	1.850	1.535	SHF43-16-16FJ90	SS-43-FJX90-16-16	13943-16-16C
DI-SS-43-FJX90-20-20	1 1/4"	1 1/4"	1 5/8"-12h	4.280	5.228	3.280	2.354	1.949	SHF43-20-20FJ90	SS-43-FJX90-20-20	13943-20-20C
DI-SS-43-FJX90-24-24	1 1/2"	1 1/2"	1 7/8"-12h	5.417	6.205	4.118	2.661	2.205	SHF43-24-24FJ90	SS-43-FJX90-24-24	13943-24-24C
DI-SS-43-FJX90-32-32	2"	2"	2"1/2-12h	6.945	7.957	5.319	3.268	2.705	SHF43-32-32FJ90	SS-43-FJX90-32-32	13943-32-32C

***On request/** *Consultar/* Sur demande

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88140

MALE JIC

Macho JIC

Mâle JIC





Part NO.	I.D. (Hose)	PIPE	THREAD UNF	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
								SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-MJ-04-04	1/4"	1/4"	7/16"-20h	1.890	1.004	0.906	0.665	SHF43-04-04MJ	SS-43-MJ-04-04	10343-4-4C
DI-SS-43-MJ-06-06	3/8"	3/8"	9/16"-18h	1.992	1.028	1.102	0.846	SHF43-06-06MJ	SS-43-MJ-06-06	10343-6-6C
DI-SS-43-MJ-08-08	1/2"	1/2"	3/4"-16h	2.311	1.260	1.260	0.976	SHF43-08-08MJ	SS-43-MJ-08-08	10343-8-8C
DI-SS-43-MJ-10-10	5/8"	5/8"	7/8"-14h	2.551	1.362	1.378	1.094	SHF43-10-10MJ	SS-43-MJ-10-10	10343-10-10C
DI-SS-43-MJ-12-12	3/4"	3/4"	1 1/16"-12h	2.953	1.555	1.575	1.260	SHF43-12-12MJ	SS-43-MJ-12-12	10343-12-12C
DI-SS-43-MJ-16-16	1"	1"	1 5/16"-12h	3.287	1.634	1.850	1.535	SHF43-16-16MJ	SS-43-MJ-16-16	10343-16-16C
DI-SS-43-MJ-20-20	1 1/4"	1 1/4"	1 5/8"-12h	3.760	1.811	2.354	1.949	SHF43-20-20MJ	SS-43-MJ-20-20	10343-20-20C
DI-SS-43-MJ-24-24	1 1/2"	1 1/2"	1 7/8"-12h	4.055	1.969	2.661	2.205	SHF43-24-24MJ	SS-43-MJ-24-24	10343-24-24C
DI-SS-43-MJ-32-32	2"	2"	2"1/2-12h	4.980	2.343	3.268	2.705	SHF43-32-32MJ	SS-43-MJ-32-32	10343-32-32C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88161

NPT MALE PIPE RIGID

Macho NPT

Embout mâle conique NPT (Briggs)





Part NO.	I.D. (Hose)	THREAD	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
							SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-MP-04-02	1/4"	1/8"-27h	1.713	0.827	0.906	0.665	SHF43-04-02MP	SS-43-MP-04-02	10143-2-4C
DI-SS-43-MP-04-04	1/4"	1/4"-18h	1.890	1.004	0.906	0.665	SHF43-04-04MP	SS-43-MP-04-04	10143-4-4C
DI-SS-43-MP-04-06	1/4"	3/8"-18h	1.949	1.063	0.906	0.665	SHF43-04-06MP	SS-43-MP-04-06	10143-6-4C
DI-SS-43-MP-06-04	3/8"	1/4"-18h	1.988	1.024	1.102	0.846	SHF43-06-04MP	SS-43-MP-06-04	10143-4-6C
DI-SS-43-MP-06-06	3/8"	3/8"-18h	2.047	1.083	1.102	0.846	SHF43-06-06MP	SS-43-MP-06-06	10143-6-6C
DI-SS-43-MP-06-08	3/8"	1/2"-14h	2.224	1.260	1.102	0.846	SHF43-06-08MP	SS-43-MP-06-08	10143-8-6C
DI-SS-43-MP-08-06	1/2"	3/8"-18h	2.154	1.102	1.260	0.976	SHF43-08-06MP	SS-43-MP-08-06	10143-6-8C
DI-SS-43-MP-08-08	1/2"	1/2"-14h	2.331	1.280	1.260	0.976	SHF43-08-08MP	SS-43-MP-08-08	10143-8-8C
DI-SS-43-MP-10-08	5/8"	1/2"-14h	2.480	1.291	1.378	1.094	SHF43-10-08MP	SS-43-MP-10-08	10143-8-10C
DI-SS-43-MP-12-12	3/4"	3/4"-14h	2.913	1.516	1.575	1.260	SHF43-12-12MP	SS-43-MP-12-12	10143-12-12C
DI-SS-43-MP-12-16	3/4"	1"-11 1/2h	3.012	1.614	1.575	1.260	SHF43-12-16MP	SS-43-MP-12-16	10143-16-12C
DI-SS-43-MP-16-16	1"	1"-11 1/2h	3.307	1.654	1.850	1.535	SHF43-16-16MP	SS-43-MP-16-16	10143-16-16C
DI-SS-43-MP-20-20	1 1/2"	1 1/2"-11 1/2h	3.937	1.988	2.354	1.949	SHF43-20-20MP	SS-43-MP-20-20	10143-20-20C
DI-SS-43-MP-24-24	1 1/2"	1 1/2"-11 1/2h	3.957	1.870	2.661	2.205	SHF43-24-24MP	SS-43-MP-24-24	10143-24-24C
DI-SS-43-MP-32-32	2"	2"-11 1/2h	4.626	1.988	3.268	2.705	SHF43-32-32MP	SS-43-MP-32-32	10143-32-32C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88361

FEMALE NPSM PIPE- SWIVEL (60º CONE)

Hembra NPSM cono 60º

Femelle NPSM cone 60ª





Part NO.	I.D. (Hose)	THREAD	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
							SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FPX-04-04	1/4"	1/4"-18h	1.909	1.024	0.906	0.665	SHF43-04-04 FN	SS-43-FPX-04-04	10743-4-4C
DI-SS-43-FPX-06-06	3/8"	3/8"-18h	2.205	1.240	1.102	0.846	SHF43-06-06 FN	SS-43-FPX-06-06	10743-6-6C
DI-SS-43-FPX-08-08	1/2"	1/2"-14h	2.429	1.378	1.260	0.976	SHF43-08-08 FN	SS-43-FPX-08-08	10743-8-8C
DI-SS-43-FPX-12-12	3/4"	3/4"-14h	3.024	1.626	1.575	1.260	SHF43-12-12 FN	SS-43-FPX-12-12	10743-12-12C
DI-SS-43-FPX-16-16	1"	1"-11 1/2h	3.602	1.949	1.850	1.535	SHF43-16-16 FN	SS-43-FPX-16-16	10743-16-16C
DI-SS-43-FPX-20-20	1 1/4"	1 1/4"-11 1/2h	4.075	2.126	2.354	1.949	SHF43-20-20 FN	SS-43-FPX-20-20	10743-20-20C
DI-SS-43-FPX-24-24	1 1/2"	1 1/2"-11 1/2h	4.331	2.244	2.661	2.205	SHF43-24-24 FN	SS-43-FPX-24-24	10743-24-24C
DI-SS-43-FPX-32-32	2"	2"-11 1/2h	5.177	2.539	3.268	2.705	SHF43-32-32 FN	SS-43-FPX-32-32	10743-32-32C

***On request/** *Consultar/* Sur demande

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88263

FEMALE NPSM PIPE- SWIVEL 45º (60º CONE)

Hembra giratoria NPSM 45º cone 60º

Coude 45º femelle NPSM cone 60º





Part NO.	I.D. (Hose)	THREAD	L1	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH *TITAN FITTINGS*
DI-SS-43-FPX45-04-04	1/4"	1/4"-18h	1.362	2.189	1.087	0.906	0.665	SS-43-FPX45-04-04
DI-SS-43-FPX45-06-06	3/8"	3/8"-18h	1.831	2.327	1.362	1.102	0.846	SS-43-FPX45-06-06
DI-SS-43-FPX45-08-08	1/2"	1/2"-14h	2.165	2.634	1.583	1.260	0.976	SS-43-FPX45-08-08
DI-SS-43-FPX45-12-12	3/4"	3/4"-14h	2.886	3.689	2.291	1.575	1.260	SS-43-FPX45-12-12
DI-SS-43-FPX45-16-16	1"	1"-11 1/2h	3.642	4.457	2.803	1.850	1.535	SS-43-FPX45-16-16

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88262

FEMALE NPSM PIPE- SWIVEL 90º (60º CONE)

Hembra giratoria 90 º NPSM cono 60º

Coude 90° Femelle NPSM cone 60º





Part NO.	I.D. (Hose)	THREAD	L1	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH *TITAN FITTINGS*
DI-SS-43-FPX90-04-04	1/4"	1/4"-18h	0.921	2.768	1.882	0.906	0.665	SS-43-FPX90-04-04
DI-SS-43-FPX90-06-06	3/8"	3/8"-18h	1.220	3.453	2.488	1.102	0.846	SS-43-FPX90-06-06
DI-SS-43-FPX90-08-08	1/2"	1/2"-14h	1.402	3.843	2.791	1.260	0.976	SS-43-FPX90-08-08
DI-SS-43-FPX90-12-12	3/4"	3/4"-14h	1.894	5.394	3.996	1.575	1.260	SS-43-FPX90-12-12
DI-SS-43-FPX90-16-16	1"	1"-11 1/2h	2.217	6.185	4.531	1.850	1.535	SS-43-FPX90-16-16

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88165

MALE NPT PIPE SWIVEL

Macho giratorio NPT

Mâle tournant NPT





Part NO.	I.D. (Hose)	THREAD	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
							SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-MPX-04-04	1/4"	1/4"-18h	2.394	1.508	0.906	0.665	SHF43-04-04MS	SS-43-MPX-04-04	11343-4-4C
DI-SS-43-MPX-06-06	3/8"	3/8"-18h	2.567	1.602	1.102	0.846	SHF43-06-06MS	SS-43-MPX-06-06	11343-6-6C
DI-SS-43-MPX-08-08	1/2"	1/2"-14h	3.016	1.965	1.260	0.976	SHF43-08-08MS	SS-43-MPX-08-08	11343-8-8C
DI-SS-43-MPX-12-12	3/4"	3/4"-14h	3.819	2.421	1.575	1.260	SHF43-12-12MS	SS-43-MPX-12-12	11343-12-12C
DI-SS-43-MPX-16-16	1"	1"-11 1/2h	4.252	2.598	1.850	1.535	SHF43-16-16MS	SS-43-MPX-16-16	11343-16-16C

FÁBRICA
FACTORY

FABRICACIÓN 4.0: INVERTIMOS EN INNOVACIÓN PARA REINVENTAR EL PROCESO DE FABRICACIÓN

4.0 SMART MANUFACTURING: WE REINVENTED MANUFACTURING PROCEDURES THANKS TO INNOVATIVE THINKING

SOMOS FABRICANTES

DICSA posee la maquinaria industrial más novedosa e innovadora del sector, resultado de la gran inversión realizada en los últimos años. Con un exhaustivo control de cada fase de nuestros productos se ha logrado un aumento de más del 40% de la producción en el último lustro, sin dejar de garantizar siempre una calidad óptima.

Además, poseemos un sistema interno de control de calidad de alta exigencia, que nos permite tener un registro de trazabilidad desde la salida de la materia prima de las instalaciones de los proveedores hasta la llegada del producto final a su destinatario, garantizando un producto acorde siempre a las exigencias del mercado y del cliente. Incluso nuestra línea de productos ha sido auditada y aprobada por el sector más exigente, el sector automovilístico.

WE ARE MANUFACTURERS

DICSA has the most innovative industrial equipment in the sector, as a result of the ongoing investment made in recent years. We have achieved an increase of more than 40% of the production in the last five years, whilst ensuring an optimum quality, applying an exhaustive control at each stage of production.

In addition, we have an internal quality control system, which allows us to have a traceability record from the raw materials leave the supplier´s factories until the arrival of the final product to our clients, whilst ensuring a product according to market and customer demands. Our production line has been audited and approved by the most demanding sector: the automotive sector.

Alta rapidez de mecanizado
High speed machining

Máquina Transfer de alta productividad
Highly productivity Transfer machine

Tornos tipo suizo CNC
CNC Swiss Type Automatic Lathes

Curvadora automática
Automatic bending machine

Centro de limpieza
Clean up center

Máquina semi-automática de montaje
Semi-automatic assembling machine

CNC Robotizado
Robotic CNC

Máquina de corte computarizada
Computarized cutting machine

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88900

SWIVEL FEMALE ORFS (O-RING FACE SEAL) - STRAIGHT

Hembra giratoria ORFS

Femelle ORFS





Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
								SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FFX-04-04	1/4"	1/4"	9/16-18h	2.343	1.457	0.906	0.665	SHF43-04-04OFT	SS-43-FFX-04-04	1JS43-4-4C
DI-SS-43-FFX-04-06	1/4"	3/8"	11/16-16h	2.224	1.339	0.906	0.665	SHF43-04-06OFT	SS-43-FFX-04-06	1JS43-6-4C
DI-SS-43-FFX-06-06	3/8"	3/8"	11/16-16h	2.323	1.358	1.102	0.846	SHF43-06-06OFT	SS-43-FFX-06-06	1JS43-6-6C
DI-SS-43-FFX-06-08	3/8"	1/2"	13/16-16h	2.736	1.772	1.102	0.846	SHF43-06-08OFT	SS-43-FFX-06-08	1JS43-8-6C
DI-SS-43-FFX-08-08	1/2"	1/2"	13/16-16h	2.843	1.791	1.260	0.976	SHF43-08-08OFT	SS-43-FFX-08-08	1JS43-8-8C
DI-SS-43-FFX-08-10	1/2"	5/8"	1-14h	3.039	1.988	1.260	0.976	SHF43-08-10OFT	SS-43-FFX-08-10	1JS43-10-8C
DI-SS-43-FFX-10-10	5/8"	5/8"	1-14h	3.209	2.020	1.378	1.094	SHF43-10-10OFT	SS-43-FFX-10-10	1JS43-10-10C
DI-SS-43-FFX-08-12	1/2"	3/4"	1 3/16-12h	3.217	2.165	1.260	0.976	SHF43-08-12OFT	SS-43-FFX-08-12	1JS43-12-8C
DI-SS-43-FFX-12-12	3/4"	3/4"	1 3/16-12h	3.622	2.224	1.575	1.260	SHF43-12-12OFT	SS-43-FFX-12-12	1JS43-12-12C
DI-SS-43-FFX-12-16	3/4"	1"	1 7/16-12h	3.720	2.323	1.575	1.260	SHF43-12-16OFT	SS-43-FFX-12-16	1JS43-16-12C
DI-SS-43-FFX-16-16	1"	1"	1 7/16-12h	3.976	2.323	1.850	1.535	SHF43-16-16OFT	SS-43-FFX-16-16	1JS43-16-16C
DI-SS-43-FFX-16-20	1"	1 1/4"	1 11/16-12h	3.976	2.323	1.850	1.535	SHF43-16-20OFT	SS-43-FFX-16-20	1JS43-20-16C
DI-SS-43-FFX-20-20	1 1/4"	1 1/4"	1 11/16-12h	4.646	2.697	2.354	1.949	SHF43-20-20OFT	SS-43-FFX-20-20	1JS43-20-20C
DI-SS-43-FFX-24-24	1 1/4"	1 1/4"	1 11/16-12h	4.764	2.677	2.661	2.205	SHF43-24-24OFT	SS-43-FFX-24-24	1JS43-24-24C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88908

SWIVEL FEMALE ORFS (O-RING FACE SEAL) - 45º

Hembra giratoria 45º ORFS

Coude 45º femelle ORFS





Part NO.	I.D. (Hose)	PIPE	THREAD	L1	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
									SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FFX45-04-04	1/4"	1/4"	9/16-18h	0.744	2.417	1.531	0.906	0.665	SHF43-04-04OFT45	SS-43-FFX45-04-04	1J743-4-4C
DI-SS-43-FFX45-04-06	1/4"	3/8"	11/16-16h	0.807	2.465	1.579	0.906	0.665	SHF43-04-06OFT45	SS-43-FFX45-04-06	1J743-6-4C
DI-SS-43-FFX45-06-06	3/8"	3/8"	11/16-16h	0.894	2.984	2.020	1.102	0.846	SHF43-06-06OFT45	SS-43-FFX45-06-06	1J743-6-6C
DI-SS-43-FFX45-06-08	3/8"	1/2"	13/16-16h	1.004	3.059	2.094	1.102	0.846	SHF43-06-08OFT45	SS-43-FFX45-06-08	1J743-8-6C
DI-SS-43-FFX45-08-08	1/2"	1/2"	13/16-16h	1.051	3.303	2.252	1.260	0.976	SHF43-08-08OFT45	SS-43-FFX45-08-08	1J743-8-8C
DI-SS-43-FFX45-08-10	1/2"	5/8"	1-14h	1.134	3.386	2.335	1.260	0.976	SHF43-08-10OFT45	SS-43-FFX45-08-10	1J743-10-8C
DI-SS-43-FFX45-08-12	1/2"	3/4"	1 3/16-12h	1.172	3.651	2.527	1.260	0.976	SHF43-08-12OFT45	SS-43-FFX45-08-12	1J743-12-8C
DI-SS-43-FFX45-10-10	5/8"	5/8"	1-14h	1.217	3.862	2.673	1.378	1.094	SHF43-10-10OFT45	SS-43-FFX45-10-10	1J743-10-10C
DI-SS-43-FFX45-12-12	3/4"	3/4"	1 3/16-12h	1.445	4.689	3.291	1.575	1.260	SHF43-12-12OFT45	SS-43-FFX45-12-12	1J743-12-12C
DI-SS-43-FFX45-12-16	3/4"	1"	1 7/16-12h	1.472	4.717	3.319	1.575	1.260	SHF43-12-16OFT45	SS-43-FFX45-12-16	1J743-16-12C
DI-SS-43-FFX45-16-16	1"	1"	1 7/16-12h	1.697	5.610	3.957	1.850	1.535	SHF43-16-16OFT45	SS-43-FFX45-16-16	1J743-16-16C
DI-SS-43-FFX45-16-20	1"	1 1/4"	1 11/16-12h	0.000	0.000	0.000	1.850	1.535	SHF43-16-20OFT45	SS-43-FFX45-16-20	1J743-20-16C
DI-SS-43-FFX45-20-20	1 1/4"	1 1/4"	1 11/16-12	0.000	0.000	0.000	2.354	1.949	SHF43-20-20OFT45	SS-43-FFX45-20-20	1J743-20-20C
DI-SS-43-FFX45-24-24	1 1/2"	1 1/2"	2-12h	0.000	0.000	0.000	2.661	2.205	SHF43-24-24OFT45	SS-43-FFX45-24-24	1J743-24-24C

***On request/** *Consultar/* Sur demande

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88907

SWIVEL FEMALE ORFS (O-RING FACE SEAL) - 90º

Hembra giratoria 90º ORFS

Coude 90º femelle ORFS





Part NO.	I.D. (Hose)	PIPE	THREAD	L1	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
									SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FFX90-04-04	1/4"	1/4"	9/16-18h	1.303	1.972	1.087	0.906	0.665	SHF43-04-04OFT90	SS-43-FFX90-04-04	1J943-4-4C
DI-SS-43-FFX90-04-06	1/4"	3/8"	11/16-16h	1.382	1.972	1.087	0.906	0.665	SHF43-04-06OFT90	SS-43-FFX90-04-06	1J943-6-4C
DI-SS-43-FFX90-06-06	3/8"	3/8"	11/16-16h	1.661	2.469	1.504	1.102	0.846	SHF43-06-06OFT90	SS-43-FFX90-06-06	1J943-6-6C
DI-SS-43-FFX90-06-08	3/8"	1/2"	13/16-16h	1.819	2.469	1.504	1.102	0.846	SHF43-06-08OFT90	SS-43-FFX90-06-08	1J943-8-6C
DI-SS-43-FFX90-08-08	1/2"	1/2"	13/16-16h	1.890	2.705	1.654	1.260	0.976	SHF43-08-08OFT90	SS-43-FFX90-08-08	1J943-8-8C
DI-SS-43-FFX90-08-10	1/2"	5/8"	1-14h	2.008	2.705	1.654	1.260	0.976	SHF43-08-10OFT90	SS-43-FFX90-08-10	1J943-10-8C
DI-SS-43-FFX90-08-12	1/2"	3/4"	1 3/16-12h	2.106	2.705	1.654	1.260	0.976	SHF43-08-12OFT90	SS-43-FFX90-08-12	1J943-12-8C
DI-SS-43-FFX90-12-12	3/4"	3/4"	1 3/16-12h	2.736	3.953	2.555	1.575	1.260	SHF43-12-12OFT90	SS-43-FFX90-12-12	1J943-12-12C
DI-SS-43-FFX90-12-16	3/4"	1"	1 7/16-12h	2.776	3.953	2.555	1.575	1.260	SHF43-12-16OFT90	SS-43-FFX90-12-16	1J943-16-12C
DI-SS-43-FFX90-16-16	1"	1"	1 7/16-12h	3.366	4.567	2.913	1.850	1.535	SHF43-16-16OFT90	SS-43-FFX90-16-16	1J943-16-16C
DI-SS-43-FFX90-16-20	1"	1 1/4"	1 11/16-12h	3.386	4.567	2.913	1.850	1.535	SHF43-16-20OFT90	SS-43-FFX90-16-20	1J943-20-16C
DI-SS-43-FFX90-20-20	1 1/4"	1 1/4"	1 11/16-12h	3.366	5.559	3.610	2.354	1.949	SHF43-20-20OFT90	SS-43-FFX90-20-20	1J943-20-20C
DI-SS-43-FFX90-24-24	1 1/2"	1 1/2"	2-12h	4.094	6.209	4.122	2.661	2.205	SHF43-24-24OFT90	SS-43-FFX90-24-24	1J943-24-24C

***On request/** *Consultar/* Sur demande

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88912

MALE ORFS (O-RING FACE SEAL)

Macho ORFS

Mâle ORFS



Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
								SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-MFF-04-04	1/4"	1/4"	9/16-18h	1.772	0.886	0.906	0.665	SHF43-04-04MOFT	SS-43-MFF-04-04	1J043-4-4C
DI-SS-43-MFF-06-06	3/8"	3/8"	11/16-16h	1.988	1.024	1.102	0.846	SHF43-06-06MOFT	SS-43-MFF-06-06	1J043-6-6C
DI-SS-43-MFF-08-08	1/2"	1/2"	13/16-16h	2.193	1.142	1.260	0.976	SHF43-08-08MOFT	SS-43-MFF-08-08	1J043-8-8C
DI-SS-43-MFF-12-12	3/4"	3/4"	1 3/16-12h	2.933	1.535	1.575	1.260	SHF43-12-12MOFT	SS-43-MFF-12-12	1J043-12-12C
DI-SS-43-MFF-16-16	1"	1"	1 7/16-12h	3.366	1.713	1.850	1.535	SHF43-16-16MOFT	SS-43-MFF-16-16	1J043-16-16C
DI-SS-43-MFF-20-20	1 1/4"	1 1/4"	1 11/16-12h	3.760	1.811	2.354	1.949	SHF43-20-20MOFT	SS-43-MFF-20-20	1J043-20-20C
DI-SS-43-MFF-24-24	1 1/2"	1 1/2"	2-12h	4.094	2.008	2.661	2.205	SHF43-24-24MOFT	SS-43-MFF-24-24	1J043-24-24C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88182

CODE 61 FLANGE - STRAIGHT 3000 PSI

Brida código 61 3000 PSI

Bride code 61 3000 PSI





Part NO.	I.D. (Hose)	FLANGE INCH	FLANGE Ø	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
								SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FL61-06-08	3/8"	1/2"	1.189	2.972	2.028	1.102	0.846	SHF43-06-08FL	SS-43-FL61-06-08	11543-8-6C
DI-SS-43-FL61-08-08	1/2"	1/2"	1.189	3.079	2.028	1.260	0.976	SHF43-08-08FL	SS-43-FL61-08-08	11543-8-8C
DI-SS-43-FL61-08-12	1/2"	3/4"	1.500	3.354	2.303	1.260	0.976	SHF43-08-12FL	SS-43-FL61-08-12	11543-12-8C
DI-SS-43-FL61-12-12	3/4"	3/4"	1.500	3.760	2.362	1.575	1.260	SHF43-12-12FL	SS-43-FL61-12-12	11543-12-12C
DI-SS-43-FL61-12-16	3/4"	1"	1.752	3.957	2.559	1.575	1.260	SHF43-12-16FL	SS-43-FL61-12-16	11543-16-12C
DI-SS-43-FL61-16-12	1"	3/4"	1.500	4.134	2.520	1.850	1.535	SHF43-16-12FL	SS-43-FL61-16-12	11543-12-16C
DI-SS-43-FL61-16-16	1"	1"	1.752	4.213	2.559	1.850	1.535	SHF43-16-16FL	SS-43-FL61-16-16	11543-16-16C
DI-SS-43-FL61-16-20	1"	1 1/4"	2.000	4.252	2.598	1.850	1.535	SHF43-16-20FL	SS-43-FL61-16-20	11543-20-16C
DI-SS-43-FL61-20-16	1 1/4"	1"	1.500	1.752	5.079	3.130	1.949	SHF43-20-16FL	SS-43-FL61-20-16	11543-16-20C
DI-SS-43-FL61-20-20	1 1/4"	1 1/4"	2.000	5.079	3.130	2.354	1.949	SHF43-20-20FL	SS-43-FL61-20-20	11543-20-20C
DI-SS-43-FL61-20-24	1 1/4"	1 1/2"	2.374	5.236	3.287	2.354	1.949	SHF43-20-24FL	SS-43-FL61-20-24	11543-24-20C
DI-SS-43-FL61-24-24	1 1/2"	1 1/2"	2.374	5.374	3.287	2.661	2.205	SHF43-24-24FL	SS-43-FL61-24-24	11543-24-24C
DI-SS-43-FL61-24-32	1 1/2"	2"	2.811	5.571	3.484	2.661	2.205	SHF43-24-32FL	SS-43-FL61-24-32	11543-32-24C
DI-SS-43-FL61-32-32	2"	2"	2.811	6.102	3.465	3.268	2.705	SHF43-32-32FL	SS-43-FL61-32-32	11543-32-32C

***On request/** *Consultar/* Sur demande

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88184

CODE 61 FLANGE 45º 3000 PSI

Brida 45º código 61 3000 PSI

Bride coude 45º code 61 3000 PSI



Part NO.	I.D. (Hose)	FLANGE INCH	FLANGE Ø	L1	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
									SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FL6145-08-08	1/2"	1/2"	1.189	1.130	3.559	2.508	1.260	0.976	SHF43-08-08FL45	SS-43-FL6145-08-08	11743-8-8C
DI-SS-43-FL6145-08-12	1/2"	3/4"	1.500	1.185	3.614	2.563	1.260	0.976	SHF43-08-12FL45	SS-43-FL6145-08-12	11743-12-8C
DI-SS-43-FL6145-12-12	3/4"	3/4"	1.500	1.602	5.031	3.634	1.575	1.260	SHF43-12-12FL45	SS-43-FL6145-12-12	11743-12-12C
DI-SS-43-FL6145-12-16	3/4"	1"	1.752	1.685	5.114	3.717	1.575	1.260	SHF43-12-16FL45	SS-43-FL6145-12-16	11743-16-12C
DI-SS-43-FL6145-16-16	1"	1"	1.752	1.972	6.063	4.409	1.850	1.535	SHF43-16-16FL45	SS-43-FL6145-16-16	11743-16-16C
DI-SS-43-FL6145-16-20	1"	1 1/4"	2.000	1.972	6.102	4.449	1.850	1.535	SHF43-16-20FL45	SS-43-FL6145-16-20	11743-20-16C
DI-SS-43-FL6145-20-20	1 1/4"	1 1/4"	2.000	2.327	7.315	5.366	2.354	1.949	SHF43-20-20FL45	SS-43-FL6145-20-20	11743-20-20C
DI-SS-43-FL6145-20-24	1 1/4"	1 1/2"	2.374	2.327	7.315	5.366	2.354	1.949	SHF43-20-24FL45	SS-43-FL6145-20-24	11743-24-20C
DI-SS-43-FL6145-24-24	1 1/2"	1 1/2"	2.374	2.748	8.472	6.386	2.661	2.205	SHF43-24-24FL45	SS-43-FL6145-24-24	11743-24-24C
DI-SS-43-FL6145-32-32	2"	2"	2.811	3.240	10.185	7.547	3.268	2.705	SHF43-32-32FL45	SS-43-FL6145-32-32	11743-32-32C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88183

CODE 61 FLANGE 90° 3000 PSI

Brida 90° código 61 3000 PSI

Bride coude 90° code 61 3000 PSI



Part NO.	I.D. (Hose)	FLANGE INCH	L1	L OAL	B CUT-OFF	ØA	ØE	Ø	INTERCHANGEABLE WITH		
									SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FL6190-08-08	1/2"	1/2"	1.783	2.622	1.571	1.260	0.976	1.189	SHF43-08-08FL90	SS-43-FL6190-08-08	11943-8-8C
DI-SS-43-FL6190-08-12	1/2"	3/4"	1.862	2.622	1.571	1.260	0.976	1.500	SHF43-08-12FL90	SS-43-FL6190-08-12	11943-12-8C
DI-SS-43-FL6190-12-12	3/4"	3/4"	2.465	3.626	2.228	1.575	1.260	1.500	SHF43-12-12FL90	SS-43-FL6190-12-12	11943-12-12C
DI-SS-43-FL6190-12-16	3/4"	1"	2.583	3.626	2.228	1.575	1.260	1.752	SHF43-12-16FL90	SS-43-FL6190-12-16	11943-16-12C
DI-SS-43-FL6190-16-16	1"	1"	3.083	4.386	2.732	1.850	1.535	1.752	SHF43-16-16FL90	SS-43-FL6190-16-16	11943-16-16C
DI-SS-43-FL6190-16-20	1"	1 1/4"	3.083	4.425	2.772	1.850	1.535	2.000	SHF43-16-20FL90	SS-43-FL6190-16-20	11943-20-16C
DI-SS-43-FL6190-20-20	1 1/4"	1 1/4"	3.689	5.386	3.437	2.354	1.949	2.000	SHF43-20-20FL90	SS-43-FL6190-20-20	11943-20-20C
DI-SS-43-FL6190-20-24	1 1/4"	1 1/2"	3.689	5.386	3.437	2.354	1.949	2.374	SHF43-20-24FL90	SS-43-FL6190-20-24	11943-24-20C
DI-SS-43-FL6190-24-24	1 1/2"	1 1/2"	4.354	6.185	4.098	2.661	2.205	2.374	SHF43-24-24FL90	SS-43-FL6190-24-24	11943-24-24C
DI-SS-43-FL6190-24-32	1 1/2"	2"	4.433	6.264	4.177	2.661	2.205	2.811	SHF43-24-32FL90	SS-43-FL6190-24-32	11943-32-24C
DI-SS-43-FL6190-32-32	2"	2"	5.260	7.622	4.984	3.268	2.705	2.811	SHF43-32-32FL90	SS-43-FL6190-32-32	11943-32-32C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88282

CODE 62 FLANGE- STRAIGHT 6000 PSI

Brida código 62 6000 PSI

Bride code 62 6000 PSI





Part NO.	I.D. (Hose)	FLANGE INCH	FLANGE Ø	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
								SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FH62-08-08	1/2"	1/2"	1.189	2.921	1.870	1.260	0.976	SHF43-08-08FM	SS-43-FH62-08-08	16A43-8-8C
DI-SS-43-FH62-12-12	3/4"	3/4"	1.500	3.720	2.323	1.575	1.260	SHF43-12-12FM	SS-43-FH62-12-12	16A43-12-12C
DI-SS-43-FH62-16-16	1"	1"	1.752	4.213	2.559	1.850	1.535	SHF43-16-16FM	SS-43-FH62-16-16	16A43-16-16C
DI-SS-43-FH62-20-20	1 1/4"	1 1/4"	2.000	5.236	3.287	2.354	1.949	SHF43-20-20FM	SS-43-FH62-20-20	16A43-20-20C
DI-SS-43-FH62-24-24	1 1/2"	1 1/2"	2.374	5.571	3.484	2.661	2.205	SHF43-24-24FM	SS-43-FH62-24-24	16A43-24-24C
DI-SS-43-FH62-32-32	2"	2"	2.811	6.614	3.976	3.268	2.705	SHF43-32-32FM	SS-43-FH62-32-32	16A43-32-32C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88284

CODE 62 FLANGE 45º 6000 PSI

Brida codo 45º código 62 6000 PSI

Bride coude 45º code 62 6000 PSI



Part NO.	I.D. (Hose)	FLANGE INCH	FLANGE Ø	L1	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
									SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FH6245-08-08	1/2"	1/2"	1.189	1.260	3.693	2.642	1.260	0.976	SHF43-08-08FM45	SS-43-FH6245-08-08	16F43-8-8C
DI-SS-43-FH6245-12-12	3/4"	3/4"	1.500	1.791	5.220	3.823	1.575	1.260	SHF43-12-12FM45	SS-43-FH6245-12-12	16F43-12-12C
DI-SS-43-FH6245-16-16	1"	1"	1.752	2.197	6.283	4.630	1.850	1.535	SHF43-16-16FM45	SS-43-FH6245-16-16	16F43-16-16C
DI-SS-43-FH6245-20-20	1 1/4"	1 1/4"	2.000	2.606	7.594	5.646	2.354	1.949	SHF43-20-20FM45	SS-43-FH6245-20-20	16F43-20-20C
DI-SS-43-FH6245-24-24	1 1/2"	1 1/2"	2.374	3.138	8.862	6.776	2.661	2.205	SHF43-24-24FM45	SS-43-FH6245-24-24	16F43-24-24C
DI-SS-43-FH6245-32-32	2"	2"	2.811	3.740	10.689	8.051	3.268	2.705	SHF43-32-32FM45	SS-43-FH6245-32-32	16F43-32-32C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88283

CODE 62 FLANGE 90º 6000 PSI

Brida codo 90º código 62

Bride coude 90º code 62



Part NO.	I.D. (Hose)	FLANGE INCH	FLANGE Ø	L1	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
									SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FH6290-08-08	1/2"	1/2"	1.189	1.764	2.705	1.654	1.260	0.976	SHF43-08-08FM90	SS-43-FH6290-08-08	16N43-8-8C
DI-SS-43-FH6290-12-12	3/4"	3/4"	1.500	2.551	3.913	2.516	1.575	1.260	SHF43-12-12FM90	SS-43-FH6290-12-12	16N43-12-12C
DI-SS-43-FH6290-16-16	1"	1"	1.752	2.551	4.567	2.913	1.850	1.535	SHF43-16-16FM90	SS-43-FH6290-16-16	16N43-16-16C
DI-SS-43-FH6290-20-20	1 1/4"	1 1/4"	2.000	3.957	5.559	3.610	2.354	1.949	SHF43-20-20FM90	SS-43-FH6290-20-20	16N43-20-20C
DI-SS-43-FH6290-24-24	1 1/2"	1 1/2"	2.374	4.291	6.209	4.122	2.661	2.205	SHF43-24-24FM90	SS-43-FH6290-24-24	16N43-24-24C
DI-SS-43-FH6290-32-32	2"	2"	2.811	5.394	8.094	5.457	3.268	2.705	SHF43-32-32FM90	SS-43-FH6290-32-32	16N43-32-32C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88400

SWIVEL FEMALE BSP 60º CONE

Hembra giratoria BSP cono 60º

Femelle BSP cone 60º





Part NO.	I.D. (Hose)	THREAD	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
							SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FBSP-04-04	1/4"	1/4"-19h	1.909	1.024	0.906	0.665	SHF43-04-04BSP	SS-43-FBX-04-04	19243-4-4C
DI-SS-43-FBSP-06-04	3/8"	1/4"-19h	2.028	1.063	1.102	0.846	SHF43-06-04BSP	SS-43-FBX-06-04	19243-4-6C
DI-SS-43-FBSP-06-06	3/8"	3/8"-19h	2.205	1.240	1.102	0.846	SHF43-06-06BSP	SS-43-FBX-06-06	19243-6-6C
DI-SS-43-FBSP-08-06	1/2"	3/8"-19h	2.331	1.260	1.260	0.976	SHF43-08-06BSP	SS-43-FBX-08-06	19243-6-8C
DI-SS-43-FBSP-06-08	3/8"	1/2"-14h	2.303	1.102	1.102	0.846	SHF43-06-08BSP	SS-43-FBX-06-08	19243-8-6C
DI-SS-43-FBSP-08-08	1/2"	1/2"-14h	2.429	1.378	1.260	0.976	SHF43-08-08BSP	SS-43-FBX-08-08	19243-8-8C
DI-SS-43-FBSP-10-10	5/8"	5/8"-14h	2.657	1.378	1.378	1.094	SHF43-10-10BSP	SS-43-FBX-10-10	19243-10-10C
DI-SS-43-FBSP-12-12	3/4"	3/4"-14h	3.024	1.626	1.575	1.260	SHF43-12-12BSP	SS-43-FBX-12-12	19243-12-12C
DI-SS-43-FBSP-16-16	1"	1"-11h	3.602	1.949	1.850	1.535	SHF43-16-16BSP	SS-43-FBX-16-16	19243-16-16C
DI-SS-43-FBSP-20-20	1 1/4"	1 1/4"-11h	4.075	2.126	2.354	1.949	SHF43-20-20BSP	SS-43-FBX-20-20	19243-20-20C
DI-SS-43-FBSP-24-24	1 1/2"	1 1/2"-11h	4.331	2.244	2.661	2.205	SHF43-24-24BSP	SS-43-FBX-24-24	19243-24-24C
DI-SS-43-FBSP-32-32	2"	2"-11h	5.177	2.539	3.268	2.705	SHF43-32-32BSP	SS-43-FBX-32-32	19243-32-32C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88108

SWIVEL FEMALE BSP 60º CONE - 45º

Hembra giratoria 45º BSP cono 60º

Femelle BSP coude 45º cone 60º





Part NO.	I.D. (Hose)	THREAD	L1	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
								SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FBSP45-04-04	1/4"	1/4"-19h	0.921	2.768	1.882	0.906	0.665	SHF43-04-04BSP45	SS-43-FBX45-04-04	1B143-4-4C
DI-SS-43-FBSP45-06-06	3/8"	3/8"-19h	1.220	3.453	2.488	1.102	0.846	SHF43-06-06BSP45	SS-43-FBX45-06-06	1B143-6-6C
DI-SS-43-FBSP45-08-08	1/2"	1/2"-14h	1.402	3.843	2.791	1.260	0.976	SHF43-08-08BSP45	SS-43-FBX45-08-08	1B143-8-8C
DI-SS-43-FBSP45-12-12	3/4"	3/4"-14h	1.894	5.394	3.996	1.575	1.260	SHF43-12-12BSP45	SS-43-FBX45-12-12	1B143-12-12C
DI-SS-43-FBSP45-16-16	1"	1"-11h	2.217	6.185	4.531	1.850	1.535	SHF43-16-16BSP45	SS-43-FBX45-16-16	1B143-16-16C
DI-SS-43-FBSP45-20-20	1 1/4"	1 1/4" -11h	2.819	7.878	5.929	2.354	1.949	SHF43-20-20BSP45	SS-43-FBX45-20-20	1B143-20-20C
DI-SS-43-FBSP45-24-24	1 1/2"	1 1/2" -11h	3.472	9.217	7.130	2.661	2.205	SHF43-24-24BSP45	SS-43-FBX45-24-24	1B143-24-24C
DI-SS-43-FBSP45-32-32	2"	2" -11h	4.016	11.024	8.386	3.268	2.705	SHF43-32-32BSP45	SS-43-FBX45-32-32	1B143-32-32C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88107

SWIVEL FEMALE BSP 60º CONE - 90º

Hembra giratoria 90º BSP cono 60º

Femelle BSP coude 90º cone 60º





Part NO.	I.D. (Hose)	THREAD	L1	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
								SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FBSP90-04-04	1/4"	1/4"-19h	1.362	2.189	1.087	0.906	0.665	SHF43-04-04BSP90	SS-43-FBX90-04-04	1B243-4-4C
DI-SS-43-FBSP90-06-06	3/8"	3/8"-19h	1.831	2.327	1.362	1.102	0.846	SHF43-06-06BSP90	SS-43-FBX90-06-06	1B243-6-6C
DI-SS-43-FBSP90-06-08	3/8"	1/2"-14h	1.969	2.327	1.362	1.102	0.846	SHF43-06-08BSP90	SS-43-FBX90-06-08	1B246-8-6C
DI-SS-43-FBSP90-08-08	1/2"	1/2"-14h	2.165	2.634	1.583	1.260	0.976	SHF43-08-08BSP90	SS-43-FBX90-08-08	1B243-8-8C
DI-SS-43-FBSP90-10-10	5/8"	5/8"-14h	2.461	3.047	1.858	1.378	1.094	SHF43-10-10BSP90	SS-43-FBX90-10-10	1B253-10-10C
DI-SS-43-FBSP90-12-12	3/4"	3/4"-14h	2.886	3.689	2.291	1.575	1.260	SHF43-12-12BSP90	SS-43-FBX90-12-12	1B243-12-12C
DI-SS-43-FBSP90-16-16	1"	1"-11h	3.642	4.457	2.803	1.850	1.535	SHF43-16-16BSP90	SS-43-FBX90-16-16	1B243-16-16C
DI-SS-43-FBSP90-20-20	1 1/4"	1 1/4"-11h	4.409	5.433	3.484	2.354	1.949	SHF43-20-20BSP90	SS-43-FBX90-20-20	1B243-20-20C
DI-SS-43-FBSP90-24-24	1 1/2"	1 1/2"-11h	5.374	6.209	4.122	2.661	2.205	SHF43-24-24BSP90	SS-43-FBX90-24-24	1B243-24-24C
DI-SS-43-FBSP90-32-32	2"	2"-11h	6.354	7.689	5.051	3.268	2.705	SHF43-32-32BSP90	SS-43-FBX90-32-32	1B243-32-32C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88112

MALE BSP 60º CONE

Macho BSP cono 60º

Mâle BSP cone 60º





Part NO.	I.D. (Hose)	THREAD	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH	
							TITAN FITTINGS	*PARKER S43*
DI-SS-43-MBSP-04-04	1/4"	1/4"-19h	1.831	0.945	0.906	0.665	SS-43-MBSP-04-04	1D943-4-4C
DI-SS-43-MBSP-06-06	3/8"	3/8"-19h	2.067	1.102	1.102	0.846	SS-43-MBSP-06-06	1D943-6-6C
DI-SS-43-MBSP-06-08	3/8"	1/2"-14h	2.224	1.260	1.102	0.846	SS-43-MBSP-06-08	1D943-8-6C
DI-SS-43-MBSP-08-08	1/2"	1/2"-14h	2.331	1.280	1.260	0.976	SS-43-MBSP-08-08	1D943-8-8C
DI-SS-43-MBSP-12-12	3/4"	3/4"-14h	2.795	1.398	1.575	1.260	SS-43-MBSP-12-12	1D943-12-12C
DI-SS-43-MBSP-16-16	1"	1"-11h	3.248	1.594	1.850	1.535	SS-43-MBSP-16-16	1D943-16-16C
DI-SS-43-MBSP-20-20	1 1/4"	1 1/4"-11h	3.740	1.594	2.354	1.949	SS-43-MBSP-20-20	1D943-20-20C
DI-SS-43-MBSP-24-24	1 1/2"	1 1/2"-11h	3.976	1.890	2.661	2.205	SS-43-MBSP-24-24	1D943-24-24C
DI-SS-43-MBSP-32-32	2"	2"-11h	4.685	2.047	3.268	2.705	SS-43-MBSP-32-32	1D943-32-32C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88804 L

SWIVEL FEMALE METRIC DIN 24º LIGHT- STRAIGHT

Hermbra métrica ligera cono 24º

Femelle métrique légère cono 24º





Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
								SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FDL-04-06	1/4"	6	M12x1.5	1.713	0.827	0.906	0.665	SHF43-04-06L	SS-43-FDL-04-06	1CA43-6-4C
DI-SS-43-FDL-04-08	1/4"	8	M14x1.5	1.850	0.965	0.906	0.665	SHF43-04-08L	SS-43-FDL-04-08	1CA43-8-4C
DI-SS-43-FDL-06-10	3/8"	10	M16x1.5	1.850	0.886	1.102	0.846	SHF43-06-10L	SS-43-FDL-06-10	1CA43-10-6C
DI-SS-43-FDL-06-12	3/8"	12	M18x1.5	2.067	1.102	1.102	0.846	SHF43-06-12L	SS-43-FDL-06-12	1CA43-12-6C
DI-SS-43-FDL-08-15	1/2"	15	M22x1.5	2.252	1.201	1.260	0.976	SHF43-08-15L	SS-43-FDL-08-15	1CA43-15-8C
DI-SS-43-FDL-08-18	1/2"	18	M26x1.5	2.319	1.268	1.260	0.976	SHF43-08-18L	SS-43-FDL-08-18	1CA43-18-8C
DI-SS-43-FDL-10-18	5/8"	18	M26x1.5	2.469	1.280	1.378	1.094	SHF43-10-18L	SS-43-FDL-10-18	1CA43-18-10C
DI-SS-43-FDL-12-22	3/4"	22	M30x2.0	2.854	1.457	1.575	1.260	SHF43-12-22L	SS-43-FDL-12-22	1CA43-22-12C
DI-SS-43-FDL-16-28	1"	28	M36 x2.0	3.091	1.437	1.850	1.535	SHF43-16-28L	SS-43-FDL-16-28	1CA43-28-16C
DI-SS-43-FDL-20-35	1 1/4"	35	M45x2.0	3.602	1.654	2.354	1.949	SHF43-20-35L	SS-43-FDL-20-35	1CA43-35-20C
DI-SS-43-FDL-24-42	1 1/2"	42	M52 x2.0	3.634	1.547	2.661	2.205	SHF43-24-42L	SS-43-FDL-24-42	1CA43-42-24C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88306 L

SWIVEL FEMALE METRIC DIN 24º LIGHT - 45º

Hembra métrica ligera 45º cono 24º

Femelle métrique légère 45º cono 24º





Part NO.	I.D. (Hose)	PIPE	THREAD	L1	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
									SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FDL45-04-06	1/4"	6	M12x1.5	0.890	2.642	1.756	0.906	0.665	SHF43-04-06L45	SS-43-FDL45-04-06	1CE43-6-4C
DI-SS-43-FDL45-04-08	1/4"	8	M14x1.5	0.807	2.559	1.673	0.906	0.665	SHF43-04-08L45	SS-43-FDL45-04-08	1CE43-8-4C
DI-SS-43-FDL45-05-10	5/16"	10	M16 x 1.5	0.909	2.791	1.886	0.933	0.689	SHF43-05-10L45	SS-43-FDL45-05-10	1CE43-10-5C
DI-SS-43-FDL45-06-10	3/8"	10	M16x1.5	1.043	3.134	2.169	1.102	0.846	SHF43-06-10L45	SS-43-FDL45-06-10	1CE43-10-6C
DI-SS-43-FDL45-06-12	3/8"	12	M18x1.5	0.902	2.996	2.031	1.102	0.846	SHF43-06-12L45	SS-43-FDL45-06-12	1CE43-12-6C
DI-SS-43-FDL45-08-15	1/2"	15	M22x1.5	1.063	3.346	2.295	1.260	0.976	SHF43-08-15L45	SS-43-FDL45-08-15	1CE43-15-8C
DI-SS-43-FDL45-10-18	5/8"	18	M26 x1.5	1.161	3.807	2.618	1.378	1.094	SHF43-10-18L45	SS-43-FDL45-10-18	1CE43-18-10C
DI-SS-43-FDL45-12-22	3/4"	22	M30x1.5	1.252	4.531	3.134	1.575	1.260	SHF43-12-22L45	SS-43-FDL45-12-22	1CE43-22-12C
DI-SS-43-FDL45-16-28	1"	28	M36x2.0	1.862	5.776	4.122	1.850	1.535	SHF43-16-28L45	SS-43-FDL45-16-28	1CE43-28-16C
DI-SS-43-FDL45-20-35	1 1/4"	35	M45 x2.0	1.823	6.579	4.622	2.354	1.949	SHF43-20-35L45	SS-43-FDL45-20-35	1CE43-35-20C
DI-SS-43-FDL45-24-42	1 1/2"	42	M52 x2.0	1.874	6.850	4.764	2.661	2.205	SHF43-24-45L45	SS-43-FDL45-24-42	1CE43-42-24C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88305 L

SWIVEL FEMALE METRIC DIN 24º LIGHT - 90º

Hembra métrica ligera 90º cono 24º

Femelle métrique légère coude 90º cono 24º





Part NO.	I.D. (Hose)	PIPE	THREAD	L1	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
									SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FDL90-04-08	1/4"	8	M14 x1.5	1.264	1.972	1.087	0.906	0.665	SHF43-04-08L90	SS-43-FDL90-04-08	1CF43-8-4C
DI-SS-43-FDL90-05-10	5/16"	10	M16 x 1.5	1.630	2.268	1.362	0.933	0.689	SHF43-05-10L90	SS-43-FDL90-05-10	1CF43-10-05C
DI-SS-43-FDL90-06-10	3/8"	10	M16 x 1.5	0.000	0.000	0.000	1.102	0.846	SHF43-06-10L90	SS-43-FDL90-06-10	1CF43-10-6C
DI-SS-43-FDL90-06-12	3/8"	12	M18 x1.5	1.622	2.469	1.504	1.102	0.846	SHF43-06-12L90	SS-43-FDL90-06-12	1CF43-12-6C
DI-SS-43-FDL90-08-15	1/2"	15	M22x1.5	1.732	2.705	1.654	1.260	0.976	SHF43-08-15L90	SS-43-FDL90-08-15	1CF43-15-8C
DI-SS-43-FDL90-10-18	5/8"	18	M26x1.5	2.126	3.150	1.961	1.378	1.094	SHF43-10-18L90	SS-43-FDL90-10-18	1CF43-18-10C
DI-SS-43-FDL90-12-22	3/4"	22	M30x2.0	2.598	3.953	2.555	1.575	1.260	SHF43-12-22L90	SS-43-FDL90-12-22	1CF43-22-12C
DI-SS-43-FDL90-16-28	1"	28	M36 x 2.0	3.307	4.567	2.913	1.850	1.535	SHF43-16-28L90	SS-43-FDL90-16-28	1CF43-28-16C
DI-SS-43-FDL90-20-35	1 1/4"	35	M45 x 2.0	3.902	6.150	4.201	2.354	1.949	SHF43-20-35L90	SS-43-FDL90-20-35	1CF43-35-20C
DI-SS-43-FDL90-24-42	1 1/2"	42	M52 x 2.0	4.051	6.799	4.713	2.661	2.205	SHF43-24-42L90	SS-43-FDL90-24-42	1CF43-42-24C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88203 L

MALE METRIC DIN 24º LIGHT

Macho métrico ligero cono 24º

Mâle métrique légère cono 24º





Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	B CUT-OFF	ØA	ØE	TITAN FITTINGS	PARKER S43
DI-SS-43-MDL-04-06	1/4"	6	M12x1.5	1.654	0.768	0.906	0.665	SS-43-MDL-04-06	1D043-6-4C
DI-SS-43-MDL-04-08	1/4"	8	M14 x 1.5	1.713	0.827	0.906	0.665	SS-43-MDL-04-08	1D043-8-4C
DI-SS-43-MDL-05-10	5/16"	10	M16 x 1.5	1.862	0.957	0.933	0.689	SS-43-MDL-05-10	1D043-10-5C
DI-SS-43-MDL-06-10	3/8"	10	M16 x 1.5	1.929	0.965	1.102	0.846	SS-43-MDL-06-10	1D043-10-6C
DI-SS-43-MDL-06-12	3/8"	12	M18 x 1.5	1.969	1.004	1.102	0.846	SS-43-MDL-06-12	1D043-12-6C
DI-SS-43-MDL-08-15	1/2"	15	M22 x 1.5	2.035	0.984	1.260	0.976	SS-43-MDL-08-15	1D043-15-8C
DI-SS-43-MDL-12-22	3/4"	22	M30 x 2.0	2.579	1.181	1.575	1.260	SS-43-MDL-12-22	1D043-22-12C
DI-SS-43-MDL-16-28	1"	28	M36 x 2.0	2.874	1.220	1.850	1.535	SS-43-MDL-16-28	1D043-28-16C
DI-SS-43-MDL-20-35	1 1/4"	35	M45 x 2.0	3.386	1.437	2.354	1.949	SS-43-MDL-20-35	1D043-35-20C
DI-SS-43-MDL-24-42	1 1/2"	42	M52 x 2.0	3.563	1.476	2.661	2.205	SS-43-MDL-24-42	1D043-42-24C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88804 S

SWIVEL FEMALE METRIC DIN 24º HEAVY - STRAIGHT

Hembra métrica pesada cono 24º

Femelle métrique S cone 24º





Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
								SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FDS-04-08	1/4"	8	M16x1.5	2.008	1.122	0.906	0.665	SHF43-04-08S	SS-43-FDS-04-08	1C943-8-4C
DI-SS-43-FDS-04-10	1/4"	10	M18x1.5	2.051	1.165	0.906	0.665	SHF43-04-10S	SS-43-FDS-04-10	1C943-10-4C
DI-SS-43-FDS-06-12	3/8"	12	M20x1.5	2.106	1.142	1.102	0.846	SHF43-06-12S	SS-43-FDS-06-12	1C943-12-6C
DI-SS-43-FDS-08-16	1/2"	16	M24x1.5	2.429	1.378	1.260	0.976	SHF43-08-16S	SS-43-FDS-08-16	1C943-16-8C
DI-SS-43-FDS-10-20	5/8"	20	M30x2	2.685	1.496	1.378	1.094	SHF43-10-20S	SS-43-FDS-10-20	1C943-20-10C
DI-SS-43-FDS-12-20	3/4"	20	M30 x 2.0	2.933	1.535	1.575	1.260	SHF43-12-20S	SS-43-FDS-12-20	1C943-20-12C
DI-SS-43-FDS-12-25	3/4"	25	M36 x 2.0	3.299	1.902	1.575	1.260	SHF43-12-25S	SS-43-FDS-12-25	1C943-25-12C
DI-SS-43-FDS-16-25	1"	25	M36 x 2.0	3.484	1.831	1.850	1.535	SHF43-16-25S	SS-43-FDS-16-25	1C943-25-16C
DI-SS-43-FDS-16-30	1"	30	M42 x 2.0	3.642	1.988	1.850	1.535	SHF43-16-30S	SS-43-FDS-16-30	1C943-30-16C
DI-SS-43-FDS-20-38	1"	38	M52 x 2.0	4.287	2.339	2.354	1.949	SHF43-20-38S	SS-43-FDS-20-38	1C943-38-20C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88306 S

SWIVEL FEMALE METRIC DIN 24º HEAVY - 45º

Hembra métrica pesada 45º cone 24º

Femelle métrique S coude 45º cone 24º





Part NO.	I.D. (Hose)	PIPE	THREAD	L1	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
									SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FDS45-04-08	1/4"	8	M16x1.5	0.890	2.642	1.756	0.906	0.665	SHF43-04-08S45	SS-43-FDS45-04-08	10C43-8-4C
DI-SS-43-FDS45-04-10	1/4"	10	M18x 1.5	0.909	2.661	1.776	0.906	0.665	SHF43-04-10S45	SS-43-FDS45-04-10	10C43-10-4C
DI-SS-43-FDS45-06-12	3/8"	12	M20x1.5	0.937	3.028	2.063	1.102	0.846	SHF43-06-12S45	SS-43-FDS45-06-12	10C43-12-6C
DI-SS-43-FDS45-08-16	1/2"	16	M24x1.5	1.106	3.402	2.350	1.260	0.976	SHF43-08-16S45	SS-43-FDS45-08-16	10C43-16-8C
DI-SS-43-FDS45-10-20	5/8"	20	M30x2.0	1.248	3.894	2.705	1.378	1.094	SHF43-10-20S45	SS-43-FDS45-10-20	10C43-20-10C
DI-SS-43-FDS45-12-20	3/4"	20	M30 x 2.0	1.319	4.602	3.205	1.575	1.260	SHF43-12-20S45	SS-43-FDS45-12-20	10C43-20-12C
DI-SS-43-FDS45-12-25	3/4"	25	M36 x 2.0	1.417	4.697	3.299	1.575	1.260	SHF43-12-25S45	SS-43-FDS45-12-25	10C43-25-12C
DI-SS-43-FDS45-16-25	1"	25	M36 x 2.0	1.890	5.803	4.150	1.850	1.535	SHF43-16-25S45	SS-43-FDS45-16-25	10C43-25-16C
DI-SS-43-FDS45-16-30	1"	30	M42 x 2.0	1.933	5.846	4.193	1.850	1.535	SHF43-16-30S45	SS-43-FDS45-16-30	10C43-30-16C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88305 S

SWIVEL FEMALE METRIC DIN 24º HEAVY - 90º

Hembra métrica pesada 90º cono 24º

Femelle métrique S coude 90ºcon 24º





Part NO.	I.D. (Hose)	PIPE	THREAD	L1	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH		
									SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-43-FDS90-04-08	1/4"	8	M16x1.5	1.382	1.972	1.087	0.906	0.665	SHF43-04-08S90	SS-43-FDS90-04-08	11C43-8-4C
DI-SS-43-FDS90-04-10	1/4"	10	M18 x 1.5	1.374	1.972	1.087	0.906	0.665	SHF43-04-10S90	SS-43-FDS90-04-10	11C43-10-4C
DI-SS-43-FDS90-05-12	3/8"	12	M20 x1.5	1.496	2.283	1.378	0.933	0.689	SHF43-05-12S90	SS-43-FDS90-05-12	11C43-12-5C
DI-SS-43-FDS90-06-12	3/8"	12	M20 x1.5	1.650	2.469	1.504	1.102	0.846	SHF43-06-12S90	SS-43-FDS90-06-12	11C43-12-6C
DI-SS-43-FDS90-08-16	1/2"	16	M24 x1.5	1.870	2.705	1.654	1.260	0.976	SHF43-08-16S90	SS-43-FDS90-08-16	11C43-16-8C
DI-SS-43-FDS90-10-20	5/8"	20	M30 x2.0	2.205	3.150	1.961	1.378	1.094	SHF43-10-20S90	SS-43-FDS90-10-20	11C43-20-10C
DI-SS-43-FDS90-12-20	3/4"	20	M30 x2.0	2.677	3.913	2.516	1.575	1.260	SHF43-12-20S90	SS-43-FDS90-12-20	11C43-20-12C
DI-SS-43-FDS90-12-25	3/4"	25	M36 x 2.0	2.831	3.953	2.555	1.575	1.260	SHF43-12-25S90	SS-43-FDS90-12-25	11C43-25-12C
DI-SS-43-FDS90-16-25	1"	25	M36 x 2.0	3.386	4.567	2.913	1.850	1.535	SHF43-16-25S90	SS-43-FDS90-16-25	11C43-25-16C
DI-SS-43-FDS90-16-30	1"	30	M42 x 2.0	3.366	4.567	2.913	1.850	1.535	SHF43-16-30S90	SS-43-FDS90-16-30	11C43-30-16C
DI-SS-43-FDS90-20-38	1 1/4"	38	M52 x 2.0	4.114	6.150	4.201	2.354	1.949	SHF43-20-38S90	SS-43-FDS90-20-38	11C43-38-20C

43 Series

No Skive: R1AT/ R2AT/R16/1SN/ 2SN/ 2SC

88203 S

MALE METRIC DIN 24º HEAVY

Macho métrico pesadao cono 24º

Mâle métrique S cone 24º





Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	B CUT-OFF	ØA	ØE	TITAN FITTINGS	PARKER S43
DI-SS-43-MDS-04-08	1/4"	8	M16 x 1.5	1.831	0.945	0.906	0.665	SS-43-MDS-04-08	1D243-8-4C
DI-SS-43-MDS-04-10	1/4"	10	M18 x 1.5	1.909	1.024	0.906	0.665	SS-43-MDS-04-10	1D243-10-4C
DI-SS-43-MDS-06-12	3/8"	12	M20 x 1.5	2.165	1.201	1.102	0.846	SS-43-MDS-06-12	1D243-12-6C
DI-SS-43-MDS-08-16	1/2"	16	M24 x 1.5	2.272	1.220	1.260	0.976	SS-43-MDS-08-16	1D243-16-8C
DI-SS-43-MDS-10-20	5/8"	20	M30 x 2.0	2.579	1.390	1.378	1.094	SS-43-MDS-10-20	1D243-20-10C
DI-SS-43-MDS-12-20	3/4"	20	M30 x 2.0	2.835	1.437	1.575	1.260	SS-43-MDS-12-20	1D243-20-12C
DI-SS-43-MDS-12-25	3/4"	25	M36 x 2.0	2.972	1.575	1.575	1.260	SS-43-MDS-12-25	1D243-25-12C
DI-SS-43-MDS-16-25	1"	25	M36 x 2.0	3.228	1.575	1.850	1.535	SS-43-MDS-16-25	1D243-25-16C
DI-SS-43-MDS-16-30	1"	30	M42 x 2.0	3.346	1.693	1.850	1.535	SS-43-MDS-16-30	1D243-30-16C

BW Series R12/ 4SP/ 4SH

Serie BW R12/4SP/ 4SH

R12/ 4SP/ 4SH Série BW

BW Series

No Skive: R12/ 4SP/ 4SH

- JIC 37° / Conexiones compactas JIC 37° / Embouts pré-sertis JIC | 42


DI-SS-BW-FJX


DI-SS-BW-FJX45


DI-SS-BW-FJX90


DI-SS-BW-MJ

- NPT / Conexiones compactas NPT / Embouts pré-sertis NPT | 46


DI-SS-BW-MP

- ORFS / Conexiones compactas ORFS / Embouts pré-sertis ORFS | 48


DI-SS-BW-FFX


DI-SS-BW-FFX45


DI-SS-BW-FFX90


DI-SS-BW-MF

- SAE Flanges / Conexiones compactas Bridas SAE / Embouts pré-sertis Brides SAE | 52


DI-SS-BW-FL61


DI-SS-BW-FL6145


DI-SS-BW-FL6190


DI-SS-BW-FH62


DI-SS-BW-FH6245


DI-SS-BW-FH6290

- BSP / Conexiones compactas BSP / Embouts pré-sertis BSP | 58


DI-SS-BW-FBSP


DI-SS-BW-FBSP45


DI-SS-BW-FBSP90


DI-SS-BW-MBSP

- Metric / Conexiones compactas Métricas / Embouts pré-sertis Métriques | 62


DI-SS-BW-FDS


DI-SS-BW-FDS45


DI-SS-BW-FDS90


DI-SS-BW-MDS

BW Series

No Skive: R12/ 4SP/ 4SH

Z68242

FEMALE JIC

Hembras JIC

Femelle JIC





Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH	
								SHF	*TITAN FITTINGS*
DI-SS-BW-FJX-08-08	1/2"	1/2"	3/4"-16	2.795	1.437	1.260	1.004	**SHFBW-08-08FJ**	**SS-BW-FJX-08-08**
DI-SS-BW-FJX-10-10	5/8"	5/8"	7/8"-14	3.150	1.594	1.457	1.142	**SHFBW-10-10FJ**	**SS-BW-FJX-10-10**
DI-SS-BW-FJX-12-12	3/4"	3/4"	1 1/16"-12	3.484	1.799	1.654	1.299	**SHFBW-12-12FJ**	**SS-BW-FJX-12-12**
DI-SS-BW-FJX-16-12	1"	3/4"	1 1/16"-12	3.720	1.811	1.969	1.614	**SHFBW-16-12FJ**	**SS-BW-FJX-16-12**
DI-SS-BW-FJX-16-16	1"	1"	1 5/16"-12	3.937	2.028	1.969	1.614	**SHFBW-16-16FJ**	**SS-BW-FJX-16-16**
DI-SS-BW-FJX-16-20	1"	1 1/4"	1 5/8"-12	4.094	2.185	1.969	1.614	**SHFBW-16-20FJ**	**SS-BW-FJX-16-20**
DI-SS-BW-FJX-20-20	1 1/4"	1 1/4"	1 5/8"-12	4.547	2.244	2.520	2.087	**SHFBW-20-20FJ**	**SS-BW-FJX-20-20**
DI-SS-BW-FJX-24-24	1 1/2"	1 1/2"	1 7/8"-12	4.823	2.461	2.795	2.323	**SHFBW-24-24FJ**	**SS-BW-FJX-24-24**
DI-SS-BW-FJX-32-32	2"	2"	2 1/2"-12	6.075	2.925	3.425	2.874	**SHFBW-32-32FJ**	**SS-BW-FJX-32-32**

***On request/** *Consultar/* Sur demande

BW Series

No Skive: R12/ 4SP/ 4SH

Z68139

FEMALE JIC 45°

Hembras JIC codo 45°

Coude 45° Femelle JIC



Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	L1	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH	
									SHF	*TITAN FITTINGS*
DI-SS-BW-FJX45-08-08	1/2"	1/2"	3/4"-16	4.270	1.120	2.912	1.260	1.004	**SHFBW08-08FJ45**	**SS-BW-FJX45-08-08**
DI-SS-BW-FJX45-10-10	5/8"	5/8"	7/8"-14	4.949	1.363	3.394	1.457	1.142	**SHFBW10-10FJ45**	**SS-BW-FJX45-10-10**
DI-SS-BW-FJX45-12-12	3/4"	3/4"	1 1/16"-12	5.973	1.528	4.288	1.654	1.299	**SHFBW12-12FJ45**	**SS-BW-FJX45-12-12**
DI-SS-BW-FJX45-16-16	1"	1"	1 5/16"-12	7.050	1.876	5.141	1.969	1.614	**SHFBW16-16FJ45**	**SS-BW-FJX45-16-16**
DI-SS-BW-FJX45-20-20	1 1/4"	1 1/4"	1 5/8"-12	8.538	2.226	6.235	2.520	2.087	**SHFBW20-20FJ45**	**SS-BW-FJX45-20-20**
DI-SS-BW-FJX45-24-24	1 1/2"	1 1/2"	1 7/8"-12	9.535	2.627	7.172	2.795	2.323	**SHFBW24-24FJ45**	**SS-BW-FJX45-24-24**
DI-SS-BW-FJX45-32-32	2"	2"	2 1/2"-12	11.779	3.170	8.658	3.425	2.874	**SHFBW32-32FJ45**	**SS-BW-FJX45-32-32**

BW Series

No Skive: R12/ 4SP/ 4SH

Z68138

FEMALE JIC 90°

Hembras JIC codo 90°

Coude 90° Femelle JIC





Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	L1	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH	
									SHF	*TITAN FITTINGS*
DI-SS-BW-FJX90-08-08	1/2"	1/2"	3/4"-16	3.012	1.988	1.654	1.260	1.004	SHFBW08-08FJ90	SS-BW-FJX90-08-08
DI-SS-BW-FJX90-10-10	5/8"	5/8"	7/8"-14	3.476	2.382	1.921	1.457	1.142	SHFBW10-10FJ90	SS-BW-FJX90-10-10
DI-SS-BW-FJX90-12-12	3/4"	3/4"	1 1/16"-12	4.209	2.850	2.524	1.654	1.299	SHFBW12-12FJ90	SS-BW-FJX90-12-12
DI-SS-BW-FJX90-16-16	1"	1"	1 5/16"-12	4.843	3.622	2.933	1.969	1.614	SHFBW16-16FJ90	SS-BW-FJX90-16-16
DI-SS-BW-FJX90-20-20	1 1/4"	1 1/4"	1 5/8"-12	5.894	4.370	3.591	2.520	2.087	SHFBW20-20FJ90	SS-BW-FJX90-20-20
DI-SS-BW-FJX90-24-24	1 1/2"	1 1/2"	1 7/8"-12	6.484	4.961	4.122	2.795	2.323	SHFBW24-24FJ90	SS-BW-FJX90-24-24
DI-SS-BW-FJX90-32-32	2"	2"	2 1/2"-12	8.094	6.075	4.945	3.425	2.874	SHFBW32-32FJ90	SS-BW-FJX90-32-32

BW Series

No Skive: R12/ 4SP/ 4SH

Z68141

MALE JIC

Macho JIC

Mâle JIC





Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH	
								SHF	*TITAN FITTINGS*
DI-SS-BW-MJ-08-08	1/2"	1/2"	3/4"-16	2.618	1.260	1.260	1.004	SHFBW08-08MJ	SS-BW-MJ-08-08
DI-SS-BW-MJ-10-10	5/8"	5/8"	7/8"-14	2.945	1.390	1.390	1.142	SHFBW10-10MJ	SS-BW-MJ-10-10
DI-SS-BW-MJ-12-12	3/4"	3/4"	1 1/16"-12	3.248	1.563	1.563	1.299	SHFBW12-12MJ	SS-BW-MJ-12-12
DI-SS-BW-MJ-16-16	1"	1"	1 5/16"-12	3.563	1.654	1.654	1.614	SHFBW16-16MJ	SS-BW-MJ-16-16
DI-SS-BW-MJ-20-20	1 1/4"	1 1/4"	1 5/8"-12	4.114	1.811	1.811	2.087	SHFBW20-20MJ	SS-BW-MJ-20-20
DI-SS-BW-MJ-24-24	1 1/2"	1 1/2"	1 7/8"-12	4.390	2.028	2.028	2.323	SHFBW24-24MJ	SS-BW-MJ-24-24
DI-SS-BW-MJ-32-32	2"	2"	2 1/2"-12	5.571	2.421	2.421	2.874	SHFBW32-32MJ	SS-BW-MJ-32-32

O´ring included/ *Junta tórica incluida*/Joint torique inclus

BW Series

No Skive: R12/ 4SP/ 4SH

Z68161

MALE NPT PIPE

Macho NPT

Mâle NPT





Part NO.	I.D. (Hose)	THREAD	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH	
							SHF	*TITAN FITTINGS*
DI-SS-BW-MP-08-08	1/2"	1/2"	2.634	1.276	1.260	1.004	**SHFBW-08-08MP**	**SS-BW-MP-08-08**
DI-SS-BW-MP-12-12	3/4"	3/4"	3.205	1.520	1.654	1.299	**SHFBW-12-12MP**	**SS-BW-MP-12-12**
DI-SS-BW-MP-16-16	1"	1"	3.583	1.673	1.969	1.614	**SHFBW-16-16MP**	**SS-BW-MP-16-16**
DI-SS-BW-MP-20-20	1 1/4"	1 1/4"	4.291	1.988	2.520	2.087	**SHFBW-20-20MP**	**SS-BW-MP-20-20**
DI-SS-BW-MP-24-24	1 1/2"	1 1/2"	4.291	1.929	2.795	2.323	**SHFBW-24-24MP**	**SS-BW-MP-24-24**
DI-SS-BW-MP-32-32	2"	2"	5.217	2.067	3.425	2.874	**SHFBW-32-32MP**	**SS-BW-MP-32-32**

ÁREA CALIDAD
QUALITY DEPARTMENT

DICSA GARANTIZA LOS MÁS ALTOS ESTÁNDARES DE CALIDAD CERTIFICADA CON LA TECNOLOGÍA MÁS INNOVADORA

DICSA GUARANTEES THE HIGHEST CERTIFIED QUALITY STANDARDS BY USING THE TECHNOLOGY MOST INNOVATIVE



CENTRADOS EN LA CALIDAD

Garantizamos la calidad de todos los equipamientos que fabricamos y distribuimos. Por ello, estamos realizando, de forma progresiva y continuada, una gran inversión en la aprobación de certificados.

Nuestro Departamento Técnico y de Calidad comprueba la calidad óptima de los productos que suministramos, mediante la utilización de los equipamientos y la tecnología más innovadora del sector.

DICSA es sinónimo de calidad porque nuestra apuesta en Investigación, Desarrollo e Innovación es constante y progresiva. En Dicsa somos líderes porque fabricamos pensando en ti.

WE FOCUS ON QUALITY

We guarantee the quality of all the products that we manufacture and distribute. For this reason, we are making an ongoing and progressive investment in certificates approval.

Our Technical and Quality Department verifies the optimum quality of our products by using the most innovative equipments and technology.

DICSA is synonym of quality because our Research, Innovation and Development investment is constant and progressive. We are leader because we manufactured with you in mind.



Cortadora de precisión
Precision cutting Saw

Análisis espectrográfico
Spectrographic Analyzer

Banco de pruebas B1703 Flex
B1703 FLEX Dynamic Test Bench

Banco de pruebas BI1001
Bimal BI1001 Test Bench

Máquina de medición 3D MMC
Coordinate-measuring machine (CMM)

Cámara de niebla salina
Salt- spray chamber

Banco de pruebas BC/L 2000
BC/L 2000 Test Bench

Impresora 3D
3D Printer

BW Series

No Skive: R12/ 4SP/ 4SH

Z68901

SWIVEL FEMALE ORFS (O-RING FACE SEAL) - STRAIGHT

Hembra giratoria ORFS

Femelle ORFS





Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH	
								SHF	*TITAN FITTINGS*
DI-SS-BW-FFX-08-08	1/2"	1/2"	13/16-16h	3.150	1.791	1.260	1.004	SHFBW08-08OFT	SS-BW-FFX-08-08
DI-SS-BW-FFX-08-10	1/2"	5/8"	1-14h	3.445	2.087	1.260	1.004	SHFBW08-10OFT	SS-BW-FFX-08-10
DI-SS-BW-FFX-08-12	1/2"	3/4"	1 3/16-12h	3.563	2.205	1.260	1.004	SHFBW08-12OFT	SS-BW-FFX-08-12
DI-SS-BW-FFX-10-10	5/8"	5/8"	1-14h	3.602	2.047	1.457	1.142	SHFBW10-10OFT	SS-BW-FFX-10-10
DI-SS-BW-FFX-12-12	3/4"	3/4"	1 3/16-12h	3.917	2.232	1.654	1.299	SHFBW12-12OFT	SS-BW-FFX-12-12
DI-SS-BW-FFX-12-16	3/4"	1"	1 7/16-12h	4.055	2.370	1.654	1.299	SHFBW12-16OFT	SS-BW-FFX-12-16
DI-SS-BW-FFX-16-12	1"	3/4"	1 3/16-12h	4.114	2.205	1.969	1.614	SHFBW16-12OFT	SS-BW-FFX-16-12
DI-SS-BW-FFX-16-16	1"	1"	1 7/16-12h	4.252	2.343	1.969	1.614	SHFBW16-16OFT	SS-BW-FFX-16-16
DI-SS-BW-FFX-16-20	1"	1 1/4"	1 11/16-12h	4.429	2.520	1.969	1.614	SHFBW16-20OFT	SS-BW-FFX-16-20
DI-SS-BW-FFX-20-20	1 1/4"	1 1/4"	1 11/16-12h	5.000	2.697	2.520	2.087	SHFBW20-20OFT	SS-BW-FFX-20-20
DI-SS-BW-FFX-24-24	1 1/2"	1 1/2"	2-12h	5.098	2.736	2.795	2.323	SHFBW24-24OFT	SS-BW-FFX-24-24

***On request/** *Consultar/* Sur demande

BW Series

No Skive: R12/ 4SP/ 4SH

Z68908

SWIVEL FEMALE ORFS (O-RING FACE SEAL) - 45º

Hembra giratoria 45º ORFS

Coude 45º femelle ORFS





Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	L1	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH	
									SHF	*TITAN FITTINGS*
DI-SS-BW-FFX45-08-08	1/2"	1/2"	13/16-16h	4.423	1.302	3.093	1.260	1.004	SHFBW08-08OFT45	SS-BW-FFX45-08-08
DI-SS-BW-FFX45-08-10	1/2"	5/8"	1-14h	4.535	1.444	3.204	1.260	1.004	SHFBW08-10OFT45	SS-BW-FFX45-08-10
DI-SS-BW-FFX45-10-10	5/8"	5/8"	1-14h	5.236	1.571	3.681	1.457	1.142	SHFBW10-10OFT45	SS-BW-FFX45-10-10
DI-SS-BW-FFX45-12-12	3/4"	3/4"	1 3/16-12h	5.931	1.487	4.246	1.654	1.299	SHFBW12-12OFT45	SS-BW-FFX45-12-12
DI-SS-BW-FFX45-12-16	3/4"	1"	1 7/16-12h	5.958	1.515	4.273	1.654	1.299	SHFBW12-16OFT45	SS-BW-FFX45-12-16
DI-SS-BW-FFX45-16-16	1"	1"	1 7/16-12h	6.897	1.723	4.987	1.969	1.614	SHFBW16-16OFT45	SS-BW-FFX45-16-16
DI-SS-BW-FFX45-20-20	1 1/4"	1 1/4"	1 11/16-12h	8.237	1.906	5.934	2.520	2.087	SHFBW20-20OFT45	SS-BW-FFX45-20-20
DI-SS-BW-FFX45-24-24	1 1/2"	1 1/2"	2-12h	8.903	2.015	6.541	2.795	2.323	SHFBW24-24OFT45	SS-BW-FFX45-24-24

BW Series

No Skive: R12/ 4SP/ 4SH

Z68907

SWIVEL FEMALE ORFS (O-RING FACE SEAL) - 90º

Hembra giratoria 90º ORFS

Coude 90º femelle ORFS





Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	L1	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH	
									SHF	*TITAN FITTINGS*
DI-SS-BW-FFX90-08-08	1/2"	1/2"	13/16-16h	2.972	2.215	1.772	1.260	1.004	SHFBW08-08OFT90	SS-BW-FFX90-08-08
DI-SS-BW-FFX90-08-10	1/2"	5/8"	1-14h	2.972	2.372	1.772	1.260	1.004	SHFBW08-10OFT90	SS-BW-FFX90-08-10
DI-SS-BW-FFX90-10-10	5/8"	5/8"	1-14h	3.476	2.776	1.921	1.457	1.142	SHFBW10-10OFT90	SS-BW-FFX90-10-10
DI-SS-BW-FFX90-12-12	3/4"	3/4"	1 3/16-12h	4.208	2.795	2.520	1.654	1.299	SHFBW12-12OFT90	SS-BW-FFX90-12-12
DI-SS-BW-FFX90-12-16	3/4"	1"	1 7/16-12h	4.208	2.835	2.520	1.654	1.299	SHFBW12-16OFT90	SS-BW-FFX90-12-16
DI-SS-BW-FFX90-16-16	1"	1"	1 7/16-12h	4.843	3.406	2.933	1.969	1.614	SHFBW16-16OFT90	SS-BW-FFX90-16-16
DI-SS-BW-FFX90-16-20	1"	1 1/4"	1 11/16-12h	4.843	3.406	2.933	1.969	1.614	SHFBW16-20OFT90	SS-BW-FFX90-16-20
DI-SS-BW-FFX90-20-20	1 1/4"	1 1/4"	1 11/16-12h	5.915	3.917	3.612	2.520	2.087	SHFBW20-20OFT90	SS-BW-FFX90-20-20
DI-SS-BW-FFX90-24-24	1 1/2"	1 1/2"	2-12h	6.464	4.094	4.094	2.795	2.323	SHFBW24-24OFT90	SS-BW-FFX90-24-24

BW Series

No Skive: R12/ 4SP/ 4SH

Z68912

MALE ORFS (O-RING FACE SEAL)

Macho ORFS

Mâle ORFS





Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH *TITAN FITTINGS*
DI-SS-BW-MF-08-08	1/2"	1/2"	13/16-16h	2.500	1.142	1.260	1.004	SS-BW-MF-08-08
DI-SS-BW-MFF-10-10	5/8"	5/8"	1-14h	2.921	1.366	1.457	1.142	SS-BW-MFF-10-10
DI-SS-BW-MFF-12-12	3/4"	3/4"	1 3/16-12h	3.228	1.555	1.654	1.299	SS-BW-MFF-12-12
DI-SS-BW-MFF-16-16	1"	1"	1 7/16-12h	3.642	1.772	1.969	1.614	SS-BW-MFF-16-16
DI-SS-BW-MFF-20-20	1 1/4"	1 1/4"	1 11/16-12h	4.114	1.811	2.520	2.087	SS-BW-MFF-20-20
DI-SS-BW-MFF-24-24	1 1/2"	1 1/2"	2-12h	4.311	1.949	2.795	2.323	SS-BW-MFF-24-24
DI-SS-BW-MFF-32-32	2"	2"	2 1/2-12h	5.217	2.067	3.425	2.874	SS-BW-MFF-32-32

***On request/** *Consultar/* Sur demande

BW Series

No Skive: R12/ 4SP/ 4SH

Z68182

CODE 61 FLANGE - STRAIGHT 3000 PSI

Brida código 61 3000 PSI

Bride code 61 3000 PSI





Part NO.	I.D. (Hose)	FLANGE INCH	L OAL	B CUT-OFF	ØA	ØE	Ø	INTERCHANGEABLE WITH	
								SHF	*TITAN FITTINGS*
DI-SS-BW-FL61-08-08	1/2"	1/2"	3.150	1.791	1.260	1.004	1.189	SHFBW08-08FL	SS-BW-FL61-08-08
DI-SS-BW-FL61-10-12	5/8"	3/4"	3.898	2.343	1.457	1.142	1.500	SHFBW10-12FL	SS-BW-FL61-10-12
DI-SS-BW-FL61-12-12	3/4"	3/4"	4.055	2.370	1.457	1.142	1.500	SHFBW12-12FL	SS-BW-FL61-12-12
DI-SS-BW-FL61-12-16	3/4"	1"	4.134	2.449	1.654	1.299	1.752	SHFBW12-16FL	SS-BW-FL61-12-16
DI-SS-BW-FL61-16-16	1"	1"	4.488	2.579	1.969	1.614	1.752	SHFBW16-16FL	SS-BW-FL61-16-16
DI-SS-BW-FL61-16-20	1"	1 1/4"	4.488	2.579	1.969	1.614	2.000	SHFBW16-20FL	SS-BW-FL61-16-20
DI-SS-BW-FL61-20-20	1 1/4"	1 1/4"	5.433	3.130	2.520	2.087	2.000	SHFBW20-20FL	SS-BW-FL61-20-20
DI-SS-BW-FL61-20-24	1 1/4"	1 1/2"	5.591	3.287	2.520	2.087	2.374	SHFBW20-24FL	SS-BW-FL61-20-24
DI-SS-BW-FL61-24-24	1 1/2"	1 1/2"	5.709	3.346	2.795	2.323	2.374	SHFBW24-24FL	SS-BW-FL61-24-24
DI-SS-BW-FL61-24-32	1 1/2"	2"	5.709	3.346	2.795	2.323	2.811	SHFBW24-32FL	SS-BW-FL61-24-32
DI-SS-BW-FL61-32-32	2"	2"	6.693	3.543	3.425	2.874	2.811	SHFBW32-32FL	SS-BW-FL61-32-32

***On request/** *Consultar/* Sur demande

BW Series

No Skive: R12/ 4SP/ 4SH

Z68184

CODE 61 FLANGE - 45º 3000 PSI

Brida 45º código 61 3000 PSI

Bride coude 45º code 61 3000 PSI





Part NO.	I.D. (Hose)	FLANGE INCH	L OAL	L1	B CUT-OFF	ØA	ØE	Ø	INTERCHANGEABLE WITH	
									OAL	*TITAN FITTINGS*
DI-SS-BW-FL6145-08-08	1/2"	1/2"	3.991	0.800	2.637	1.260	1.004	1.189	SHFBW08-08FL45	SS-BW-FL6145-08-08
DI-SS-BW-FL6145-10-12	5/8"	3/4"	5.471	1.056	3.837	1.457	1.142	1.500	SHFBW10-12FL45	SS-BW-FL6145-10-12
DI-SS-BW-FL6145-12-12	3/4"	3/4"	5.585	1.180	3.900	1.457	1.142	1.500	SHFBW12-12FL45	SS-BW-FL6145-12-12
DI-SS-BW-FL6145-16-16	1"	1"	6.593	1.459	4.683	1.969	1.614	1.752	SHFBW16-16FL45	SS-BW-FL6145-16-16
DI-SS-BW-FL6145-20-20	1 1/4"	1 1/4"	7.970	1.697	5.667	2.520	2.087	2.000	SHFBW20-20FL45	SS-BW-FL6145-20-20
DI-SS-BW-FL6145-24-24	1 1/2"	1 1/2"	8.734	1.945	6.373	2.795	2.323	2.374	SHFBW24-24FL45	SS-BW-FL6145-24-24
DI-SS-BW-FL6145-32-32	2"	2"	10.869	2.271	7.719	3.425	2.874	2.811	SHFBW32-32FL45	SS-BW-FL6145-32-32

BW Series

No Skive: R12/ 4SP/ 4SH

Z68183

CODE 61 FLANGE - 90º 3000 PSI

Brida 90º código 61 3000 PSI

Bride coude 90º code 61 3000 PSI





Part NO.	I.D. (Hose)	FLANGE INCH	L OAL	L1	B CUT-OFF	ØA	ØE	Ø	INTERCHANGEABLE WITH	
									SHF	*TITAN FITTINGS*
DI-SS-BW-FL6190-08-08	1/2"	1/2"	3.051	1.575	1.693	1.260	1.004	1.189	SHFBW08-08FL90	SS-BW-FL6190-08-08
DI-SS-BW-FL6190-10-12	5/8"	3/4"	4.146	2.047	2.591	1.457	1.142	1.500	SHFBW10-12FL90	SS-BW-FL6190-10-12
DI-SS-BW-FL6190-12-12	3/4"	3/4"	4.170	2.280	2.485	1.457	1.142	1.500	SHFBW12-12FL90	SS-BW-FL6190-12-12
DI-SS-BW-FL6190-12-16	3/4"	1"	4.170	2.358	2.485	1.654	1.299	1.752	SHFBW12-16FL90	SS-BW-FL6190-12-16
DI-SS-BW-FL6190-16-16	1"	1"	4.804	2.992	2.895	1.969	1.614	1.752	SHFBW16-16FL90	SS-BW-FL6190-16-16
DI-SS-BW-FL6190-16-20	1"	1 1/4"	4.804	2.992	2.895	1.969	1.614	2.000	SHFBW16-20FL90	SS-BW-FL6190-16-20
DI-SS-BW-FL6190-20-20	1 1/4"	1 1/4"	5.856	3.583	3.553	2.520	2.087	2.000	SHFBW20-20FL90	SS-BW-FL6190-20-20
DI-SS-BW-FL6190-20-24	1 1/4"	1 1/2"	5.856	3.740	3.553	2.520	2.087	2.374	SHFBW20-24FL90	SS-BW-FL6190-20-24
DI-SS-BW-FL6190-24-24	1 1/2"	1 1/2"	6.365	3.799	4.003	2.795	2.323	2.374	SHFBW24-24FL90	SS-BW-FL6190-24-24
DI-SS-BW-FL6190-32-32	2"	2"	8.056	4.685	4.906	3.425	2.874	2.811	SHFBW32-32FL90	SS-BW-FL6190-32-32

***On request/** *Consultar/* Sur demande

BW Series

No Skive: R12/ 4SP/ 4SH

Z68282

CODE 62 FLANGE - STRAIGHT 6000 PSI

Brida código 62 6000 PSI

Bride code 62 6000 PSI





Part NO.	I.D. (Hose)	FLANGE INCH	L OAL	B CUT-OFF	ØA	ØE	Ø	INTERCHANGEABLE WITH	
								SHF	*TITAN FITTINGS*
DI-SS-BW-FH62-08-08	1/2"	1/2"	3.150	1.791	1.260	1.004	1.189	SHFBW08-08FH	SS-BW-FH62-08-08
DI-SS-BW-FH62-10-12	5/8"	3/4"	3.898	2.343	1.457	1.142	1.500	SHFBW10-12FH	SS-BW-FH62-10-12
DI-SS-BW-FH62-12-12	3/4"	3/4"	4.055	2.370	1.457	1.142	1.500	SHFBW12-12FH	SS-BW-FH62-12-12
DI-SS-BW-FH62-16-16	1"	1"	4.488	2.579	1.969	1.614	1.752	SHFBW16-16FH	SS-BW-FH62-16-16
DI-SS-BW-FH62-20-20	1 1/4"	1 1/4"	5.591	3.287	2.520	2.087	2.000	SHFBW20-20FH	SS-BW-FH62-20-20
DI-SS-BW-FH62-24-24	1 1/2"	1 1/2"	5.906	3.543	2.795	2.323	2.374	SHFBW24-24FH	SS-BW-FH62-24-24
DI-SS-BW-FH62-32-32	2"	2"	7.205	4.055	3.425	2.874	2.811	SHFBW32-32FH	SS-BW-FH62-32-32

BW Series

No Skive: R12/ 4SP/ 4SH

Z68284

CODE 62 FLANGE - 45º 6000 PSI

Brida codo 45º código 62 6000 PSI

Bride coude 45º code 62 6000 PSI





Part NO.	I.D. (Hose)	FLANGE INCH	L OAL	L1	B CUT-OFF	ØA	ØE	Ø	INTERCHANGEABLE WITH	
									SHF	*TITAN FITTINGS*
DI-SS-BW-FH6245-08-08	1/2"	1/2"	3.989	0.800	2.631	1.260	1.004	1.189	SHFBW08-08FH45	SS-BW-FH6245-08-08
DI-SS-BW-FH6245-10-12	5/8"	3/4"	5.469	1.056	3.914	1.457	1.142	1.500	SHFBW10-12FH45	SS-BW-FH6245-10-12
DI-SS-BW-FH6245-12-12	3/4"	3/4"	5.585	1.180	3.900	1.457	1.142	1.500	SHFBW12-12FH45	SS-BW-FH6245-12-12
DI-SS-BW-FH6245-16-16	1"	1"	6.594	1.459	4.683	1.969	1.614	1.752	SHFBW16-16FH45	SS-BW-FH6245-16-16
DI-SS-BW-FH6245-20-20	1 1/4"	1 1/4"	8.186	1.697	5.667	2.520	2.087	2.000	SHFBW20-20FH45	SS-BW-FH6245-20-20
DI-SS-BW-FH6245-24-24	1 1/2"	1 1/2"	8.735	1.945	6.372	2.795	2.323	2.374	SHFBW24-24FH45	SS-BW-FH6245-24-24
DI-SS-BW-FH6245-32-32	2"	2"	10.869	2.271	7.719	3.425	2.874	2.811	SHFBW32-32FH45	SS-BW-FH6245-32-32

BW Series

No Skive: R12/ 4SP/ 4SH

Z68283

CODE 62 FLANGE - 90º 6000 PSI

Brida codo 90º código 62 6000 PSI

Bride coude 90º code 62 6000 PSI





Part NO.	I.D. (Hose)	FLANGE INCH	L OAL	L1	B CUT-OFF	ØA	ØE	Ø	INTERCHANGEABLE WITH	
									SHF	*TITAN FITTINGS*
DI-SS-BW-FH6290-08-08	1/2"	1/2"	3.052	1.762	1.693	1.260	1.004	1.189	SHFBW08-08FH90	SS-BW-FH6290-08-08
DI-SS-BW-FH6290-10-12	5/8"	3/4"	4.146	2.047	2.591	1.457	1.142	1.500	SHFBW10-12FH90	SS-BW-FH6290-10-12
DI-SS-BW-FH6290-12-12	3/4"	3/4"	4.170	2.280	2.485	1.457	1.142	1.500	SHFBW12-12FH90	SS-BW-FH6290-12-12
DI-SS-BW-FH6290-16-16	1"	1"	4.803	2.992	2.895	1.969	1.614	1.752	SHFBW16-16FH90	SS-BW-FH6290-16-16
DI-SS-BW-FH6290-20-20	1 1/4"	1 1/4"	5.856	3.583	3.553	2.520	2.087	2.000	SHFBW20-20FH90	SS-BW-FH6290-20-20
DI-SS-BW-FH6290-24-24	1 1/2"	1 1/2"	6.365	3.799	4.003	2.795	2.323	2.374	SHFBW24-24FH90	SS-BW-FH6290-24-24
DI-SS-BW-FH6290-32-32	2"	2"	8.056	4.685	4.906	3.425	2.874	2.811	SHFBW32-32FH90	SS-BW-FH6290-32-32

BW Series

No Skive: R12/ 4SP/ 4SH

Z68410

SWIVEL FEMALE BSP 60º CONE - STRAIGHT

Hembra giratoria BSP cono 60º

Femelle BSP cone 60º





Part NO.	I.D. (Hose)	THREAD	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH	
							SHF	*TITAN FITTINGS*
DI-SS-BW-FBX-08-08	1/2"	1/2"	2.756	1.398	1.260	1.004	SHFBW0808BSP	SS-BW-FBX-08-08
DI-SS-BW-FBX-10-10	5/8"	5/8"	3.012	1.457	1.457	1.142	SHFBW1010BSP	SS-BW-FBX-10-10
DI-SS-BW-FBX-12-12	3/4"	3/4"	3.339	1.654	1.654	1.299	SHFBW12-12BSP	SS-BW-FBX-12-12
DI-SS-BW-FBX-16-16	1"	1"	3.878	1.969	1.969	1.614	SHFBW16-16BSP	SS-BW-FBX-16-16
DI-SS-BW-FBX-20-20	1 1/4"	1 1/4"	4.429	2.126	2.520	2.087	SHFBW20-20BSP	SS-BW-FBX-20-20
DI-SS-BW-FBX-24-24	1 1/2"	1 1/2"	4.665	2.303	2.795	2.323	SHFBW24-24BSP	SS-BW-FBX-24-24
DI-SS-BW-FBX-32-32	2"	2"	5.768	2.618	3.425	2.874	SHFBW32-32BSP	SS-BW-FBX-32-32

O´ring included/ *Junta tórica incluida*/Joint torique inclus

BW Series

No Skive: R12/ 4SP/ 4SH

Z68118

SWIVEL FEMALE BSP 60º CONE -45º

Hembra giratoria 45º BSPP cono 60º

Femelle BSPP coude 45º cone 60º





Part NO.	I.D. (Hose)	THREAD	L OAL	L1	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH	
								SHF	*TITAN FITTINGS*
DI-SS-BW-FBX45-08-08	1/2"	1/2"	4.256	1.107	2.898	1.260	1.004	SHFBW08-08BSP45	SS-BW-FBX45-08-08
DI-SS-BW-FBX45-10-10	5/8"	5/8"	4.907	1.321	3.352	1.457	1.142	SHFBW10-10BSP45	SS-BW-FBX45-10-10
DI-SS-BW-FBX45-12-12	3/4"	3/4"	5.884	1.439	4.199	1.654	1.299	SHFBW12-12BSP45	SS-BW-FBX45-12-12
DI-SS-BW-FBX45-16-16	1"	1"	7.008	1.835	5.099	1.969	1.614	SHFBW16-16BSP45	SS-BW-FBX45-16-16
DI-SS-BW-FBX45-20-20	1 1/4"	1 1/4"	8.496	2.184	4.618	2.520	2.087	SHFBW20-20BSP45	SS-BW-FBX45-20-20
DI-SS-BW-FBX45-24-24	1 1/2"	1 1/2"	9.333	2.544	6.971	2.795	2.323	SHFBW24-24BSP45	SS-BW-FBX45-24-24
DI-SS-BW-FBX45-32-32	2"	2"	11.616	2.978	8.466	3.425	2.874	SHFBW32-32BSP45	SS-BW-FBX45-32-32

O´ring included/ *Junta tórica incluida*/ Joint torique inclus

BW Series

No Skive: R12/ 4SP/ 4SH

Z68117

SWIVEL FEMALE BSP 60º CONE - 90º

Hembra giratoria 90º BSP cono 60º

Femelle BSP coude 90º cone 60º





Part NO.	I.D. (Hose)	THREAD	L OAL	L1	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH	
								SHF	*TITAN FITTINGS*
DI-SS-BW-FBX90-08-08	1/2"	1/2"	3.012	1.969	1.654	1.260	1.004	SHFBW08-08BSP90	SS-BW-FBX90-08-08
DI-SS-BW-FBX90-10-10	5/8"	5/8"	3.398	2.421	1.843	1.457	1.142	SHFBW10-10BSP90	SS-BW-FBX90-10-10
DI-SS-BW-FBX90-12-12	3/4"	3/4"	4.213	2.724	2.525	1.654	1.299	SHFBW12-12BSP90	SS-BW-FBX90-12-12
DI-SS-BW-FBX90-16-16	1"	1"	4.843	3.563	2.934	1.969	1.614	SHFBW16-16BSP90	SS-BW-FBX90-16-16
DI-SS-BW-FBX90-20-20	1 1/4"	1 1/4"	5.896	4.311	3.593	2.520	2.087	SHFBW20-20BSP90	SS-BW-FBX90-20-20
DI-SS-BW-FBX90-24-24	1 1/2"	1 1/2"	6.365	4.843	4.003	2.795	2.323	SHFBW24-24BSP90	SS-BW-FBX90-24-24
DI-SS-BW-FBX90-32-32	2"	2"	8.095	5.803	4.946	3.425	2.874	SHFBW32-32BSP90	SS-BW-FBX90-32-32

O´ring included/ *Junta tórica incluida*/ Joint torique inclus

BW Series

No Skive: R12/ 4SP/ 4SH

Z68112

MALE BSP 60º CONE

Macho BSP cono 60º

Mâle BSP cone 60º





Part NO.	I.D. (Hose)	THREAD	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH *TITAN FITTINGS*
DI-SS-BW-MBSP-08-08	1/2"	1/2"	2.598	1.240	1.260	1.004	SS-BW-MBSP-08-08
DI-SS-BW-MBSP-10-10	5/8"	5/8"	2.894	1.339	1.457	1.142	SS-BW-MBSP-10-10
DI-SS-BW-MBSP-12-12	3/4"	3/4"	3.051	1.366	1.654	1.299	SS-BW-MBSP-12-12
DI-SS-BW-MBSP-16-16	1"	1"	3.484	1.575	1.969	1.614	SS-BW-MBSP-16-16
DI-SS-BW-MBSP-20-20	1 1/4"	1 1/4"	4.055	1.752	2.520	2.087	SS-BW-MBSP-20-20
DI-SS-BW-MBSP-24-24	1 1/2"	1 1/2"	4.311	1.949	2.795	2.323	SS-BW-MBSP-24-24
DI-SS-BW-MBSP-32-32	2"	2"	5.217	2.067	3.425	2.874	SS-BW-MBSP-32-32

BW Series

No Skive: R12/ 4SP/ 4SH

Z68204S

SWIVEL FEMALE DIN 24º HEAVY - STRAIGHT

Hembra métrica pesada cono 24º

Femelle métrique S cono 24º





Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH	
								SHF	*TITAN FITTINGS*
DI-SS-BW-FDS-08-16	1/2"	16	M24x1.5	2.736	1.378	1.260	1.004	SHFBW0816S	SS-BW-FDS-08-16
DI-SS-BW-FDS-10-20	5/8"	20	M30x2	3.079	1.524	1.457	1.142	SHFBW10-20S	SS-BW-FDS-10-20
DI-SS-BW-FDS-12-20	3/4"	20	M30 x 2.0	3.327	1.642	1.654	1.299	SHFBW12-20S	SS-BW-FDS-12-20
DI-SS-BW-FDS-12-25	3/4"	25	M36 x 2.0	3.593	1.583	1.654	1.299	SHFBW12-25S	SS-BW-FDS-12-25
DI-SS-BW-FDS-16-30	1"	30	M42 x 2.0	4.154	2.244	1.969	1.614	SHFBW16-30S	SS-BW-FDS-16-30
DI-SS-BW-FDS-20-38	1 1/4"	38	M52 x 2.0	4.583	2.280	2.520	2.087	SHFBW20-38S	SS-BW-FDS-20-38

BW Series

No Skive: R12/ 4SP/ 4SH

Z68206 S

SWIVEL FEMALE METRIC DIN 24º HEAVY - 45º

Hembra métrica pesada 45º cone 24º

Femelle métrique S coude 45º cone 24º





Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	L1	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH	
									SHF	*TITAN FITTINGS*
DI-SS-BW-FDS45-08-16	1/2"	16	M24x1.5	4.602	1.131	2.950	1.260	1.004	SHFBW08-16S45	SS-BW-FDS45-08-16
DI-SS-BW-FDS45-10-20	5/8"	20	M30x2	5.103	1.273	3.304	1.457	1.142	SHFBW10-20S45	SS-BW-FDS45-10-20
DI-SS-BW-FDS45-12-20	3/4"	20	M30 x 2.0	5.810	1.346	3.920	1.654	1.299	SHFBW12-20S45	SS-BW-FDS45-12-20
DI-SS-BW-FDS45-12-25	3/4"	25	M36 x 2.0	6.227	1.617	4.021	1.654	1.299	SHFBW12-25S45	SS-BW-FDS45-12-25
DI-SS-BW-FDS45-16-30	1"	30	M42 x 2.0	7.544	2.154	5.418	1.969	1.614	SHFBW16-30S45	SS-BW-FDS45-16-30
DI-SS-BW-FDS45-20-38	1 1/4"	38	M52 x 2.0	9.421	2.280	6.913	2.520	2.087	SHFBW20-38S45	SS-BW-FDS45-20-38

BW Series

No Skive: R12/ 4SP/ 4SH

Z68205S

SWIVEL FEMALE METRIC DIN 24º HEAVY - 90º

Hembra métrica pesada 90º cono 24º

Femelle métrique S coude 90ºcon 24º





Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	L1	B CUT-OFF	ØA	ØE	INTERCHANGEABLE WITH	
									SHF	*TITAN FITTINGS*
DI-SS-BW-FDS90-08-16	1/2"	16	M24x1.5	2.805	1.970	1.754	1.260	1.004	SHFBW08-16S90	SS-BW-FDS90-08-16
DI-SS-BW-FDS90-10-20	5/8"	20	M30x2	3.250	2.305	2.061	1.457	1.142	SHFBW10-20S90	SS-BW-FDS90-10-20
DI-SS-BW-FDS90-12-20	3/4"	20	M30 x 2.0	4.024	2.717	2.339	1.654	1.299	SHFBW12-20S90	SS-BW-FDS90-12-20
DI-SS-BW-FDS90-12-25	3/4"	25	M36 x 2.0	4.053	2.931	2.616	1.654	1.299	SHFBW12-25S90	SS-BW-FDS90-12-25
DI-SS-BW-FDS90-16-30	1"	30	M42 x 2.0	4.843	3.720	2.933	1.969	1.614	SHFBW16-30S90	SS-BW-FDS90-16-30
DI-SS-BW-FDS90-20-38	1 1/4"	38	M52 x 2.0	6.465	4.449	4.161	2.520	2.087	SHFBW20-38S90	SS-BW-FDS90-20-38

BW Series

No Skive: R12/ 4SP/ 4SH

Z68203

MALE METRIC DIN 24º HEAVY

Macho métrico pesado cono 24º

Mâle métrique S cone 24º





Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	B CUT-OFF	ØA	ØE	NTERCHANGEABLE WITH *TITAN FITTINGS*
DI-SS-BW-MDS-08-16	1/2"	16	M24x1.5	2.579	1.220	1.260	1.004	SS-BW-MDS-08-16
DI-SS-BW-MDS-12-20	3/4"	20	M30 x 2.0	3.130	1.445	1.457	1.142	SS-BW-MDS-12-20
DI-SS-BW-MDS-12-25	3/4"	25	M36 x 2.0	3.268	1.583	1.654	1.299	SS-BW-MDS-12-25
DI-SS-BW-MDS-16-30	1"	30	M42 x 2.0	3.622	1.713	1.969	1.614	SS-BW-MDS-16-30
DI-SS-BW-MDS-20-38	1 1/4"	38	M52 x 2.0	4.134	1.831	2.520	2.087	SS-BW-MDS-20-38

Flanges

Bridas

Brides

Flanges

- Code 61 & 62 Captive Flange / Bridas enteras Código 61 y 62 / Brides Code 61 et 62 | 68



DI-SS-61SF-08



DI-SS-62SF-08

- Code 61 & 62 Split flanges / Bridas partidas pasante Código 61 y 62 / Demi- Brides passage total Code 61 et 62 | 69

DI-SS-61SF-08

DI-SS-62SF-08

Code 61 & 62 Captive Flange

ZBBE3

CODE 61 CAPTIVE FLANGE

Código 61

CODE 61



Part NO.	SIZE	L "	ØD"	ØC"	INTERCHANGEABLE WITH *SHF*
DI-SS-61SFC-08	1/2"	38.10	8.75	30.96	LSFC-08
DI-SS-61SFC-12	3/4"	47.63	10.75	38.89	LSFC-12
DI-SS-61SFC-16	1"	52.37	10.75	45.24	LSFC-16
DI-SS-61SFC-20	1" 1/4	58.72	11	51.59	LSFC-20
DI-SS-61SFC-24	1" 1/2	69.85	13.50	61.09	LSFC-24
DI-SS-61SFC-32	2"	77.77	13.50	72.24	LSFC-32

ZBBE6

CODE 62 CAPTIVE FLANGE

Código 62

CODE 62



Part NO.	SIZE	L "	ØD"	ØC"	INTERCHANGEABLE WITH *SHF*
DI-SS-62SFC-08	1/2"	40.49	8.75	32.54	HSFC-08
DI-SS-62SFC-12	3/4"	50.80	11	42.06	HSFC-12
DI-SS-62SFC-16	1"	57.15	13	48.41	HSFC-16
DI-SS-62SFC-20	1" 1/4	66.68	15	54.76	HSFC-20
DI-SS-62SFC-24	1" 1/2	79.38	17	64.29	HSFC-24
DI-SS-62SFC-32	2"	96.82	21	80.16	HSFC-32

Code 61 & 62 Split flanges

ZBBP3

CODE 61 SPLIT FLANGE

Código 61

CODE 61





Part NO.	SIZE	L "	ØD"	ØC"	INTERCHANGEABLE WITH		
					SHF	*TITAN FITTINGS*	*PARKER*
DI-SS-61SF-08	1/2"	15.000	34.449	121.890	LSF-08	SS-61SF-08	FCS1
DI-SS-61SF-12	3/4"	187.520	42.323	153.110	LSF-12	SS-61SF-12	FCS1
DI-SS-61SF-16	1"	206.181	42.323	178.110	LSF-16	SS-61SF-16	FCS1
DI-SS-61SF-20	1"1/4	231.181	0.433	203.110	LSF-20	SS-61SF-20	FCS1
DI-SS-61SF-24	1"1/2	275.000	5.315	240.512	LSF-24	SS-61SF-24	FCS1
DI-SS-61SF-32	2"	306.181	5.315	284.409	LSF-32	SS-61SF-32	FCS1
DI-SS-61SF-48	3	418.819	65.945	403.110	LSF-48	SS-61SF-48	FCS1

ZBBP6

CODE 62 SPLIT FLANGE

Código 62

CODE 62



Part NO.	SIZE	L "	ØD"	ØC"	INTERCHANGEABLE WITH		
					SHF	*TITAN FITTINGS*	*PARKER*
DI-SS-62SF-08	1/2"	159.409	34.449	128.110	HSF-08	SS-62SF-08	FCS2
DI-SS-62SF-12	3/4"	20.000	0.433	165.591	HSF-12	SS-62SF-12	FCS2
DI-SS-62SF-16	1"	225.000	0.512	190.591	HSF-16	SS-62SF-16	FCS2
DI-SS-62SF-20	1"1/4	262.520	0.591	215.591	HSF-20	SS-62SF-20	FCS2
DI-SS-62SF-24	1"1/2	312.520	0.669	253.110	HSF-24	SS-62SF-24	FCS2
DI-SS-62SF-32	2"	381.181	0.827	315.591	HSF-32	SS-62SF-32	FCS2

Push-On Hose Fittings

Serie Push-On
Série Push-On

Push-On Hose Fittings

- 37° JIC / Conexiones Push-On JIC 37° / Embouts Push-on JIC 37° | 72



DI-SS-PO-FJX



DI-SS-PO-MJ

- NPT / Conexiones Push-On NPT / Embouts Push-on NPT | 74



DI-SS-PO-MP

Push-On Hose Fittings

89142

FEMALE JIC

Hembra giratoria JIC

Femelle tournant JIC





Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	B CUT-OFF	INTERCHANGEABLE WITH		
						SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-PO-FJX-04-04	1/4"	1/4"	7/16"-20	1.575	0.768	SHFPO04-04FJ	SS-PO-FJX-04-04	30682-4-4C
DI-SS-PO-FJX-06-06	3/8"	3/8"	9/16"-18	1.850	0.866	SHFPO06-06FJ	SS-PO-FJX-06-06	30682-6-6C
DI-SS-PO-FJX-08-08	1/2"	1/2"	3/4"-16	2.028	0.925	SHFPO08-08FJ	SS-PO-FJX-08-08	30682-8-8C
DI-SS-PO-FJX-10-10	5/8"	5/8"	7/8"-14	2.488	0.992	SHFPO10-10FJ	SS-PO-FJX-10-10	30682-10-10C
DI-SS-PO-FJX-12-12	3/4"	3/4"	1 1/16"-12	2.638	1.122	SHFPO12-12FJ	SS-PO-FJX-12-12	30682-12-12C
DI-SS-PO-FJX-16-16	1"	1"	1 5/16"-12	2.823	1.319	SHFPO16-16FJ	SS-PO-FJX-16-16	30682-16-16C

Push-On Hose Fittings

89140

MALE JIC

Macho JIC

Mâle JIC





Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	B CUT-OFF	INTERCHANGEABLE WITH	
						TITAN FITTINGS	*PARKER S43*
DI-SS-PO-MJ-04-04	1/4"	1/4"	7/16"-20	1.614	0.807	SS-PO-MJ-04-04	30382-4-4C
DI-SS-PO-MJ-06-06	3/8"	3/8"	9/16"-18	1.756	0,772	SS-PO-MJ-06-06	30382-6-6C
DI-SS-PO-MJ-08-08	1/2"	1/2"	3/4"-16	2.035	0,933	SS-PO-MJ-08-08	30382-8-8C
DI-SS-PO-MJ-10-10	5/8"	5/8"	7/8"-14	2.610	1,114	SS-PO-MJ-10-10	30382-10-10C
DI-SS-PO-MJ-12-12	3/4"	3/4"	1 1/16"-12	2.732	1,217	SS-PO-MJ-12-12	30382-12-12C
DI-SS-PO-MJ-16-16	1"	1"	1 5/16"-12	2,803	1,299	SS-PO-MJ-16-16	30382-16-16C

Push-On Hose Fittings

89161

MALE NPT PIPE RIGID

Macho NPT

Mâle NPT





Part NO.	I.D. (Hose)	THREAD	L OAL	B CUT-OFF	INTERCHANGEABLE WITH		
					SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-PO-MP-04-04	1/4"	1/4"	1.575	0,768	SHFPO04-04MP	SS-PO-MP-04-04	30182-4-4C
DI-SS-PO-MP-06-06	3/8"	3/8"	1.811	0,827	SHFPO06-06MP	SS-PO-MP-06-06	30182-6-6C
DI-SS-PO-MP-08-08	1/2"	1/2"	2.106	1,004	SHFPO08-08MP	SS-PO-MP-08-08	30182-8-8C
DI-SS-PO-MP-12-12	3/4"	3/4"	2.697	1,181	SHFPO12-12MP	SS-PO-MP-12-12	30182-12-12C
DI-SS-PO-MP-16-16	1"	1"	2.764	1,339	SHFPO16-16MP	SS-PO-MP-16-16	30182-16-16C

DICSA

1983

1998

2018

WE ARE LEADERS
SINCE 1983

LIDERES
DESDE 1983

1983-2018

35 AÑOS
YEARS

Growing up together

Reusable Fittings BM Series

Serie Reusables

Série Reusable

Reusable Fittings BM Series

- JIC 37° / Casquillo y Conexion JIC 37° / Jupe et Embout JIC | 78



DI-SS-BM-FJX

- NPT fittings / Casquillo y Conexion NPT / Jupe et Embout NPT | 79



DI-SS-BM-FJX



DI-SS-BM-MP

Reusable Fittings BM Series

R2T/ 2SN FEMELE JIC SWIVEL

Hembra giratoria recta rosca JIC cono 37º

Femelle droite JIC 37º





Part NO.	I.D. (Hose)	PIPE	THREAD	L OAL	B CUT-OFF	HEX1	HEX2	HEX3	INTERCHANGEABLE WITH		
									SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-BM-FJX-04-04	1/4"	1/4"	7/16"-20	2.697	1.516	0.551	0.669	0.866	SHFBM04-04FJ	SS-RR2-FJX-04-04	20620-4-4C
DI-SS-BM-FJX-06-06	3/8"	3/8"	9/16"-18	3.012	1.634	0.748	0.669	0.945	SHFBM06-06FJ	SS-RR2-FJX-06-06	20620-6-6C
DI-SS-BM-FJX-08-08	1/2"	1/2"	3/4"-16	3.169	1.713	0.945	1.063	1.063	SHFBM08-08FJ	SS-RR2-FJX-08-08	20620-8-8C
DI-SS-BM-FJX-08-10	1/2"	5/8"	7/8"-14	3.248	1.791	1.063	1.063	1.063	SHFBM08-10FJ	SS-RR2-FJX-08-10	20620-8-10C
DI-SS-BM-FJX-10-10	5/8"	5/8"	7/8"-14	3.315	1.740	1.063	1.063	1.260	SHFBM10-10FJ	SS-RR2-FJX-10-10	20620-10-10C
DI-SS-BM-FJX-12-12	3/4"	3/4"	1 1/16"-12	3.780	2.028	1.260	1.260	1.417	SHFBM12-12FJ	SS-RR2-FJX-12-12	20620-12-2C
DI-SS-BM-FJX-16-16	1"	1"	1 5/16"-12	4.488	2.402	1.614	1.614	1.811	SHFBM16-16FJ	SS-RR2-FJX-16-16	20620-16-16C

Z1G/ Z2NPT

R2T/ 2SN MALE NPT PIPE - RIGID

Macho NPT

Mâle NPT





Part NO.	I.D. (Hose)	THREAD	L OAL	B CUT-OFF	HEX1	HEX2	INTERCHANGEABLE WITH		
							SHF	*TITAN FITTINGS*	*PARKER S43*
DI-SS-BM-MP-04-04	1/4"	1/4"	2.421	1.122	0.551	0.866	SHFBM04-04MP	SS-RR2-MP-04-04	20120-4-4C
DI-SS-BM-MP-06-06	3/8"	3/8"	2.657	1.161	0.866	0.945	SHFBM06-06MP	SS-RR2-MP-06-06	20120-6-6C
DI-SS-BM-MP-08-08	1/2"	1/2"	3.012	1.516	0.866	1.063	SHFBM08-08MP	SS-RR2-MP-08-08	20120-8-8C
DI-SS-BM-MP-12-12	3/4"	3/4"	3.484	1.732	1.260	1.417	SHFBM12-12MP	SS-RR2-MP-12-12	20120-12-12C
DI-SS-BM-MP-16-16	1"	1"	4.134	2.047	1.614	1.811	SHFBM16-16MP	SS-RR2-MP-16-16	20120-16-16C

Adapters

Adaptadores

Adaptateurs

Adapters

- JIC 37° Nut & sleeve / Tuerca y ferula JIC 37° / Écrou et ferrule JIC 37° | 82

DI-SS-318

DI-SS-319

- JIC 37° Straight unions / Uniones rectas JIC 37° / Union droite JIC 37° | 84

DI-SS-2403

DI-SS-2404 NPT

DI-SS-2404 BSPP

DI-SS-2404 BSPT

- JIC 37° 90° / Codos 90 JIC 37° / Coudes 90° JIC 37° | 88


DI-SS-2501 NPT

DI-SS-6801 BSP

- JIC 37° - NPT union / Racor JIC 37° - NPT / Raccord JIC 37° - NPT | 90


DI-SS-2405

- NPT male pipe /Unión recta NPT macho- macho / NPT Union mâle | 91


DI-SS-5404

Adapters

ZS110

JIC TUBE NUT

Tuerca JIC

Écrou JIC





Part NO.	PIPE	R1 (THREAD)	L	INTERCHANGEABLE WITH		
				SHF	*TITAN FITTINGS*	*PARKER*
DI-SS-318-02	1/8"	5/16"-24	0.500	318-02	SS-318-02	2 BTX-SS
DI-SS-318-03	3/16"	3/8-24	0.560	318-03	SS-318-03	3 BTX-SS
DI-SS-318-04	1/4"	7/16"-20	0.610	318-04	SS-318-04	4 BTX-SS
DI-SS-318-05	5/16"	1/2"-20	0.669	318-05	SS-318-05	5 BTX-SS
DI-SS-318-06	3/8"	9/16"-18	0.728	318-06	SS-318-06	6 BTX-SS
DI-SS-318-08	1/2"	3/4"-16	0.846	318-08	SS-318-08	8 BTX-SS
DI-SS-318-10	5/8"	7/8-14	0.965	318-10	SS-318-10	10 BTX-SS
DI-SS-318-12	3/4"	1 1/16"-12	1.024	318-12	SS-318-12	12 BTX-SS
DI-SS-318-14	7/8"	1 3/16"-12	1.090	318-14	SS-318-14	14 BTX-SS
DI-SS-318-16	1"	1 5/16"-12	1.130	318-16	SS-318-16	16 BTX-SS
DI-SS-318-20	1 1/4"	1 5/8"-12	1.220	318-20	SS-318-20	20 BTX-SS
DI-SS-318-24	1 1/2"	1 7/8"-12	1.417	318-24	SS-318-24	24 BTX-SS
DI-SS-318-32	2"	2 1/2"-12	2,953	318-32	SS-318-32	32 BTX-SS

***On request/** *Consultar/* Sur demande

ZS121

JIC TUBE SLEEVE

Ferula JIC

Ferrules JIC





Part NO.	PIPE	R1 (THREAD)	L	INTERCHANGEABLE WITH		
				SHF	*TITAN FITTINGS*	*PARKER*
DI-SS-319-02	1/8"	5/16"-24	0.340	319-02	SS-319-02	2 TX-SS
DI-SS-319-03	3/16"	3/8-24	0.340	319-03	SS-319-03	3 TX-SS
DI-SS-319-04	1/4"	7/16"-20	0.413	319-04	SS-319-04	4 TX-SS
DI-SS-319-05	5/16"	1/2"-20	0.453	319-05	SS-319-05	5 TX-SS
DI-SS-319-06	3/8"	9/16"-18	0.492	319-06	SS-319-06	6 TX-SS
DI-SS-319-08	1/2"	3/4"-16	0.571	319-08	SS-319-08	8 TX-SS
DI-SS-319-10	5/8"	7/8-14	0.669	319-10	SS-319-10	10 TX-SS
DI-SS-319-12	3/4"	1 1/16"-12	0.689	319-12	SS-319-12	12 TX-SS
DI-SS-319-14	7/8"	1 3/16"-12	0.760	319-14	SS-319-14	14 TX-SS
DI-SS-319-16	1"	1 5/16"-12	0.768	319-16	SS-319-16	16 TX-SS
DI-SS-319-20	1 1/4"	1 5/8"-12	0.906	319-20	SS-319-20	20 TX-SS
DI-SS-319-24	1 1/2"	1 7/8"-12	1.126	319-24	SS-319-24	24 TX-SS
DI-SS-319-32	2"	2 1/2"-12	1.189	319-32	SS-319-32	32 TX-SS

***On request/** *Consultar/* Sur demande

Adapters

ZS260

MALE JIC

Macho JIC

Mâle JIC





Part NO.	PIPE R1	R1 (THREAD)	PIPE R2	R1 (THREAD)	L	INTERCHANGEABLE WITH		
						SMF	*TITAN FITTINGS*	*PARKER*
DI-SS-2403-02-02	1/8"	5/16"-24	1/8"	5/16"-24	1.170	2403-02-02	SS-2403-02-02	2-2 HTX-SS
DI-SS-2403-03-03	3/16"	3/8-24	3/16"	3/8-24	1.230	2403-03-03	SS-2403-03-03	3 HTX-SS
DI-SS-2403-04-02	1/4"	7/16"-20	1/8"	5/16"-24	1.370	2403-04-02	SS-2403-04-02	4-2 HTX-SS
DI-SS-2403-04-03	1/4"	7/16"-20	3/16"	3/8-24	1.407	2403-04-03	SS-2403-04-03	4-3 HTX-SS
DI-SS-2403-04-04	1/4"	7/16"-20	1/4"	7/16"-20	1.378	2403-04-04	SS-2403-04-04	4 HTX-SS
DI-SS-2403-05-04	5/16"	1/2"-20	1/4"	7/16"-20	1.370	2403-05-04	SS-2403-05-04	5-4 HTX-SS
DI-SS-2403-05-05	5/16"	1/2"-20	5/16"	1/2"-20	1.377	2403-05-05	SS-2403-05-05	5 HTX-SS
DI-SS-2403-06-04	3/8"	9/16"-18	1/4"	7/16"-20	1.402	2403-06-04	SS-2403-06-04	6-4 HTX-SS
DI-SS-2403-06-05	3/8"	9/16"-18	5/16"	1/2"-20	1.520	2403-06-05	SS-2403-06-05	6-5 HTX-SS
DI-SS-2403-06-06	3/8"	9/16"-18	3/8"	9/16"-18	1.386	2403-06-06	SS-2403-06-06	6 HTX-SS
DI-SS-2403-08-04	1/2"	3/4"-16	1/4"	7/16"-20	1.510	2403-08-04	SS-2403-08-04	8-4 HTX-SS
DI-SS-2403-08-06	1/2"	3/4"-16	3/8"	9/16"-18	1.520	2403-08-06	SS-2403-08-06	8-6 HTX-SS
DI-SS-2403-08-08	1/2"	3/4"-16	1/2"	3/4"-16	1.575	2403-08-08	SS-2403-08-08	8 HTX-SS
DI-SS-2403-10-04	5/8"	7/8-14	1/4"	7/16"-20	1.67	2403-10-04	SS-2403-10-04	10-4 HTX-SS
DI-SS-2403-10-06	5/8"	7/8-14	3/8"	9/16"-18	1.681	2403-10-06	SS-2403-10-06	10-6 HTX-SS
DI-SS-2403-10-08	5/8"	7/8-14	1/2"	3/4"-16	1.780	2403-10-08	SS-2403-10-08	10-8 HTX-SS
DI-SS-2403-10-10	5/8"	7/8"-14	5/8"	7/8"-14	1.874	2403-10-10	SS-2403-10-10	10 HTX-SS
DI-SS-2403-12-06	3/4"	1 1/16"-12	3/8"	9/16"-18	1.850	2403-12-06	SS-2403-12-06	12-6 HTX-SS
DI-SS-2403-12-08	3/4"	1 1/16"-12	1/2"	3/4"-16	1.950	2403-12-08	SS-2403-12-08	12-8 HTX-SS
DI-SS-2403-12-10	3/4"	1 1/16"-12	5/8"	7/8"-14	2.050	2403-12-10	SS-2403-12-10	12-10 HTX-SS
DI-SS-2403-12-12	3/4"	1 1/16"-12	3/4"	1 1/16"-12	2.165	2403-12-12	SS-2403-12-12	12 HTX-SS
DI-SS-2403-12-16	3/4"	1 1/16"-12	1"	1 5/16"-12	2.205	2403-12-16	SS-2403-12-16	12-16 HTX-SS
DI-SS-2403-12-20	3/4"	1 1/16"-12	1 1/4"	1 5/8"-12	2.339	2403-12-20	SS-2403-12-20	12-20 HTX-SS
DI-SS-2403-14-14	7/8"	1 3/16"-12	7/8"	1 3/16"-12	2.210	2403-14-14	SS-2403-14-14	14 HTX-SS
DI-SS-2403-16-06	1"	1 5/16"-12	3/8"	9/16"-18	1.900	2403-16-06	SS-2403-16-06	16-6 HTX-SS
DI-SS-2403-16-08	1"	1 5/16"-12	1/2"	3/4"-16	2.000	2403-16-08	SS-2403-16-08	16-8 HTX-SS
DI-SS-2403-16-16	1"	1 5/16"-12	1"	1 5/16"-12	2.240	2403-16-16	SS-2403-16-16	16 HTX-SS
DI-SS-2403-16-20	1"	1 5/16"-12	1 1/4"	1 5/8"-12	2.382	2403-16-20	SS-2403-16-20	16-20 HTX-SS
DI-SS-2403-16-24	1"	1 5/16"-12	1 1/2"	1 7/8"-12	2.575	2403-16-24	SS-2403-16-24	16-24 HTX-SS
DI-SS-2403-16-32	1"	1 5/16"-12	2"	2 1/2"-12	2.98	2403-16-32	SS-2403-16-32	16-32 HTX-SS
DI-SS-2403-20-08	1 1/4"	1 5/8"-12	1/2"	3/4"-16	2.205	2403-20-08	SS-2403-20-08	20-8 HTX-SS
DI-SS-2403-20-12	1 1/4"	1 5/8"-12	3/4"	1 1/16"-12	2.339	2403-20-12	SS-2403-20-12	20-12 HTX-SS
DI-SS-2403-20-20	1 1/4"	1 5/8"-12	1 1/4"	1 5/8"-12	2.401	2403-20-20	SS-2403-20-20	20 HTX-SS
DI-SS-2403-24-12	1 1/2"	1 7/8"-12	3/4"	1 1/16"-12	2.530	2403-24-12	SS-2403-24-12	24-12 HTS-S
DI-SS-2403-24-16	1 1/2"	1 7/8"-12	1"	1 5/16"-12	2.575	2403-24-16	SS-2403-24-16	24-16 HTX-SS
DI-SS-2403-20-24	1 1/4"	1 5/8"-12	1 1/2"	1 7/8"-12	2.587	2403-20-24	SS-2403-20-24	20-24 HTX-SS
DI-SS-2403-24-24	1 1/2"	1 7/8"-12	1 1/2"	1 7/8"-12	2.165	2403-24-24	SS-2403-24-24	24 HTX-SS
DI-SS-2403-32-24	2"	2 1/2"-12	1 1/2"	1 7/8"-12	3.154	2403-32-24	SS-2403-32-24	32-24 HTX-SS
DI-SS-2403-24-32	1 1/2"	1 7/8"-12	2"	2 1/2"-12	3.154	2403-24-32	SS-2403-24-32	24-32- HTX-SS
DI-SS-2403-32-32	2"	2 1/2"-12	2"	2 1/2"-12	3.400	2403-32-32	SS-2403-32-32	32 HTX-SS

***On request/** *Consultar/* Sur demande

ZS200

MALE JIC x MALE NPT PIPE

Adaptador macho-macho JIC-NPT

Mâle JIC - Mâle NPT





Part NO.	PIPE	R1 (JIC THREAD)	R2 (NPT THREAD)	L	INTERCHANGEABLE WITH		
					SMF	*TITAN FITTINGS*	*PARKER*
DI-SS-2404-02-02	1/8"	5/16"-24	1/8"	1.110	2404-02-02	SS-2404-02-02	2 FTX-SS
DI-SS-2404-03-02	3/16"	3/8-24	1/8"	1.140	2404-03-02	SS-2404-03-02	3 FTX-SS
DI-SS-2404-03-04	3/16"	3/8-24	1/4"	1.220	2404-03-04	SS-2404-03-04	3-4 FTX-SS
DI-SS-2404-04-02	1/4"	7/16"-20	1/8"	1.220	2404-04-02	SS-2404-04-02	4 FTX-SS
DI-SS-2404-04-04	1/4"	7/16"-20	1/4"	1.358	2404-04-04	SS-2404-04-04	4-4 FTX-SS
DI-SS-2404-04-06	1/4"	7/16"-20	3/8"	1.421	2404-04-06	SS-2404-04-06	4-6 FTX-SS
DI-SS-2404-04-08	1/4"	7/16"-20	1/2"	1.640	2404-04-08	SS-2404-04-08	4-8 FTX-SS
DI-SS-2404-05-02	5/16"	1/2-20	1/8"	1.218	2404-05-02	SS-2404-05-02	5 FTX-SS
DI-SS-2404-05-04	5/16"	1/2-20	1/4"	1.421	2404-05-04	SS-2404-05-04	5-4 FTX-SS
DI-SS-2404-05-06	5/16"	1/2-20	3/8"	1.421	2404-05-06	SS-2404-05-06	5-6 FTX-SS
DI-SS-2404-06-02	3/8"	9/16"-18	1/8"	1.315	2404-06-02	SS-2404-06-02	6-2 FTX-SS
DI-SS-2404-06-04	3/8"	9/16"-18	1/4"	1.362	2404-06-04	SS-2404-06-04	6 FTX-SS
DI-SS-2404-06-06	3/8"	9/16"-18	3/8"	1.421	2404-06-06	SS-2404-06-06	6-6 FTX-SS
DI-SS-2404-06-08	3/8"	9/16"-18	1/2"	1.673	2404-06-08	SS-2404-06-08	6-8 FTX-SS
DI-SS-2404-06-12	3/8"	9/16"-18	3/4"	1.750	2404-06-12	SS-2404-06-12	6-12 FTX-SS
DI-SS-2404-08-02	1/2"	3/4"-16	1/8"	1.340	2404-08-02	SS-2404-08-02	8-2 FTX-SS
DI-SS-2404-08-04	1/2"	3/4"-16	1/4"	1.531	2404-08-04	SS-2404-08-04	8-4 FTX-SS
DI-SS-2404-08-06	1/2"	3/4"-16	3/8"	1.594	2404-08-06	SS-2404-08-06	8 FTX-SS
DI-SS-2404-08-08	1/2"	3/4"-16	1/2"	1.760	2404-08-08	SS-2404-08-08	8-8 FTX-SS
DI-SS-2404-08-12	1/2"	3/4"-16	3/4"	1.909	2404-08-12	SS-2404-08-12	8-12 FTX-SS
DI-SS-2404-08-16	1/2"	3/4"-16	1"	2.050	2404-08-16	SS-2404-08-16	8-16 FTX-SS
DI-SS-2404-10-06	5/8"	7/8-14	3/8"	1.700	2404-10-06	SS-2404-10-06	10-6 FTX-SS
DI-SS-2404-10-08	5/8"	7/8-14	1/2"	1.791	2404-10-08	SS-2404-10-08	10 FTX-SS
DI-SS-2404-10-12	5/8"	7/8-14	3/4"	1.949	2404-10-12	SS-2404-10-12	10-12 FTX-SS
DI-SS-2404-12-08	3/4"	1 1/16"-12	1/2"	1.988	2404-12-08	SS-2404-12-08	12-8 FTX-SS
DI-SS-2404-12-12	3/4"	1 1/16"-12	3/4"	2.047	2404-12-12	SS-2404-12-12	12 FTX-SS
DI-SS-2404-12-16	3/4"	1 1/16"-12	1"	2.283	2404-12-16	SS-2404-12-16	12-16 FTX-SS
DI-SS-2404-12-20	3/4"	1 1/16"-12	1 1/4"	2.36	2404-12-20	SS-2404-12-20	12-20 FTX-SS
DI-SS-2404-12-24	3/4"	1 1/16"-12	1 1/2"	2.461	2404-12-24	SS-2404-12-24	12-24 FTX-SS
DI-SS-2404-14-12	7/8"	1 3/16"-12	3/4"	2.093	2404-14-12	SS-2404-14-12	14 FTX-SS
DI-SS-2404-14-16	7/8"	1 3/16"-12	1"	2.275	2404-14-16	SS-2404-14-16	14-16 FTX-SS
DI-SS-2404-16-12	1"	1 5/16"-12	3/4"	2.126	2404-16-12	SS-2404-16-12	16-12 FTX-SS
DI-SS-2404-16-16	1"	1 5/16"-12	1"	2.323	2404-16-16	SS-2404-16-16	16 FTX-SS
DI-SS-2404-16-20	1"	1 5/16"-12	1 1/4"	2.323	2404-16-20	SS-2404-16-20	16-20 FTX-SS
DI-SS-2404-16-24	1"	1 5/16"-12	1 1/2"	2.510	2404-16-24	SS-2404-16-24	16-24 FTX-SS
DI-SS-2404-20-16	1 1/4"	1 5/8"-12	1"	2.374	2404-20-16	SS-2404-20-16	20-16 FTX-SS
DI-SS-2404-20-20	1 1/4"	1 5/8"-12	1 1/4"	2.480	2404-20-20	SS-2404-20-20	20 FTX-SS
DI-SS-2404-20-24	1 1/4"	1 5/8"-12	1 1/2"	2.555	2404-20-24	SS-2404-20-24	20-24 FTX-SS
DI-SS-2404-20-32	1 1/4"	1 5/8"-12	2"	2.730	2404-20-32	SS-2404-20-32	20-32 FTX-SS
DI-SS-2404-24-16	1 1/2"	1 7/8"-12	1"	2.620	2404-24-16	SS-2404-24-16	24-16 FTX-SS
DI-SS-2404-24-20	1 1/2"	1 7/8"-12	1 1/4"	2.650	2404-24-20	SS-2404-24-20	24-20FTX-SS
DI-SS-2404-24-24	1 1/2"	1 7/8"-12	1 1/2"	2.736	2404-24-24	SS-2404-24-24	24 FTX-SS
DI-SS-2404-24-32	1 1/2"	1 7/8"-12	2"	2.620	2404-24-32	SS-2404-24-32	24-32 FTX-SS
DI-SS-2404-32-24	2"	2 1/2"-12	1 1/2"	3.080	2404-32-24	SS-2404-32-24	32-24 FTX-SS
DI-SS-2404-32-32	2"	2 1/2"-12	2"	3.110	2404-32-32	SS-2404-32-32	32 FTX-SS
DI-SS-2404-40-40	2-1/2"	3/4"-16	2-1/2"	3.380	2404-40-40	SS-2404-40-40	40 FTX-SS

***On request/** *Consultar/* Sur demande

Adapters

ZS230

MALE JIC x MALE BSPP

Macho Jic x Macho BSPP

Mâle JIC x Mâle BSPP





Part NO.	PIPE	R1 JIC THREAD	R2 BSPP THREAD	L	INTERCHANGEABLE WITH		
					SHF	*TITAN FITTINGS*	*PARKER*
DI-SS-2404-04-02BSPP	1/4"	7/16"-20	1/8"	1.161	2404-04-02BSPP	SS-9005-04-02	4-2F40MX-SS
DI-SS-2404-04-04BSPP	1/4"	7/16"-20	1/4"	1.299	2404-04-04BSPP	SS-9005-04-04	4-4F40MX-SS
DI-SS-2404-06-02BSPP	3/8"	9/16"-18	1/4"	1.244	2404-06-02BSPP	SS-9005-06-04	6F40MX-SS
DI-SS-2404-06-06BSPP	3/8"	9/16"-18	3/8"	1.343	2404-06-06BSPP	SS-9005-06-06	6-6F40MX-SS
DI-SS-2404-06-08BSPP	3/8"	9/16"-18	1/2"	1.500	2404-06-08BSPP	SS-9005-06-08	6-8F40MX-SS
DI-SS-2404-08-04BSPP	1/2"	3/4"-16	1/4"	1.445	2404-08-04BSPP	SS-9005-08-04	8-4F40MX-SS
DI-SS-2404-08-06BSPP	1/2"	3/4"-16	3/8"	1.484	2404-08-06BSPP	SS-9005-08-06	8F40MX-SS
DI-SS-2404-08-08BSPP	1/2"	3/4"-16	1/2"	1.583	2404-08-08BSPP	SS-9005-08-08	8-8F40MX-SS
DI-SS-2404-08-12BSPP	1/2"	3/4"-16	3/4"	1.772	2404-08-12BSPP	SS-9005-08-12	8-12F40MX-SS
DI-SS-2404-10-08BSPP	5/8"	7/8"-14	1/2"	1.693	2404-10-08BSPP	SS-9005-10-08	10F40MX-SS
DI-SS-2404-12-08BSPP	3/4"	7/8"-14	1/2"	1.929	2404-12-08BSPP	SS-9005-12-08	12-8F40MX-SS
DI-SS-2404-12-12BSPP	3/4"	7/8"-14	3/4"	1.831	2404-12-12BSPP	SS-9005-12-12	12F40MX-SS
DI-SS-2404-12-16BSPP	3/4"	7/8"-14	1"	2.051	2404-12-16BSPP	SS-9005-12-16	12-16F40MX-SS
DI-SS-2404-16-12BSPP	1"	1 5/16"-12	3/4"	1.969	2404-16-12BSPP	SS-9005-16-12	16-12F40MX-SS
DI-SS-2404-16-16BSPP	1"	1 5/16"-12	1"	2.087	2404-16-16BSPP	SS-9005-16-16	16F40MX-SS
DI-SS-2404-16-20BSPP	1"	1 5/16"-12	1 1/4"	2.323	2404-16-20BSPP	SS-9005-16-20	16-20F40MX-SS
DI-SS-2404-20-20BSPP	1 1/4"	1 5/8"-12	1 1/4"	2.315	2404-20-20BSPP	SS-9002-20-20	20F40MX-SS
DI-SS-2404-24-24BSPP	1 1/2"	1 7/8"-12	1 1/2"	2.571	2404-24-24BSPP	SS-9005-24-24	24F40MX-SS
DI-SS-2404-24-32BSPP	1 1/2"	1 7/8"-12	2"	2.650	2404-32-32BSPP	SS-9005-24-32	24-32F40MX-SS

ZS210

MALE JIC x MALE BSPT

Macho JIC x Macho BSPT

Mâle JIC x Mâle BSPT





Part NO.	PIPE	R1 THREAD JIC	R2 THREAD BSPT	L	INTERCHANGEABLE WITH		
					SHF	*TITAN FITTINGS*	*PARKER*
DI-SS-2404-04-02BSPT	1/4"	7/16"-20	1/8"	1.181	2404-04-02BSPT	SS-9011-04-02	4F3MX-SS
DI-SS-2404-04-04BSPT	1/4"	7/16"-20	1/4"	1.358	2404-04-04BSPT	SS-9011-04-04	4-4F3MX-SS
DI-SS-2404-06-04BSPT	3/8"	9/16"-18	1/4"	1.362	2404-06-04BSPT	SS-9011-06-04	6-4F3MX-SS
DI-SS-2404-06-06BSPT	3/8"	9/16"-18	3/8"	1.421	2404-06-06BSPT	SS-9011-06-06	6-6F3MX-SS
DI-SS-2404-08-06BSPT	1/2"	3/4"-16	3/8"	1.457	2404-08-06BSPT	SS-9011-08-06	8F3MX-SS
DI-SS-2404-08-08BSPT	1/2"	3/4"-16	1/2"	1.772	2404-08-08BSPT	SS-9011-08-08	8-8F3MX-SS
DI-SS-2404-10-08BSPT	5/8"	7/8"-14	1/2"	1.646	2404-10-08BSPT	SS-9011-10-08	10-8F3MX-SS
DI-SS-2404-08-12BSPT	1/2"	3/4"-16	3/4"	1.811	2404-08-12BSPT	SS-9011-08-12	8-12F3MX-SS
DI-SS-2404-12-08BSPT	3/4"	1 1/16"-12	1/2"	1.984	2404-12-08BSPT	SS-9011-12-08	12-8F3MX-SS
DI-SS-2404-12-12BSPT	3/4"	1 1/16"-12	3/4"	2.047	2404-12-12BSPT	SS-9011-12-12	12F3MX-SS
DI-SS-2404-16-16BSPT	1"	1 5/16"-12	1"	2.323	2404-16-16BSPT	SS-9011-16-16	16F3MX-SS
DI-SS-2404-20-20BSPT	1 1/4"	1 5/8"-12	1 1/4"	2.362	2404-20-20BSPT	SS-9011-20-20	20F3MX-SS
DI-SS-2404-24-24BSPT	1 1/2"	1 7/8"-12	1 1/2"	2.618	2404-24-24BSPT	SS-9011-24-24	24F3MX-SS

Adapters

ZS525

MALE JIC x MALE NPT PIPE 90º

Codo 90º macho JIC x Macho NPT

Coude 90º mâle JIC x Mâle NPT



Part NO.	PIPE	R1 NPT THREAD	R2 JIC THREAD	L1	L2	INTERCHANGEABLE WITH		
						SHF	*TITAN FITTINGS*	*PARKER*
DI-SS-2501-02-02	1/8"	1/8"	5/16"-24	0.720	0.77		SS-2501-02-02	2 CTX-SS
DI-SS-2501-04-02	1/4"	1/8"	7/16"-20	0.886	1.024	2501-04-02	SS-2501-04-02	4 CTX-SS
DI-SS-2501-04-04	1/4"	1/4"	7/16"-20	0.886	1.024	2501-04-04	SS-2501-04-04	4-4 CTX-SS
DI-SS-2501-04-06	1/4"	3/8"	7/16"-20	1.220	1.12	2501-04-06	SS-2501-04-06	4-6 CTX-SS
DI-SS-2501-04-08	1/4"	1/2"	7/16"-20	1.470	1.21	2501-04-08	SS-2501-04-08	4-8 CTX-SS
DI-SS-2501-05-02	5/16"	1/8"	1/2"-20	0.781	0.953	2501-05-02	SS-2501-05-02	5-2 CTX-SS
DI-SS-2501-05-04	5/16"	1/4"	1/2"-20	1.093	1.05	2501-05-04	SS-2501-05-04	5-4 CTX-SS
DI-SS-2501-05-06	5/16"	3/8"	1/2"-20	1.220	1.09	2501-05-06	SS-2501-05-06	5-6 CTX-SS
DI-SS-2501-06-02	3/8"	1/8"	9/16"-18	0.900	1.062	2501-06-02	SS-2501-06-02	6-2 CTX-SS
DI-SS-2501-06-04	3/8"	1/4"	9/16"-18	1.063	1.260	2501-06-04	SS-2501-06-04	6 CTX-SS
DI-SS-2501-06-06	3/8"	3/8"	9/16"-18	1.063	1.260	2501-06-06	SS-2501-06-06	6-6 CTX-SS
DI-SS-2501-06-08	3/8"	1/2"	9/16"-18	1.063	1.260	2501-06-08	SS-2501-06-08	6-8 CTX-SS
DI-SS-2501-06-12	3/8"	3/4"	9/16"-18	1.590	1.31	2501-06-12	SS-2501-06-12	6-12 CTX-SS
DI-SS-2501-08-04	1/2"	1/4"	3/4"-16	1.260	1.339	2501-08-04	SS-2501-08-04	8-4 CTX-SS
DI-SS-2501-08-06	1/2"	3/8"	3/4"-16	1.260	1.339	2501-08-06	SS-2501-08-06	8 CTX-SS
DI-SS-2501-08-08	1/2"	1/2"	3/4"-16	1.260	1.339	2501-08-08	SS-2501-08-08	8-8 CTX-SS
DI-SS-2501-08-12	1/2"	3/4"	3/4"-16	1.593	1.42	2501-08-12	SS-2501-08-12	8-12 CTX-SS
DI-SS-2501-08-16	1/2"	1"	3/4"-16	1.970	1.56	2501-08-16	SS-2501-08-16	8-16 CTX-SS
DI-SS-2501-10-06	5/8"	3/8"	7/8"-14	1.281	1.453	2501-10-06	SS-2501-10-06	10-6 CTX-SS
DI-SS-2501-10-08	5/8"	1/2"	7/8"-14	1.457	1.453	2501-10-08	SS-2501-10-08	10 CTX-SS
DI-SS-2501-10-12	5/8"	3/4"	7/8"-14	1.457	1.546	2501-10-12	SS-2501-10-12	10-12 CTX-SS
DI-SS-2501-12-06	3/4"	3/8"	1 1/16"-12	1.370	1.66	2501-12-06	SS-2501-12-06	12 CTX-SS
DI-SS-2501-12-08	3/4"	1/2"	1 1/16"-12	1.654	1.772	2501-12-08	SS-2501-12-08	12-8 CTX-SS
DI-SS-2501-12-12	3/4"	3/4"	1 1/16"-12	1.654	1.772	2501-12-12	SS-2501-12-12	12-16 CTX-SS
DI-SS-2501-12-16	3/4"	1"	1 1/16"-12	1.968	1.76		SS-2501-12-16	12-12 CTX-SS
DI-SS-2501-16-12	1"	3/4"	1 5/16"-12	1.780	1.811	2501-16-12	SS-2501-16-12	16-12 CTX-SS
DI-SS-2501-16-16	1"	1"	1 5/16"-12	1.968	1.812	2501-16-16	SS-2501-16-16	16 CTX-SS
DI-SS-2501-16-20	1"	1 1/4"	1 5/16"-12	2.375	2.09	2501-16-20	SS-2501-16-20	16-20 CTX-SS
DI-SS-2501-16-24	1"	1 1/2"	1 5/16"-12	2.640	2.14	2501-16-24	SS-2501-16-24	16-24 CTX-SS
DI-SS-2501-20-16	1 1/4"	1"	1 5/8"-12	2.156	2.062	2501-20-16	SS-2501-20-16	20-16 CTX-SS
DI-SS-2501-20-20	1 1/4"	1 1/4"	1 5/8"-12	2.375	2.062	2501-20-20	SS-2501-20-20	20 CTX-SS
DI-SS-2501-20-24	1 1/4"	1 1/2"	1 5/8"-12	2.640	2.3	2501-20-24	SS-2501-20-24	20-24 CTX-SS
DI-SS-2501-24-20	1 1/2"	1 1/4"	1 7/8"-12	2.500	2.328	2501-24-20	SS-2501-24-20	24-20 CTX-SS
DI-SS-2501-24-24	1 1/2"	1 1/2"	1 7/8"-12	2.640	2.328	2501-24-24	SS-2501-24-24	24 CTX-SS
DI-SS-2501-32-24	2"	1 1/2"	2 1/2"-12	2.640	3.08	2501-32-24	SS-2501-32-24	24-24 CTX-SS
DI-SS-2501-32-32	2"	2"	2 1/2"-12	3.000	3.062	2501-32-32	SS-2501-32-32	32 CTX-SS

***On request/** *Consultar/* Sur demande

ZS570

MALE JIC x MALE BSPP PIPE 90°

Codo 90° Macho JIC x Macho BSPP

Coude 90° mâle JIC x Mâle BSPP



Part NO.	PIPE	R1 (JIC THREAD)	R2 (BSPP THREAD)	L	L1	INTERCHANGEABLE WITH		
						SHF	*TITAN FITTINGS*	*PARKER*
DI-SS-6801-04-04BSPP	1/4"	7/16"-20	1/4"	1.063	1.240	6801-04-04BSPP	SS-9059-04-04	4-4 C4OMX-SS
DI-SS-6801-06-04BSPP	3/8"	9/16"-18	1/4"	1.437	1.122	6801-06-04BSPP	SS-9059-06-04	6-4 C4OMX-SS
DI-SS-6801-06-06BSPP	3/8"	9/16"-18	3/8"	1.122	1.437	6801-06-06BSPP	SS-9059-06-06	6-6 C4OMX-SS
DI-SS-6801-06-08BSPP	3/8"	9/16"-18	1/2"	1.693	1.220	6801-06-08BSPP	SS-9059-06-08	6-8 C4OMX-SS
DI-SS-6801-08-06BSPP	1/2"	3/4"-16	3/8"	1.437	1.240	6801-08-06BSPP	SS-9059-08-06	8-6 C4OMX-SS
DI-SS-6801-08-08BSPP	1/2"	3/4"-16	1/2"	1.339	1.693	6801-08-08BSPP	SS-9059-08-08	8-8 C4OMX-SS
DI-SS-6801-10-08BSPP	5/8"	7/8"-14	1/2"	1.437	1.693	6801-10-08BSPP	SS-9059-10-08	10-8 C4OMX-SS
DI-SS-6801-12-08BSPP	3/4"	1 1/16"-12	1/2"	1.791	1.654	6801-12-08BSPP	SS-9059-12-08	12-8 C4OMX-SS
DI-SS-6801-12-12BSPP	3/4"	7/8"-14	3/4"	1.929	1.457	6801-12-12BSPP	SS-9059-12-12	12 C4OMX-SS
DI-SS-6801-16-16BSPP	1"	1 5/16"-12	1"	1.811	2.047	6801-16-16BSPP	SS-9059-16-16	16 C4OMX-SS
DI-SS-6801-20-20BSPP	1 1/4"	1 5/8"-12	1 1/4"	2.244	2.047	6801-20-20BSPP	SS-9059-20-20	20 C4OMX-SS
DI-SS-6801-24-24BSPP	1 1/2"	1 7/8"-12	1 1/2"	2.402	2.323	6801-24-24BSPP	SS-9059-24-24	24 C4OMX-SS
DI-SS-6801-32-32BSPP	2"	2 1/2"-12	2"	3.06	2.89	6801-32-32BSPP	SS-9059-32-32	32 C4OMX-SS

***On request/** *Consultar/* Sur demande

Adapters

ZS295

MALE JIC x FEMALE NPT PIPE

Macho JiC x Hembra NPT

Mâle JIC x Femelle NPT





Part NO.	PIPE	R1 (JIC THREAD)	R2 (NPT THREAD)	L	INTERCHANGEABLE WITH		
					THREAD	*TITAN FITTINGS*	*PARKER*
DI-SS-2405-02-02	1/8"	5/16"-24	1/8"	1.120	2405-02-02	SS-2405-02-02	2 GTX-SS
DI-SS-2405-04-02	1/4"	7/16"-20	1/8"	1.187	2405-04-02	SS-2405-04-02	4 GTX-SS
DI-SS-2405-04-04	1/4"	7/16"-20	1/4"	1.398	2405-04-04	SS-2405-04-04	4-4 GTX-SS
DI-SS-2405-04-06	1/4"	7/16"-20	3/8"	1.430	2405-04-06	SS-2405-04-06	4-6 GTX-SS
DI-SS-2405-04-08	1/4"	7/16"-20	1/2"	1.430	2405-04-08	SS-2405-04-08	4-8 GTX-SS
DI-SS-2405-05-04	5/16"	1/2"-20	1/4"	1.394	2405-05-04	SS-2405-05-04	5-4 GTX-SS
DI-SS-2405-05-06	5/16"	1/2"-20	3/8"	1.460	2405-05-06	SS-2405-05-06	5-6 GTX-SS
DI-SS-2405-06-02	3/8"	9/16"-18	1/8"	1.180	2405-06-02	SS-2405-06-02	6-2 GTX-SS
DI-SS-2405-06-04	3/8"	9/16"-18	1/4"	1.406	2405-06-04	SS-2405-06-04	6 GTX-SS
DI-SS-2405-06-06	3/8"	9/16"-18	3/8"	1.500	2405-06-06	SS-2405-06-06	6-6 GTX-SS
DI-SS-2405-06-08	3/8"	9/16"-18	1/2"	1.688	2405-06-08	SS-2405-06-08	6-8 GTX-SS
DI-SS-2405-08-04	1/2"	3/4"-16	1/4"	1.510	2405-08-04	SS-2405-08-04	8-4 GTX-SS
DI-SS-2405-08-06	1/2"	3/4"-16	3/8"	1.562	2405-08-06	SS-2405-08-06	8 GTX-SS
DI-SS-2405-08-08	1/2"	3/4"-16	1/2"	1.780	2405-08-08	SS-2405-08-08	8-8 GTX-SS
DI-SS-2405-08-12	1/2"	3/4"-16	3/4"	1.850	2405-08-12	SS-2405-08-12	8-12 GTX-SS
DI-SS-2405-10-08	5/8"	7/8"-14	1/2"	1.890	2405-10-08	SS-2405-10-08	10 GTX-SS
DI-SS-2405-10-12	5/8"	7/8"-14	3/4"	1.954	2405-10-12	SS-2405-10-12	10-12 GTX-SS
DI-SS-2405-12-08	3/4"	1 1/16"-12	1/2"	2.050	2405-12-08	SS-2405-12-08	12-8 GTX-SS
DI-SS-2405-12-12	3/4"	1 1/16"-12	3/4"	1.906	2405-12-12	SS-2405-12-12	12 GTX-SS
DI-SS-2405-12-16	3/4"	1 1/16"-12	1"	2.300	2405-12-16	SS-2405-12-16	12-16 GTX-SS
DI-SS-2405-16-08	1"	1 5/16"-12	1/2"	2.076	2405-16-08	SS-2405-16-08	16-8 GTX-SS
DI-SS-2405-16-12	1"	1 5/16"-12	3/4"	2.085	2405-16-12	SS-2405-16-12	16-12 GTX-SS
DI-SS-2405-16-16	1"	1 5/16"-12	1"	2.031	2405-16-16	SS-2405-16-16	16 GTX-SS
DI-SS-2405-16-20	1"	1 5/16"-12	1 1/4"	2.420	2405-16-20	SS-2405-16-20	16-20 GTX-SS
DI-SS-2405-20-16	1 1/4"	1 5/8"-12	1"	2.400	2405-16-24	SS-2405-20-16	16-24 GTX-SS
DI-SS-2405-20-20	1 1/4"	1 5/8"-12	1 1/4"	2.484	2405-20-20	SS-2405-20-20	20 GTX-SS
DI-SS-2405-24-24	1 1/2"	1 7/8"-12	1 1/2"	2.625	2405-24-24	SS-2405-24-24	24 GTX-SS
DI-SS-2405-32-32	2"	2 1/2"-12	2"	2.969	2405-32-32	SS-2405-32-32	32 GTX-SS

***On request/** *Consultar/* Sur demande

Adapters

Z1015

MALE NPT PIPE

Macho NPT

Mâle NPT





Part NO.	R1 (THREAD NPT)	R2 (THREAD NPT)	L	INTERCHANGEABLE WITH		
				(THREAD)	*TITAN FITTINGS*	*PARKER*
DI-SS-5404-02-02	1/8"	1/8"	1.059	5404-02-02	SS-5404-02-02	1/8 FF-SS
DI-SS-5404-04-02	1/4"	1/8"	1.272	5404-04-02	SS-5404-04-02	1/4 x 1/8 FF-SS
DI-SS-5404-04-04	1/4"	1/4"	1.299	5404-04-04	SS-5404-04-04	1/4 FF-SS
DI-SS-5404-06-02	3/8"	1/8"	1.260	5404-06-02	SS-5404-06-02	3/8 x 1/8 FF-SS
DI-SS-5404-06-04	3/8"	1/4"	1.449	5404-06-04	SS-5404-06-04	3/8 x 1/4 FF-SS
DI-SS-5404-06-06	3/8"	3/8"	1.339	5404-06-06	SS-5404-06-06	3/8 FF-SS
DI-SS-5404-08-02	1/2"	1/8"	1.51	5404-08-02	SS-5404-08-02	1/2 x 1/8 FF-SS
DI-SS-5404-08-04	1/2"	1/4"	1.701	5404-08-04	SS-5404-08-04	1/2 x 1/4 FF-SS
DI-SS-5404-08-06	1/2"	3/8"	1.701	5404-08-06	SS-5404-08-06	1/2 x 3/8 FF-SS
DI-SS-5404-08-08	1/2"	1/2"	1.772	5404-08-08	SS-5404-08-08	1/2 FF-SS
DI-SS-5404-12-04	3/4"	1/4"	1.772	5404-12-04	SS-5404-12-04	3/4 x 1/4 FF-SS
DI-SS-5404-12-06	3/4"	3/8"	1.772	5404-12-06	SS-5404-12-06	3/4 x 3/8 FF-SS
DI-SS-5404-12-08	3/4"	1/2"	1.961	5404-12-08	SS-5404-12-08	3/4 x 1/2 FF-SS
DI-SS-5404-12-12	3/4"	3/4"	1.890	5404-12-12	SS-5404-12-12	3/4 FF-SS
DI-SS-5404-16-04	1"	1/4"	1.96	5404-16-04	SS-5404-16-04	1 x 1/4 FF-SS
DI-SS-5404-16-06	1"	3/8"	1.960	5404-16-06	SS-5404-16-06	1 x 3/8 FF-SS
DI-SS-5404-16-08	1"	1/2"	2.150	5404-16-08	SS-5404-16-08	1 x 1/2 FF-SS
DI-SS-5404-16-12	1"	3/4"	2.150	5404-16-12	SS-5404-16-12	1 x 3/4 FF-SS
DI-SS-5404-16-16	1"	1"	2.244	5404-16-16	SS-5404-16-16	1 FF-SS
DI-SS-5404-20-16	1 1/4"	1"	2.453	5404-20-16	SS-5404-20-16	1 1/4 x 1 FF-SS
DI-SS-5404-20-20	1 1/4"	1 1/4"	2.441	5404-20-20	SS-5404-20-20	1 1/4 FF-SS
DI-SS-5404-20-24	1 1/4"	1 1/2"	2.579	5404-20-24	SS-5404-20-24	1 1/4 x 1 1/2 FF-SS
DI-SS-5404-24-16	1 1/2"	1"	2.551	5404-24-16	SS-5404-24-16	1 1/2 x 1 FF-SS
DI-SS-5404-24-24	1 1/2"	1 1/2"	2.52	5404-24-24	SS-5404-24-24	1 1/2 FF-SS
DI-SS-5404-32-20	2"	1 1/4"	2.760	5404-32-20	SS-5404-32-20	2 x 1 1/4 FF-SS
DI-SS-5404-32-24	2"	1 1/2"	2.791	5404-32-24	SS-5404-32-24	2 x 1 1/2 FF-SS
DI-SS-5404-32-32	2"	2"	2.953	5404-32-32	SS-5404-32-32	2 FF-SS

***On request/** *Consultar/* Sur demande

Bonded Seals

Juntas Metalbuna

Bague BS

Bonded Seal

ZVT21

BBS BRITISH BONDED SEAL KFM

Juntas metalbuna BSPP FKM

Bague BS BSPP FKM





14°F 392°F

Part NO.	Qty/Bag	R1 BSP	Working pressure (PSI)	L	L1	L2	INTERCHANGEABLE WITH		
							SHF	*TITAN FITTINGS*	*PARKER*
DI-SS-BBS-02	1000	1/8"	21466	0.079	0.41	0.63	BBS-02	SS-9500-02	D9DT-2-SS
DI-SS-BBS-04	1000	1/4"	22336	0.079	0.54	0.81	BBS-04	SS-9500-04	D9DT-4-SS
DI-SS-BBS-06	1000	3/8"	17840	0.079	0.68	0.94	BBS-06	SS-9500-06	D9DT-6-SS
DI-SS-BBS-08	500	1/2"	16244	0.079	0.85	1.13	BBS-08	SS-9500-08	D9DT-8-SS
DI-SS-BBS-10	500	5/8"	17985	0.098	0.92	1.25	BBS-10	SS-9500-10	D9DT-10-SS
DI-SS-BBS-12	500	3/4"	15229	0.079	1.06	1.38	BBS-12	SS-9500-12	D9DT-12-SS
DI-SS-BBS-16	250	1"	11313	0.098	1.33	1.69	BBS-16	SS-9500-16	D9DT-16-SS
DI-SS-BBS-20	250	1 1/4"	10008	0.098	1.69	2.06	BBS-20	SS-9500-20	D9DT-20-SS
DI-SS-BBS-24	150	1 1/2"	10008	0.098	1.91	2.31	BBS-24	SS-9500-24	D9DT-24-SS
DI-SS-BBS-32	100	2"	10443	0.098	2.39	2.88	BBS-32	SS-9500-32	D9DT-32-SS

***For Carbon Steel Bonded seals check page 293 of the Hydraulic and Pneumatic Price List 2018**

WE ARE STAINLESS STEEL MANUFACTURERS TO YOUR BUSINESS *GROW*

CRIMP FITTINGS FOR HOSES
RIGID PIPE
DIN 2353 PIPE FITTINGS
FLARE FITTINGS JIC 37°
SAE FLANGES
WELDING FITTINGS
BSP ADAPTORS

NPT ADAPTORS
O´RING BOSS ADAPTORS
ORFS ADAPTORS
INDUSTRIAL FITTINGS
QUICK COUPLINGS
BALL VALVES
HYDRAULIC COMPONENTS

More than 7000 stainless steel products






DICSA
GROUP

DICSA
Manufacturing Plant

Tel. +34 976 46 10 46
Fax +34 976 46 41 04
info@dicsaes.com

America

Office: 2875 NE 191 STR. STE 302 Aventura. FL 33180
Warehouse: 3000 Centre Parkway. Suite 100 East Point. GA 30344

Front Desk: 1 786-358-6662
Skype: america.dicsa
Whatsapp: +34 617548815
america@dicsaes.com

ITALY

Tel. +39 059 820 179
Fax +39 059 336 52 59
italia@dicsaes.com

GERMANY

Tel. +34 976 464 106
Fax +34 976 464 104
export@dicsaes.com
orders@dicsaes.com

LATAM - ARGENTINA

Tel. +34 976 464 106
Fax +34 976 464 104
america@dicsaes.com
america@dicsaes.com

www.dicsaes.com

DICSA

35 YEARS ANNIVERSARY

1983-2018 Growing up together

info@dicsaes.com
www.dicsaes.com

Sede Central/ ***Headquarters***
DISTRIBUIDORA INTERNACIONAL CARMEN. S.A.
Polígono Industrial Alcalde Caballero
C/ Virgen del Buen Acuerdo. s/nº. 50014 Zaragoza (Spain)
Tel. +34 976 46 10 46
Fax +34 976 46 41 04

Sucursal/*Branch Office*/Filiale
DICSA AMERICA LLC
875 NE 191 STR.
STE 302 Aventura. FL 33180
Tel. 786-358-6662
Skype: america.dicsa
Whatsapp: +34 617548815
america@dicsaes.com

Almacén/*Warehouse*/Entrepôt
DICSA DEUTSCHLAND
Logististihsentrum GmSH
Thomas Dachser Str. 1 · 76316 Malsch (Alemania)
Tel. +34 976 464 106
Fax +34 976 464 104
export@dicsaes.com

Sucursal/*Branch Office*/Filiale
DICSA ITALIA SRL
Via Emilia Ovest 1179/c
41123 Modena (Italia)
Tel. +39 059 820 179
Fax +39 059 336 52 59
italia@dicsaes.com

Sucursal/*Branch Office*/Filiale
DICSA LATAM
Tel. +34 976 464 106
Fax +34 976 464 104
america@dicsaes.com

Sucursal/*Branch Office*/Filiale
DICSA SHANGHAI
Tel. +34 976 464 106
Fax +34 976 464 104
export@dic saes.com

ISO 9001 BUREAU VERITAS Certification

2018