

## FloTech Replacement Parts

Part #	Description	Refer to Page
<b>FT9000</b>	sensor housing 2" NPT with parallel ports, complete with all hardware	134
<b>FT9000P</b>	Plug-n-Play sensor housing 2" NPT with parallel ports, complete with all hardware	134
<b>FT9001</b>	complete sensor housing gasket and O-ring kit	132, 134
<b>FT9002</b>	complete sensor housing gasket, O-ring and hardware kit	134
<b>FT9003</b>	replacement on-board monitor housing	136, 137
<b>FT9004</b>	replacement on-board monitor hardware kit	136, 137
<b>10142</b> (was FT9005)	replacement on-board bezel five wire (FT103)	136
<b>10143</b> (was FT9006)	replacement on-board bezel two wire (FT204)	137
<b>10031</b> (was FT9007)	replacement socket rear housing	127, 128, 132, 134
<b>FT9008</b>	replacement socket contact block with pins FT300 Optic series	126, 134
<b>FT9009</b>	replacement socket contact block with pins FT301 Thermistor series	126, 134
<b>FT9010</b>	replacement socket contact block with 10 pins FT304 Thermistor series	127, 134
<b>FT9011</b>	replacement sensor housing cap with screws and lock washers	132, 134
<b>10128</b> (was FT9012)	replacement 2" NPT sensor housing lock nut	132, 134
<b>FT9013</b>	replacement socket faceplate 4J slot, no contact block or hardware	126, 134
<b>FT9019</b>	faceplate assembly to fit small Scully Load anywhere housing	---
<b>FT9020</b>	socket pin, screw and crimp lug	126, 134
<b>FT9021</b>	crimp connector 100 pieces per bag	53
<b>FT9022</b>	GE RTV 103 silicone rubber sealant 2.8 oz. tube	53
<b>FT9023</b>	stripping tool for cable jacket	53
<b>FT9024</b>	crimp tool for splice connections	53
<b>FT9025</b>	terminal pin, 14-16 AWG 100 pieces	53
<b>250-G-BU</b> (was FT9026)	sensor flat gasket for 2" NPT through punched hole in man lid	132, 134
<b>10125</b> (was FT9027)	sensor housing probe, FKM O-ring	132, 134
<b>FT9028</b>	gasket for Scully Go Anywhere monitor face plate	---
<b>10119</b> (was FT9029)	J560 contact block, 7 way	128, 124, 132, 138
<b>FT9030</b>	fuse holder with ¼ Amp fuse	136
<b>FT9031</b>	fuse holder with ½ Amp fuse	137, 138
<b>10138</b> (was FT9032)	socket face plate gasket	127, 128, 132, 134

## FloTech Replacement Parts *(continued)*

Part #	Description	Refer to Page
<b>10183</b> (was FT9033)	sensor housing, lower no hardware	134
<b>FT9034</b>	replacement socket face plate 3 J slot, no contact block or hardware	126, 141
<b>10459</b> (was FT9035)	program module for FT204P and FT208	124, 125, 137, 138
<b>FT9036</b>	FT208 replacement bezel kit	125, 138
<b>FT9037</b>	FT520 test lead set	54
<b>10357</b> (was FT9038)	fuse ¼ Amp - for FT103	136
<b>10358</b> (was FT9039)	fuse ½ Amp - for FT208 and FT204	125, 137, 138
<b>FT9040</b>	Checkmate housing with lid	125, 138
<b>10366HC-002</b> (was FT9041)	replacement 3-J aluminum socket nose ring	127, 141
<b>10366HC-001</b> (was FT9042)	replacement 4-J aluminum socket nose ring	127, 141
<b>10366SS-002</b> (was FT9043)	replacement 3-J stainless socket nose ring	124, 127, 131, 141, 145
<b>10366SS-001</b> (was FT9044)	replacement 4-J stainless socket nose ring	124, 127, 131, 141, 145
<b>10432NP</b> (was FT9045)	replacement gasket for the FT208 series "Checkmate" lid	124, 125, 138
<b>FT9046</b>	bag of 10 replacement socket pins	126, 141
<b>10126</b> (was FT9049)	sensor cap O-ring	132, 134
<b>10347</b> (was FT9050)	Threaded half coupling ½" for retain probe	133, 135
<b>FT9051</b>	replacement short contact block for FT390/393 Optic 6 pin	124, 129, 130, 143, 145
<b>FT9052</b>	replacement short contact block for FT390/393 Thermistor, 10 pin	124, 129, 130, 143, 145
<b>10131</b> (was FT9053)	replacement gasket for bezel on monitors FT103/204P	136, 137
<b>101470AL</b> (was FT9054)	replacement lid frame for monitors FT103/204P	136, 137
<b>FT9059</b>	replacement face plate and bezel assembly for FT204P	137
<b>10368SS</b> (was FT9061)	replacement contact pin for FT390/393 series socket	124, 129, 131, 143, 145
<b>FT9062</b>	nose ring assembly, therm, 4J, 10PIN contact block, pin, and hardware for FT390 & FT393	124, 129, 131, 143, 145
<b>FT9063</b>	nose ring assembly, optic, 3J, 6PIN contact block, pin, and hardware for FT390 & FT393	124, 129, 131, 143, 145
<b>FT9064</b>	bezel for FT203P-SPEC	137
<b>10521NP</b> (was FT9065)	bezel gasket for FT203P-SPEC	137
<b>FT9068</b>	replacement contact block attachment screws and washers (4 each)	124, 126, 129, 130, 133, 135, 141, 143, 145

# Fuel Tanker Overfill Detection

## Competitor Cross Reference Chart

Liquid Level Sensors	FloTech Part #	Civacon Part #	Scully Part #	Description
	<b>FT100</b>	1302-007	9209	Replacement probe, optic, 5-wire, 7" long
	<b>FT100-12</b>	1302-0012	9214	Replacement probe, optic, 5-wire, 12" long
	<b>FT100-18</b>	1302-0018	---	Replacement probe, optic, 5-wire, 18" long
	<b>FT100S</b>	1410RS-0060	---	Replacement stainless steel probe, optic, 5-wire, 7" long
	<b>FT101</b>	1112-007 / 1110-007	9208	Sensor, optic, 5-wire, 2" NPT housing, 7" probe
	<b>FT101-12</b>	1112-0012 / 1110-0012	9213	Sensor, optic, 5-wire, 2" NPT housing with 12" probe
	<b>FT101-18</b>	1112-0018 / 1110-0018	---	Sensor, optic, 5-wire, 2" NPT housing with 18" probe
	<b>FT150</b>	1651-007	9409	Replacement probe, thermo-optic, 7" long, 2-wire (black and white)
	<b>FT150-12</b>	1651-0012	9414	Replacement probe, thermo-optic, 12" long, 2-wire (black and white)
	<b>FT150-18</b>	1651-0018	---	Replacement probe, thermo-optic, 18" long, 2-wire (black and white)
	<b>FT151</b>	1551-007	9408	Sensor, thermo-optic, 2" NPT housing, 7" probe, 2-wire (black and white)
	<b>FT151-12</b>	1551-0012	9413	Sensor, thermo-optic, 2" NPT housing, 12" probe, 2-wire (black and white)
	<b>FT151-18</b>	1551-0018	---	Sensor, thermo-optic, 2" NPT housing, 18" probe, 2-wire (black and white)
	<b>FT151RL</b>	1554-007	---	Sensor, ROM Link replacement thermo-optic, 2" NPT housing, 7" probe, 2-wire (black and white)
	<b>FT151RL-12</b>	1554-012	---	Sensor, ROM Link replacement thermo-optic, 2" NPT housing, 12" probe, 2-wire (black and white)
	<b>FT152</b>	---	8819	Thermo optic retain sensor (black and white)
	<b>FT155</b>	1920-5	08298 & 08542	Thermistor dummy, 5 compartment
	<b>FT201</b>	1351-007	---	Replacement R/OM type, 7" top probe, 2-wire (red and black)
	<b>FT201-12</b>	1351-0012	---	Replacement R/OM type, 12" top probe, 2-wire (red and black)
	<b>FT201-18</b>	1351-0018	---	Replacement R/OM type, 18" top probe, 2-wire (red and black)
	<b>FT202</b>	1057-007	---	Top sensor R/OM type, 2" NPT housing, 7" probe, 2-wire (red and black)
	<b>FT202-12</b>	1057-0012	---	Top sensor R/OM type, 2" NPT housing, 12" probe, 2-wire (red and black)
	<b>FT202-18</b>	1057-0018	---	Top sensor R/OM type, 2" NPT housing, 18" probe, 2-wire (red and black)
	<b>FT206</b>	1000R & 1001R	---	Retain sensor R/OM type, 1/2" NPT sensor (red & black)
	<b>FT9000</b>	1355-1355 & 1455-1455	---	Probe housing
On-Board Monitors	FloTech Part #	Civacon Part #	Scully Part #	Description
	<b>FT102</b>	3150-3150	8563	Replacement module API compatible
	<b>FT103</b>	3100-3100	8687	API compatible on-board monitor, with housing
	<b>FT203P</b>	3252-3252	---	Replacement module, R/OM type on-board monitor
	<b>FT203PSPEC</b>	3250 & 3252	---	Replacement module, R/OM type on-board monitor with 8 hole cover and frame
	<b>FT204P</b>	3202-3202 & 3202R-3202	---	R/OM type on-board monitor, with housing
	<b>FT207</b>	---	09100 or 09111	Replacement module, Checkmate on-board monitor
	<b>FT208</b>	---	09109 or 09107	Checkmate programmable monitor for top, or top and bottom sensors

# Fuel Tanker Overfill Detection

## Competitor Cross Reference Chart (continued)

Sockets	FloTech Part #	Civacon Part #	Scully Part #	Description
	<b>FT300</b>	4103-4103	7974	API compatible optic socket with cap (6 pin, 3 J-slots)
	<b>FT301</b>	4400-4400	7720	API compatible thermistor socket with cap (8 pin, 2/4 J-slots)
	<b>FT302</b>	4600-4600	8116	API compatible $\beta$ oat socket
	<b>FT303</b>	4201-4201	7976	Optic pattern with thermistor J-slots, and cap (6 pin, 2/4 J-slots) (U.S.)
	<b>FT304</b>	4403-4403	7716	Canadian / European thermistor socket with cap (10 pin, 4 J-slots)
	<b>FT305</b>	4500-4500	7681	Thermistor socket, J560 type
	<b>FT306</b>	4300-4300	8199	Optic socket, J560 type
	<b>FT307</b>	4201-4201	7976	Optic pattern with thermistor J-slots, and cap (6 pin, 2/4 J-slots) (Canada)
	<b>FT310</b>	4110-4110	21790	API optic face plate assembly with cap
	<b>FT311</b>	4111-4111	20770	API thermistor face plate assembly with cap
	<b>FT314</b>	---	20768	Canadian / European thermistor replacement face plate with cap
	<b>FT320</b>	4150-4150	8575	Blue optic dust cap
	<b>FT321</b>	4450-4450	8574	Green thermistor dust cap
	<b>FT390</b>	4820L & 4820R	9060	EZ-Cept dual socket assembly
	<b>FT390G</b>	4822L & 4822R	---	EZ-Cept dual socket assembly with ground bolt
Hardware & Systems Testers	FloTech Part #	Civacon Part #	Scully Part #	Description
	<b>FT400</b>	2100-2100	22056	5 conductor cable 100'
	<b>FT400-500</b>	2200-2200	---	5 conductor cable 500'
	<b>FT401</b>	2310-2310	27382	7 conductor cable 100'
	<b>FT401-1000</b>	2401-2401	---	7 conductor cable 1000'
	<b>FT401-150</b>	2300-2300	---	7 conductor cable 150'
	<b>FT402</b>	2510-2510	---	20 strain relief fittings, 1/2" NPT
	<b>FT403</b>	2530-2530	---	30 strain relief fittings, 1/2" NPT
	<b>FT450</b>	GS1000	8560	Stainless steel grounding bolt
	<b>FT451</b>	---	8274	Stainless steel grounding ball
	<b>FT470</b>	---	08836	TI module
	<b>FT520</b>	1391-1391	---	Optic system tester
	<b>FT521</b>	1396-1396	---	API optic test plug, six pins & 3 J slots
	<b>FT522</b>	1395-1395	---	Optic test plug, six pins & 2 or 4 J slots (plug fits both 2 & 4 J slot sockets)
	<b>FT523</b>	1397-1397	---	Optic test plug J560 type
	<b>FT555</b>	---	08938	Truck tester
API Rack Cords	FloTech Part #	Civacon Part #	Scully Part #	Description
	<b>FT600</b>	7320	21818	API Thermistor green plug with 8 contact pins for 2 or 4 J slots, on a 30' coiled orange cable (US).
	<b>FT601</b>	7310	20769	Replacement green plug only with 8 contact pins for 2 or 4 J slots (US)
	<b>FT601-10</b>	---	20767	Replacement green plug only with 10 contact pins and 4 J slots (Canada)
	<b>FT602</b>	---	30197	Replacement 30' coiled cable
	<b>FT620</b>	---	21831	API Optic Blue plug with 6 contact pins and 3 J slots, on a 30' coiled orange cable (US)
	<b>FT621</b>	---	21766	Replacement blue plug only with 6 contact pins and 3 J slots (US)
	<b>FT622</b>	---	31099	Replacement 30' coiled cable
	<b>FT623</b>	---	8235	Plug hanger

# Fuel Tanker Overfill Detection

## Competitor Cross Reference Chart (continued)

On-Board Systems	FloTech Part #	Civacon Part #	Scully Part #	Description
	<b>FT1001</b>	2001-2001	---	API compatible 1 compartment system 7" probe
	<b>FT1001-12</b>	2001S-0012	---	API compatible 1 compartment system 12" probe
	<b>FT1002</b>	2002-2002	---	API compatible 2 compartment system 7" probes
	<b>FT1002-12</b>	2002S-0012	---	API compatible 2 compartment system 12" probes
	<b>FT1003</b>	2003-2003	---	API compatible 3 compartment system 7" probes
	<b>FT1003-12</b>	2003S-0012	---	API compatible 3 compartment system 12" probes
	<b>FT1004</b>	2004-2004	8305	API compatible 4 compartment system 7" probes
	<b>FT1004-12</b>	2004S-0012	---	API compatible 4 compartment system 12" probes
	<b>FT1005</b>	2005-2005	8306	API compatible 5 compartment system 7" probes
	<b>FT1005-12</b>	2005S-0012	---	API compatible 5 compartment system 12" probes
	<b>FT1006</b>	2006-2006	---	API compatible 6 compartment system 7" probes
	<b>FT1006-12</b>	2006S-0012	---	API compatible 6 compartment system 12" probes
	<b>FT2001</b>	3021-3021	---	R/OM type, 1 compartment system, overfill & retain, 7" probe
	<b>FT2001-12</b>	3021S-0012	---	R/OM type, 1 compartment system, overfill & retain, 12" probe
	<b>FT2002</b>	3022-3022	---	R/OM type, 2 compartment system, overfill & retain, 7" probes
	<b>FT2002-12</b>	3022S-0012	---	R/OM type, 2 compartment system, overfill & retain, 12" probes
	<b>FT2003</b>	3023-3023	---	R/OM type, 3 compartment system, overfill & retain, 7" probes
	<b>FT2003-12</b>	3023S-0012	---	R/OM type, 3 compartment system, overfill & retain, 12" probes
	<b>FT2004</b>	3024-3024	---	R/OM type, 4 compartment system, overfill & retain, 7" probes
	<b>FT2004-12</b>	3024S-0012	---	R/OM type, 4 compartment system, overfill & retain, 12" probes
	<b>FT2005</b>	3025-3025	---	R/OM type, 5 compartment system, overfill & retain, 7" probes
	<b>FT2005-12</b>	3025S-0012	---	R/OM type, 5 compartment system, overfill & retain, 12" probes
	<b>FT2006</b>	3026-3026	---	R/OM type, 6 compartment system, overfill & retain, 7" probes
	<b>FT2006-12</b>	3026S-0011	---	R/OM type, 6 compartment system, overfill & retain, 12" probes
	<b>FT2101</b>	3031-3031	---	R/OM type, 1 compartment system, overfill only, 7" probe
	<b>FT2101-12</b>	3031S-0012	---	R/OM type, 1 compartment system, overfill only, 12" probe
	<b>FT2102</b>	3032-3032	---	R/OM type, 2 compartment system, overfill only, 7" probes
	<b>FT2102-12</b>	3032S-0012	---	R/OM type, 2 compartment system, overfill only, 12" probes
	<b>FT2103</b>	3033-3033	---	R/OM type, 3 compartment system, overfill only, 7" probes
	<b>FT2103-12</b>	3033S-0012	---	R/OM type, 3 compartment system, overfill only, 12" probes
	<b>FT2104</b>	3034-3034	---	R/OM type, 4 compartment system, overfill only, 7" probes
	<b>FT2104-12</b>	3034S-0012	---	R/OM type, 4 compartment system, overfill only, 12" probes
	<b>FT2105</b>	3035-3035	---	R/OM type, 5 compartment system, overfill only, 7" probes
	<b>FT2105-12</b>	3035S-0012	---	R/OM type, 5 compartment system, overfill only, 12" probes
	<b>FT2106</b>	3036-3036	---	R/OM type, 6 compartment system, overfill only, 7" probes
	<b>FT2106-12</b>	3036S-0012	---	R/OM type, 6 compartment system, overfill only, 12" probes
	<b>FT2801</b>	---	8251	Checkmate system, 1 compartment system, overfill only, 7" probe
	<b>FT2802</b>	---	8352	Checkmate system, 2 compartment system, overfill only, 7" probes
	<b>FT2803</b>	---	8353	Checkmate system, 3 compartment system, overfill only, 7" probes
	<b>FT2804</b>	---	8354	Checkmate system, 4 compartment system, overfill only, 7" probes
	<b>FT2805</b>	---	8355	Checkmate system, 5 compartment system, overfill only, 7" probes

# Fuel Tanker Overfill Detection

## Competitor Cross Reference Chart (continued)

On-Board Systems	FloTech Part #	Civacon Part #	Scully Part #	Description
	<b>FT2806</b>	---	8356	Checkmate system, 6 compartment system, overfill only, 7" probes
	<b>FT2807</b>	---	8380	Checkmate system, 7 compartment system, overfill only, 7" probes
	<b>FT2808</b>	---	8381	Checkmate system, 8 compartment system, overfill only, 7" probes
	<b>FT2811</b>	---	8361	Checkmate system, 1 compartment system, overfill & retain, 7" probe
	<b>FT2812</b>	---	8362	Checkmate system, 2 compartment system, overfill & retain, 7" probes
	<b>FT2813</b>	---	8363	Checkmate system, 3 compartment system, overfill & retain, 7" probes
	<b>FT2814</b>	---	8364	Checkmate system, 4 compartment system, overfill & retain, 7" probes
	<b>FT2815</b>	---	8365	Checkmate system, 5 compartment system, overfill & retain, 7" probes
	<b>FT2816</b>	---	8366	Checkmate system, 6 compartment system, overfill & retain, 7" probes
	<b>FT2817</b>	---	8382	Checkmate system, 7 compartment system, overfill & retain, 7" probes
	<b>FT2818</b>	---	8383	Checkmate system, 8 compartment system, overfill & retain, 7" probes